

Actual exam question from Oracle's 1z0-1072-22

Question #: 1

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You can attach resources to a Dynamic Routing Gateway (DRG). Select THREE of these resources. (Choose three.)

- A. IPSec Tunnel
- B. Subnet
- C. VNIC
- D. Remote Peering Connections
- E. Local Peering Connection
- F. Virtual Circuits

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 2

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which statement is NOT correct regarding the Oracle Cloud Infrastructure (OI) File System snapshots?

- A. Even if nothing has changed within the file system since the last snapshot was taken, a new snapshot consumes more storage
- B. Snapshots are a consistent, point-in-time view of your file systems
- C. Snapshots are accessible under the root directory of the file system at `.snapshot/name`
- D. Before you can clone a file system, at least one snapshot must exist for the file system

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 3

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

What should be created before provisioning an Oracle Cloud Infrastructure (OCI) DB System?

- A. Virtual Cloud Network
- B. Compute Instance
- C. Compartment
- D. Bucket in Object Storage

[Show Suggested Answer](#)





Actual exam question from Oracle's 1z0-1072-22

Question #: 4

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You are part of a team that manages a set of workload instances running in an on-premises environment. The Architect team is tasked with designing and configuring Oracle Cloud Infrastructure (OCI) Logging service to collect logs from these instances. There is a requirement to archive Info-level logging data of these instances into the OCI Object Storage.

Which TWO features of OCI can help you achieve this? (Choose two.)

- A. Cloud Agent Plugin
- B. Grouping Function
- C. Agent Configuration
- D. Service Connectors
- E. ObjectCollection Rule

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 5

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You are part of an organization with thousands of users accessing Oracle Cloud Infrastructure (OCI). An unknown user action was executed resulting in configuration errors. You are tasked to quickly identify the details of all users who were active in the last six hours along with any REST API calls that were executed.

Which OCI service would you use?

- A. Notifications
- B. Audit
- C. Service Connectors
- D. Logging
- E. Management Agent

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 6

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which is NOT a valid statement regarding the Oracle Cloud Infrastructure (OCI) Audit service?

- A. Audit logs are displayed for Compartments.
- B. Changes within the objects stored in an Object Storage bucket are collected as Audit logs.
- C. Audit service can record REST API calls executed by a custom client.
- D. Retention period for Audit logs is 365 days and it cannot be changed.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 7

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

As your company's cloud architect, you have been invited by the CEO to join his staff meeting. They want your input on interconnecting Oracle Cloud Infrastructure (OCI) to another cloud provider in London, with some specific requirements:

They want resources in the other cloud provider to leverage OCI Autonomous Data Warehouse ML capabilities.

The connection between OCI and the other cloud provider should be provisioned as quickly as possible.

The connection should offer high bandwidth and predictable performance.

Which other cloud provider should you recommend to interconnect with OCI and meet the above requirements?

- A. Amazon Web Services
- B. OCI
- C. Google Cloud
- D. Microsoft Azure
- E. IBM Cloud
- F. Alibaba Cloud
- G. Digital Ocean

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 8

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You have an instance running in Oracle Cloud Infrastructure (OCI) that cannot be live-migrated during an infrastructure maintenance event. OCI schedules a maintenance due date within 14 to 16 days and sends you a notification.

What would happen if you choose not to proactively reboot the instance before the scheduled maintenance due date?

- A. The instance is either reboot-migrated or rebuilt in place for you.
- B. The instance will get terminated.
- C. You will receive another notification to reboot within the next 7 days.
- D. You will receive another notification to reboot within the next 14 days.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 9

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

As a network architect you have deployed a public subnet on your Virtual Cloud Network (VCN) with this security list:

Type	Direction	CIDR	Protocol	Source Port	Destination Port
Stateful	Ingress	0.0.0.0/0	TCP	All	80
Stateful	Egress	10.0.2.0/24	TCP	All	1521
Stateful	Ingress	10.0.2.0/24	TCP	All	21
Stateful	Ingress	10.0.2.0/24	TCP	All	80

You have also created a network security group (NSG) as shown in the table here, and assigned it to your bastion host:

Type	Direction	CIDR	Protocol	Source Port	Destination Port
Stateful	Ingress	0.0.0.0/0	TCP	All	21
Stateful	Ingress	0.0.0.0/0	TCP	All	443
Stateful	Ingress	10.0.2.0/24	TCP	All	22

You have confirmed that routing is correct but when you SSH to the VM from your home over the Internet, you are unable to connect.

What could be the problem?

- A. User will be able to SSH to the VM from the Internet as SSH is open on the NSG.
- B. Internet traffic should be allowed only on the NSG.
- C. SSH traffic is not allowed in the security list nor on the NSG from the Internet.
- D. Public subnet does not have a route rule to the Internet Gateway.

Show Suggested Answer

Actual exam question from Oracle's 1z0-1072-22


Question #: 10

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You have three compartments: ProjectA, ProjectB, and ProjectC. For each compartment, there is an admin group set up: A-Admins, B-Admins, and C-Admins. Each admin group has full access over their respective compartments as shown in the graphic below.

Your organization has set up a tag namespace, EmployeeGroup.Role and all your admin groups are tagged with a value of 'Admin'.



You want to set up a Test compartment for members of the three projects to share. You also need to provide admin access to all three of your existing admin groups. Which policy would you write to accomplish this task?

- A. Allow dynamic-group to manage all-resources in compartment Test where request.principal.group.tag.EmployeeGroup.Role='Admin'
- B. Allow all-group to manage all-resources in compartment Test where request.principal.group.tag.EmployeeGroup.Role='Admin'
- C. Allow group any-group to manage all-resources in compartment Test where request.principal.group.tag.EmployeeGroup.Role='Admin'
- D. Allow any user to manage all resources in compartment Test where request.principal.group.tag.EmployeeGroup.Role='Admin'

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 11

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which is NOT a valid action within the Oracle Cloud Infrastructure (OCI) Block Volume service?

- A. Cloning an existing volume to a new, larger volume.
- B. Expanding an existing volume in place with offline resizing.
- C. Restoring from a volume backup to a larger volume.
- D. Attaching a block volume to an instance in a different availability domain.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 12

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which of the following statements is true about cloning a volume in the Oracle Cloud Infrastructure (OCI) Block Volume service?

- A. You can change the block volume size when cloning a volume.
- B. You need to detach a volume before cloning it.
- C. Creating a clone takes longer than creating a backup of a volume.
- D. You can clone a volume to another region.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 13

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which TWO statements about the Oracle Cloud Infrastructure (OCI) File Storage Service are accurate? (Choose two.)

- A. File systems use Oracle-managed keys by default.
- B. Mount targets use Oracle-managed keys by default.
- C. Customer can encrypt the communication to a mount target via export options.
- D. Customer can encrypt data in their file system using their own Vault encryption key.
- E. Communication with file systems in a mount target is encrypted via HTTPS.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 14

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which TWO are key benefits of setting up Site-to-Site VPN on Oracle Cloud Infrastructure (OCI)? (Choose two.)

- A. When setting up Site-to-Site VPN, it creates a private connection that provides consistent network experience.
- B. When setting up Site-to-Site VPN, customers can expect bandwidth above 2 Gbps.
- C. When setting up Site-to-Site VPN, OCI provisions redundant VPN tunnels.
- D. When setting up Site-to-Site VPN, customers can configure it to use static or dynamic routing (BGP).

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 15

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which of the following is a valid RFC 1918 CIDR prefix that can be used for creating an Oracle Cloud Infrastructure (OCI) Virtual Cloud Network (VCN)?

- A. 10.0.0.0/8
- B. 0.0.0.0/0
- C. 192.168.0.0/16
- D. 189.215.154.89/32
- E. 192.268.0.0/24
- F. 172.16.0.0/12

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 16

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which is NOT a valid Oracle Cloud Infrastructure (OCI) Virtual Cloud Network (VCN) approach?

- A. Ensure VCN CIDR prefix overlaps with other VCNs in your tenancy or with your organizations private IP network ranges.
- B. Private subnets should ideally have individual route tables to control the flow of traffic within and outside of VCN.
- C. Use OCI tags to tag VCN resources so that all resources follow organizational tagging/naming conventions.
- D. Ensure not all IP addresses are allocated at once within a VCN or subnet; instead reserve some IP addresses for future use.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 17

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which TWO statements are TRUE about Public IP addresses in Oracle Cloud Infrastructure (OCI)? (Choose two.)

- A. By default, an instance in a public subnet has one primary public IP address.
- B. You must use OCI provided public IP addresses. You cannot bring your own IP addresses to OCI.
- C. You can assign a given instance multiple public IPs across one or more VNICs.
- D. Public IP addresses can be ephemeral or reserved.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 18

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which TWO statements are TRUE about Private IP addresses in Oracle Cloud Infrastructure (OCI)? (Choose two.)

- A. Each VNIC can only have one private IP address.
- B. A private IP can have an optional public IP assigned to it if it resides in a public subnet.
- C. By default, the primary VNIC of an instance in a subnet has one primary private IP address and one secondary private IP address.
- D. By default, the primary VNIC of an instance in a subnet has one primary private IP address.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 19

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You are using the Oracle Cloud Infrastructure (OCI) Vault service to create and manage Secrets. For your database password, you have created a secret and rotated the secret one time. The secret versions are as follows:

Version Number	Status
2 (latest)	Current
1	Previous

You later realize that you have made a mistake in updating the secret content for version 2 and want to rollback to version 1. What should you do to rollback to version 1?

- A. Deprecate version 2 (latest). Create new Secret version 3. Create soft link from version 3 to version 1.
- B. From the version 1 menu on the OCI console, select "Promote to Current".
- C. From the version 2 (latest) menu, select "Rollback" and select version 1 when given the option.
- D. Create a new secret version 3 and set to Pending. Copy the content of version 1 into version 3.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 20

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which statement is NOT true about the Oracle Cloud Infrastructure (OCI) Object Storage service?

- A. Immutable option for data stored in Object Storage can be set via retention rules.
- B. Object lifecycle rules can be used to either archive or delete objects.
- C. Object Storage resources can be shared across tenancies.
- D. Object Versioning is enabled at the namespace level.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 21

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

A financial firm is designing an application architecture for its online trading platform that should have high availability and fault tolerance.

Their solutions architect configured the application to use an Oracle Cloud Infrastructure (OCI) Object Storage bucket located in the US West (us-phoenix-1) region to store large amounts of financial data. The stored financial data in the bucket should not be impacted even if there is an outage in one of the Availability Domains or a complete region.

What should the architect do to avoid any costly service disruption and ensure data durability?

- A. Create a lifecycle policy to regularly send data from the Standard to Archive storage.
- B. Create a replication policy to send data to a different bucket in another OCI region.
- C. Create a new Object Storage bucket in another region and configure lifecycle policy to move data every 5 days.
- D. Copy the Object Storage bucket to a block volume.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 22

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

As a solution architect, you are showcasing the Oracle Cloud Infrastructure (OCI) Object Storage feature about Object Versioning to a customer. Which statement is true regarding OCI Object Storage Versioning?

- A. A bucket that is Versioning-enabled can and will always have the latest version of the object in the bucket.
- B. Objects are physically deleted from a bucket when versioning is enabled.
- C. Object Versioning does not provide data protection against accidental or malicious object update, overwrite, or deletion.
- D. Object Versioning is disabled on a bucket by default.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 23

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You have multiple applications running on a compute instance that generate a large amount of log files. You are required to retain these log files for a total of 60 days; at least 15 days on the boot volume, and an additional 45 days in any location.

Which is the most cost-effective way to meet the 15-day boot volume retention requirement and the 60-day total retention requirement?

- A. Do not delete any logs but resize the boot volume of the instance every time additional space is needed.
- B. Attach a block volume and use a script that moves log files older than 15 days to the new volume and deletes them completely after 60 days.
- C. Create an Object Storage bucket and use a script that runs daily to move log files older than 15 days from the boot volume to the bucket. Create a lifecycle rule for the bucket to delete any logs over 60 days old.
- D. Terminate the instance while preserving the boot volume. Create a new instance from the boot volume and select a DenseIO shape to take advantage of the local NVMe storage.

Show Suggested Answer




Actual exam question from Oracle's 1z0-1072-22

Question #: 24

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You want to create a policy to allow the NetworkAdmins group to manage Virtual Cloud Network (VCN) in compartment C. You want to attach this policy to the tenancy. The compartment hierarchy is shown below.



Which policy statement can be used to accomplish this task?

- A. Allow group NetworkAdmins to manage virtual-network-family in compartment C
- B. Allow group NetworkAdmins to manage virtual-network-family in compartment B:C
- C. Allow group NetworkAdmins to manage virtual-network-family in tenancy
- D. Allow group NetworkAdmins to manage virtual-network-family in compartment A:B:C

Show Suggested Answer

Actual exam question from Oracle's 1z0-1072-22

Question #: 25

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You are in the process of migrating several legacy applications from on-premises to Oracle Cloud Infrastructure (OCI). The current servers are already virtualized. However, you notice that the version of CentOS currently running does not align with any of the Oracle-provided compute images.

How would you migrate your existing virtual server images to OCI?

- A. Export your current image in the VDI format and copy to an Object Storage bucket. Import it as a custom image. Select native mode to ensure the best possible performance.
- B. Export your current image in the QCOW2 format and copy to an Object Storage bucket. Import it as a custom image. Select emulated mode to ensure compatibility with legacy drivers.
- C. Export your current image in the QED format and copy to an Object Storage bucket. Import it as a custom image. Select emulated mode to ensure compatibility with legacy drivers.
- D. Export your current image in the VMDK format and copy to an Object Storage bucket. Import it as a custom image. Select native mode to ensure the best possible performance.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 26

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You just got a last minute request to create a set of instances in Oracle Cloud Infrastructure (OCI). The configuration and installed software are identical for every instance, and you already have a running instance in your OCI tenancy.

Which image option allows you to achieve this task with the least amount of effort?

- A. Use Oracle-provided images and customize the installation using a third-party tool.
- B. Bring your own image and use it as a template for the new instances.
- C. Select an image from the OCI Marketplace.
- D. Create a custom image and use it as a template for the new instances.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 27

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Your customer would run month-end jobs on their on-premises databases that would take around 14 hours to complete and sometimes even fail due to overloaded database systems. After a detailed evaluation, they migrated their database to Oracle Autonomous Data Warehouse. They realized they could also move their analytics platform to Oracle Analytics Cloud (OAC) and have their best of breed technology platforms meet their critical business requirements.

After migrating their analytics platform, they want to use one consumer group for running month-end jobs and another consumer group that can be used by the analytics team for performing data analytics tasks everyday.

How can your customer implement this requirement?

- A. Use consumer group high for data analytics and consumer group low for month-end jobs.
- B. Use consumer group high for both month-end jobs and data analytics.
- C. Use consumer group high for month-end jobs and consumer group medium for data analytics.
- D. Use consumer group medium for month-end jobs and consumer group low for data analytics.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 28

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which TWO components are optional while creating the Monitoring Query Language (MQL) expressions in the Oracle Cloud Infrastructure (OCI) Monitoring service?
(Choose two.)

- A. Dimensions
- B. Interval
- C. Statistic
- D. Metric
- E. Grouping Function

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 29

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You are backing up your on-premises data to the Oracle Cloud Infrastructure (OCI) Object Storage Service.

Your requirements are:

1. Backups need to be retained for at least full 31 days.
2. Data should be accessible immediately if and when needed after the backup.

Which OCI Object Storage tier is suitable for storing the backup to minimize cost?

- A. Archive tier
- B. Infrequent Access tier
- C. Standard tier
- D. Auto-Tiering tier

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 30

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

The volume of transactions of your rental business is increasing. You anticipate a rise in workload during the upcoming holiday sales event. You want to ensure that the business is not impacted during the event due to an overloaded database system. Based on your database administrator's suggestion, you intend to scale up your Virtual Machine DB System during the event period to address the resource demand.

Which of the following TWO statements are true about scaling the Virtual Machine DB System? (Choose two.)

- A. You can only scale up a database system, but cannot scale it down.
- B. You can perform scaling operations only after the database system is down.
- C. You can change the shape of a Virtual Machine DB System to change the number of OCPU cores.
- D. You can scale up storage in a Virtual Machine DB System without any downtime.
- E. You can only scale up OCPUs, but not storage.

Show Suggested Answer



Actual exam question from Oracle's 1z0-1072-22

Question #: 31

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Your IT team has asked you to provision an Autonomous Database in Oracle Cloud Infrastructure (OCI), but they want it to operate similar to what you have currently on-premises.

What are the TWO prerequisites for successfully deploying an Autonomous Dedicated Database in OCI? (Choose two.)

- A. Exadata Infrastructure
- B. Identity and Access Management (IAM) Policies
- C. Object Storage
- D. Autonomous Container Database

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 32

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You need to implement automatic backups for your database system. You can easily check "Enable Automatic Backup" in the web console. Before you do that though, you need to have which of the following TWO prerequisites in place? (Choose two.)

- A. VCN configured with VPN for secure access to the Oracle Cloud Infrastructure (OCI) Object Storage service
- B. Private SSH key to the database
- C. Access to the OCI Object Storage service
- D. Connectivity to Swift endpoints

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 33

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

Which TWO predefined service names can you use when connecting to an Oracle Cloud Infrastructure (OCI) Autonomous Data Warehouse? (Choose two.)

- A. TP for a connection service when you do not want to run with parallelism.
- B. TPUrgent for a connection service when you do want to run with parallelism.
- C. High for the highest level of resources to process each SQL statement.
- D. Medium for a lower level of resources to process each SQL statement.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 34

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You want to have an exact copy of your database system to demonstrate the feasibility of a method you have in mind. You decide to clone your database system. Which of the following statement is true about cloning a database system?

- A. Cloning creates a copy of the source DB system as it exists at the time of scheduling the cloning operation, including the storage configuration software and database volumes.
- B. Cloning creates a copy of the source DB System as it exists at a later time, including the storage configuration software and database volumes.
- C. Cloning creates a copy of the source DB system as it exists at an earlier time, including the storage configuration software and database volumes.
- D. Cloning creates a copy of the source DB system as it exists at the time of the cloning operation, including the storage configuration software and database volumes.

Show Suggested Answer





Actual exam question from Oracle's 1z0-1072-22

Question #: 35

Topic #: 1

[\[All 1z0-1072-22 Questions\]](#)

You create a file system and then add a 2 GB file. You then take a snapshot of the file system.

What would be the total meteredBytes shown by the File Storage service after the hourly update cycle is complete?

- A. 2.5 GB
- B. 2 GB
- C. 3 GB
- D. 4GB

Show Suggested Answer

