

Actual exam question from VMware's 2V0-21.19D

Question #: 1

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator is installing a Platform Services Controller Instance.

Which two options are available during the installation process? (Choose two.)

- A. choose deployment size
- B. specify vSphere administrator credentials
- C. enable Enhanced Linked Mode
- D. create a vCenter Single sign-on domain
- E. join an existing domain

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 2

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere Administrator has multiple virtual machines running on a VMFS datastore.

Which option prioritizes the disk access for the virtual machines?

- A. Disk Shares
- B. Disk Mode
- C. Disk Type
- D. Hard Disk

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-21.19D

Question #: 5

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator has an environment with these conditions and requirements:

- ⇒ The host provides 6GHz of CPU and 32GB of memory
- ⇒ The host is shared between the Marketing and QA departments
- ⇒ The QA department needs a higher compute resource priority

How can the administrator meet the conditions and requirements?

- A. Adjust NIOC or SIOC as appropriate to give the QA department a higher compute priority within the cluster.
- B. Create a resource pool for each department and use the Shares attribute to prioritize the allocation of resource.
- C. Assign affinity or anti-affinity rules to the appropriate VMs for each department.
- D. Set the VM priority to high for QA department VMs and normal for Marketing department VMs.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 6

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What is a benefit of using resource pools?

- A. Increased visibility of user activity
- B. Increased vMotion efficiency for a set of VMs
- C. Increased accuracy for proactive resources for a set of VMs
- D. Increased ease of reserving resources for a set of VMs

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 7

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

This error is generated when a vSphere administrator takes a VM snapshot:

An error occurred while taking a snapshot: Failed to quiesce the virtual machine

What should the administrator investigate to determine the cause of the failure?

- A. Check if the virtual machine is already running on snapshots.
- B. Check if the virtual machine is in suspended state.
- C. Check if VMware Tools is installed on virtual machine.
- D. Check if the virtual machine has an ISO mounted.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 8

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator is working in a high security environment. The administrator wants to ensure unencrypted VMs can be migrated securely. What should the vSphere administrator use to meet this requirement?

- A. vTPM
- B. UEFI Secure Boot
- C. KMS Server
- D. encrypted vSphere vMotion

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 10

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

Which two tasks are allowed in the X-Lence data center? (Choose two.)

The screenshot shows the vCenter vclass.local interface. The hierarchy is as follows:

- vcnenter.vclass.local
  - X-Lence Datacenter (Group 1: Administrator propagate to children)
    - AX-Test VMs
      - AX-1000
      - AX-850
    - Database VMs (Group 2: Read-Only)
      - XRK-01
      - XRK-02
      - XRK-03

Members of Group1: User A, User B

Members of Group2: User A, User C

- A. User C can convert AX-850 to VM.
- B. User B can delete from disk XRK-01.
- C. User A can take a snapshot on XRK-01.
- D. User A can take a snapshot on AX-1000.
- E. User C can view configuration of AX-1000.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 11

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What are two components of a VM-Host affinity rule? (Choose two.)

- A. Host Group
- B. Cluster settings
- C. VM restart priority
- D. VM restart action
- E. VM Group

Show Suggested Answer







Actual exam question from VMware's 2V0-21.19D

Question #: 12

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What does ESXi Autoconfiguration do?

- A. sets up host profiles
- B. configures system network and storage devices
- C. determines the number of hosts to be deployed
- D. configures Auto Deploy

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 13

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator is using vSphere Web Client to configure the firewall to allow specific third-party application SSH access to an ESXi Host.

What is the most secure way to configure the firewall rule?

- A. Specify remote IP subnet range in IP List.
- B. Use Allow connection from any IP address.
- C. Enable lockdown mode.
- D. Disable the firewall.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 14

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

In a single cluster VM encryption scenario, which two VMs should be executed from encryption? (Choose two.)

- A. Platform Services Controller
- B. vSphere Replication Appliance
- C. vRealize Operations Manager
- D. VMware vCenter Server
- E. vRealize Log Insight

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 15

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which vSphere feature is designed to distribute space usage and I/O load across multiple datastores?

- A. Storage Policies
- B. vStorage API for Array Integration
- C. Storage I/O Control
- D. vSphere Storage DRS

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 16

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator creates a VM with 2 vCPUs and 4GB memory. A 3GB memory reservation is applied to the VM. What size is .vswp file when the VM is powered on?

- A. 1GB
- B. 2GB
- C. 3GB
- D. 4GB

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 17

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator suspects poor VM performance. The administrator runs esxtop and sees the following output from the CPU and memory screens:

```
6:48:19pm up 4:22, 528 worlds, 8 VMs, 16 vCPUs, CPU load average: 0.26, 0.36, 0.16
```

```
VMKMEM/MB: 8151 managed: 407 minfree, 3055 rsvd, 5095 ursvd, high state
```

What can the administrator conclude from this output?

- A. The host has too many worlds running.
- B. The host is ballooning.
- C. The host has adequate memory.
- D. The host is under CPU pressure.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 18

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which teaming and failover policy offers the lowest latency when a failover or a migration with vSphere vMotion occurs?

- A. Network failure detection
- B. Fallback
- C. Notify switches
- D. Load balancing

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 19

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which two features should an administrator use to protect a VMware vCenter Server Appliance from host and hardware failures? (Choose two.)

- A. VMware Distributed Power Management
- B. vCenter High Availability
- C. vSphere High Availability
- D. vSphere Fault Tolerance
- E. VMware vSphere Distributed Resource Scheduler

Show Suggested Answer







Actual exam question from VMware's 2V0-21.19D

Question #: 20

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which DCUI option determines the time frame an administrator has to log in to the ESXi Shell after enabling the service?

- A. Idle Timeout
- B. Availability Timeout
- C. Enable SSH
- D. Enable ESXi Shell

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 21

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which two VMware solutions track and analyze the operation of multiple data sources? (Choose two.)

- A. vRealize Log Insight
- B. vRealize Operations Manager
- C. vRealize Life Cycle Manager
- D. vRealize Automation
- E. vRealize Orchestrator

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 22

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator is performing a greenfield vSphere deployment with these requirements:

- ⇒ vCenter Server sized for 100 ESXi hosts and 1000 virtual machines
- ⇒ Each ESXi Host with 512 LUNs and 2048 paths mapped from Dell EMC XtremIO Storage Array

Which vCenter Server Appliance deployment size meets requirements?

- A. Large
- B. Tiny
- C. Medium
- D. Small

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 23

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What is used by a VM for direct access to a LUN?

- A. vSAN
- B. RDM
- C. NVMe
- D. ext3

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 24

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator uses a Dedicated Failover Hosts Admission Control Policy in a cluster. An ESXi host fails and vSphere HA attempts to restart the VMs onto the dedicated failover hosts. The hosts have insufficient resources.

What happens to the VMs?

- A. vSphere HA restarts VMs in another cluster.
- B. vSphere HA suspends the VMs until a host is available.
- C. vSphere HA powers down the VMs.
- D. vSphere HA attempts to restart the VMs on other hosts in the cluster.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 25

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which migration technique could be used to move a VM between vCenters while the VM is powered on?

- A. Suspended
- B. Shared-nothing vSphere vMotion
- C. Cold
- D. Storage vMotion

[Show Suggested Answer](#)



Actual exam question from VMware's 2V0-21.19D

Question #: 26

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A VSS is configured with two uplinks and assigned a load balancing policy route based on a virtual port ID. What are two potential disadvantages of this configuration? (Choose two.)

- A. A VM with a single MAC address is limited to the speed of the uplink associated with the relevant port ID.
- B. Higher resource consumption compared to other load balancing algorithms will occur.
- C. The virtual switch is unaware of uplink load and uplinks might become overloaded.
- D. The NIC with less load is more likely to be chosen if port IDs match.
- E. ESXi will use NIOC to attempt to mitigate network congestion when an uplink becomes saturated.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 27

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which permission should be granted to a user with Administrator permission and with no access to the encrypted VM console?

- A. New role with no Cryptographic Operations
- B. Administrator role and Read Only Role
- C. Administrator role
- D. No Cryptography Administrator role

Show Suggested Answer







Actual exam question from VMware's 2V0-21.19D

Question #: 28

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which feature allows a vSphere administrator to reduce power consumption on a cluster?

- A. WOL
- B. BMC
- C. DPM
- D. DNS

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 29

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator manages a cluster containing Production and Test VMs. Production VMs run on a VSS port group and a storage array separate from the Test VMs. The administrator wants to prevent large (>500GB) file transfers in Test from impacting Production.

Which two configuration changes should the administrator make to achieve this? (Choose two.)

- A. Migrate the VSS port groups to VDS port groups.
- B. Install a second virtual NIC in the Production VMs.
- C. Move the Production VMs to a resource pool with a memory reservation.
- D. Enable the Test VMs to a dedicated folder with CPU shares set to low.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 30

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

The VM storage policy compliance status is out of date.

Which step should the administrator take to maintain compliance with the existing storage policy?

- A. Change the service level capability.
- B. Assign a new storage policy.
- C. Reapply the storage policy.
- D. Migrate VM to another host.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 31

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator has a VM that needs to be deployed from a template located in an optimized content library.

What needs to be done before the VM can be deployed?

- A. Export the template as an OVF.
- B. Clone the template to a new template.
- C. A subscribed content library needs to be created.
- D. Deploy VM from the template.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 32

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator has the privilege Content library > Add library item on the vCenter object, but is unable to add items to a local content library. How would the vSphere administrator correct this?

- A. Remove the No Access role on the vCenter object.
- B. Restart the Content Library Service.
- C. Assign the privilege to the global root object.
- D. Reboot the vCenter Server Appliance.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 33

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What should the administrator do to monitor the size of the VM snapshot?

- A. Use native Guest OS monitoring tools.
- B. Install VMware Tools.
- C. Create a condition-based alarm.
- D. Run esxstop.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 34

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator is elevating the security posture of a vSphere environment after a recent data breach. All VMs will be encrypted as part of this plan. Which additional component is required for the encryption?

- A. KMS server
- B. two-factor authentication
- C. encrypted vSphere vMotion
- D. vSAN encryption

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 35

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

How is vCenter HA different from vSphere HA?

- A. vCenter HA requires only an active and passive node.
- B. vCenter HA requires an external Platform Services Controller.
- C. vCenter HA requires Fault Tolerance.
- D. vCenter HA requires an active, passive, and witness node.

Show Suggested Answer







Actual exam question from VMware's 2V0-21.19D

Question #: 36

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which file extension can export host customization for host profiles?

- A. .xls
- B. .xml
- C. .csv
- D. .json

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 37

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator notices performance issues with the vCenter Server Appliance. The CPU usage is over 70%. Which two actions should the administrator take to investigate the performance issues? (Choose two.)

- A. Verify if all hosts are in a connected state.
- B. Use esxtop to identify which process are using high CPU.
- C. Use vimtop to identify which processes are using high CPU.
- D. Check the vCenter HA configuration.
- E. Check if vCenter Server is swapping.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 38

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere Administrator is receiving complaints a database VM is experiencing performance issues. The VM is a member of the high priority resource pool and the cluster has not experienced contention.

Which condition should be checked to address immediate performance concerns?

- A. VM snapshots
- B. VMFS version
- C. Resource Pool share value
- D. Configured CPU shares

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 39

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What could cause a high %RDY value?

- A. Incompatible network driver
- B. memory fully allocated
- C. too many vCPUs configured
- D. disk latency greater than 2ms

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 40

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere Administrator wants to move a vCenter Server with an external Platform Services Controller from one SSO domain to another SSO domain. Which option in cmsso-util will achieve this?

- A. domain-repoint
- B. reconfigure
- C. unregister
- D. repoint

[Show Suggested Answer](#)



Actual exam question from VMware's 2V0-21.19D

Question #: 41

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Using vSphere HA Orchestrated Restart an administrator places the most mission critical VM in the highest priority. After a host failure, the highest priority VM fails to restart while VMs in high priority restart.

What would cause this to occur?

- A. There are insufficient cluster resources.
- B. Performance degradation VMs tolerate threshold is at default.
- C. VMware Tools is not installed.
- D. Proactive HA is disabled.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 42

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator wants to ensure the VMs for two different departments are separated on a single broadcast domain.  
Which configuration fulfills this requirement?

- A. PVLAN on Uplink Port
- B. PVLAN on VMkernel Interface
- C. PVLAN on VSS
- D. PVLAN on VDS

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 43

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator wants to enable Proactive HA in a vSphere cluster.

What is required to use this feature?

- A. vROps must be installed.
- B. DRS must be enabled.
- C. DCUI must be enabled.
- D. VCHA must be configured.

[Show Suggested Answer](#)







Actual exam question from VMware's 2V0-21.19D

Question #: 44

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator is trying to create a resource pool but the option is grayed out.

What must be enabled before creating a resource pool?

- A. DRS
- B. Storage DRS
- C. EVC
- D. HA

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 45

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator is concerned about the amount of time the IT team takes to create multiple VLANs in a very dynamic vSphere environment. The environment has these parameters:

- ⇒ All virtual networking utilizes vSphere Standard Switches with uplinks to a Cisco Infrastructure
- ⇒ Activities require 5-10 VLANs being created or removed every couple of days
- ⇒ The IT team has three members

How can the administrator centralize the virtual networking configuration so the IT team utilizes time more efficiently?

- A. Deploy a vRealize Orchestrator (vRO) appliance.
- B. Create and use a vSphere Distributed Switch (VDS).
- C. Enable and configure Storage I/O Control (SIOC).
- D. Enable and configure vSphere Network I/O Control (NIOC).

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 46

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A cluster contains database VMs which have low utilization, except during a weekly data load that causes extremely high utilization.

As DRS balances the VM load, there is an extended period of slow performance.

Which two actions could be taken to reduce the impact of the recurring data load? (Choose two.)

- A. Increase the number of vCPUs on the database VMs.
- B. Enable VMware vRealize Operations Manager Integration with VMware vCenter.
- C. Enable Proactive HA on the cluster.
- D. Enable Predictive DRS on the cluster.
- E. Increase the RAM allocated to the database VMs.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 47

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere Administrator configures Quick Boot to restart an ESXi host without rebooting the physical hardware. In order to troubleshoot any ESXi Quick Boot issues which log file needs to be reviewed?]

- A. vmkeventd.log
- B. vmkernel.log
- C. vpxa.log
- D. loadESX.log

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 48

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

Refer to the exhibit.

What is required to fix the PSOD?

```
VMware ESXi 6.7.0 (VMKernel Release Build 8169922)
```

```
Dell Inc. PowerEdge R630
```

```
2 x Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.38GHz  
255.9 GiB Memory
```

```
The system has found a problem on your machine and cannot continue.  
UEFI Secure Boot failed:
```

```
Failed to verify signatures of the following vib(s): [net-tg3 net-140e net - igb  
net-ixgbe vmware-esx=perccli-1.05.08 ima-qla4xxx misc-cnic-register net-bnx2  
net-bnx2x net-cnic net-qicninc net-qlgc scsi-bnx2fc scsi-bnx2i scsi-qla4xxx  
scsi-mc garaid-sas lsu-lsi-mptsas-plugin1.  
All tardisks validated.
```

- A. Skip unused VIBs during boot up.
- B. Reboot the host.
- C. Remove unsigned VIBs.
- D. Reboot and enable secure boot from the UEFI firmware interface.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.19D

Question #: 49

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator decides to implement vSphere networking using the VDS.

Which binding option should the administrator use to manage the VMs if vCenter becomes unavailable?

- A. static
- B. port
- C. ephemeral
- D. dynamic

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 50

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator configures log forwarding for remote syslog server in a vCenter Server Appliance (VCSA) through the vCenter Server Appliance Management Interface (VAMI).

What is the maximum number of remote syslog servers that can be configured?

- A. 1
- B. 2
- C. 3
- D. 4

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 51

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator needs to migrate VMs in the same vCenter from New York to California due to impending severe weather. Which migration should the administrator perform without causing VM downtime?

- A. Long Distance vMotion
- B. Storage vMotion
- C. Cold migration
- D. Cross vCenter vMotion

[Show Suggested Answer](#)







Actual exam question from VMware's 2V0-21.19D

Question #: 52

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which vSphere APIs support storage hardware acceleration?

- A. vSphere APIs for Storage Awareness (VASA)
- B. vSphere APIs for I/O Filtering (VAIO)
- C. VMware vStorage APIs for Data Protection (VADP)
- D. VMware vSphere Storage APIs Array Integration (VAAI)

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 53

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator discovers the size of the .vswp file for a VM with 2 vCPUs and 4GB of memory is zero. What could be the cause?

- A. All VM memory is reserved.
- B. Memory reservation is not set.
- C. VM is running on a snapshot.
- D. VM is in a suspended state.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 54

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which action should be taken to secure iSCSI devices in a vSphere environment?

- A. Require Secure Remote Protocol.
- B. Require ESXi hosts to use iSCSI port binding.
- C. Require vCenter Enhanced Linked Mode.
- D. Require ESXi hosts to authentication to the target.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 55

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

What are two advantages of deploying a VDS as compared to a VSS? (Choose two.)

- A. Data center setup and administration are simplified by centralizing network configuration.
- B. There is IPv6 support for a VDS.
- C. 802.1Q tagging support is available.
- D. Uplinks are allowed to be configured in an Active/Standby configuration.
- E. Ports migrate with their clients.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 56

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator has renamed the inventory name of a virtual machine.

Which task should the administrator perform to ensure the virtual machine files are also renamed to match the new virtual machine name?

- A. Take a virtual machine snapshot.
- B. Unregister and register the virtual machine in vCenter Server.
- C. Migrate the machine to another host with vSphere vMotion.
- D. Migrate the machine to another datastore with Storage vMotion.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 57

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

An administrator needs to identify where the VM encryption settings are stored.

Which file stores the encryption setting?

- A. .vmdk
- B. vmsd
- C. .nvram
- D. .vmx

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 58

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

In a vSphere HA enabled cluster, what happens if the master host is unable to communicate with a slave host over the management network?

- A. The host is dropped from the cluster.
- B. The master host uses datastore heartbeating.
- C. A new master host is elected.
- D. VM are rebooted by vSphere HA.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 59

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Where is vCenter SSO configured?

- A. In the service console
- B. In the DCUI
- C. In the vSphere client
- D. In the host client

Show Suggested Answer







Actual exam question from VMware's 2V0-21.19D

Question #: 60

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

Which VM storage policy rule category ensures all VMs for a department are on the same datastore?

- A. Capability
- B. Data Service
- C. Host
- D. Tag

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-21.19D

Question #: 61

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

After installing vCenter, which two identity sources and users are available by default? (Choose two.)

- A. vsphere.vclass
- B. Active Directory
- C. vsphere.local
- D. vIDM
- E. localos

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 62

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator has configured software iSCSI port binding in the environment with two VMkernel ports and four target portals. How many iSCSI sessions would be created from bound ports to targets?

- A. 2
- B. 4
- C. 8
- D. 16

Show Suggested Answer





Actual exam question from VMware's 2V0-21.19D

Question #: 63

Topic #: 1

[\[All 2V0-21.19D Questions\]](#)

---

A vSphere administrator is required to join all strategies ESXi hosts to an Active Directory domain for enhanced security.

Which utility would accomplish this?

- A. Unified Access Gateway
- B. vSphere Update Manager
- C. vSphere Authentication Proxy
- D. vSphere Auto Deploy

[Show Suggested Answer](#)

