

Actual exam question from VMware's 2V0-21.20


Question #: 1

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.

**Figure 8-1. vSphere Trust Authority Architecture**



Which trusted infrastructure component is missing and represented by the area labeled `A`?

- A. Key Management Server
- B. vSphere Virtual Machine Encryption
- C. Key Provider Service
- D. Attestation Service

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 2

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What are two supported ESXi boot options? (Choose two.)

- A. NFS
- B. iSCSI
- C. vSAN
- D. SAN
- E. vSphere Virtual Volumes

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 3

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator receives an escalation to investigate a low disk space alarm on a datastore. The administrator discovers that a snapshot has been accidentally taken on a production, write-intensive database server. The snapshot has grown to nearly 1 TB in size in less than an hour and continues growing every second.

Which behavior should the administrator expect while deleting the snapshot?

- A. ESXi will create a virtual RAM disk to cache ongoing database write activity; performance impact will be limited.
- B. ESXi will commit the snapshot delta disk into the base disk; ongoing database write activity could result in long stun times.
- C. ESXi will merge the snapshot delta disk into the base disk; the virtual machine will be briefly stunned.
- D. ESXi will instantly switch from the base disk to the snapshot delta disk with no performance impact.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 4

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which two storage technologies can an administrator use to deploy the Virtual Machine File System (VMFS)? (Choose two.)

- A. Fibre Channel storage
- B. vSAN storage
- C. Virtual Volumes storage
- D. NFS storage
- E. iSCSI storage

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 5

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator runs a two-node vSphere cluster, which contains two domain controller virtual machines (VMs). The administrator wants to ensure that VMs run on separate hosts without interfering with normal maintenance operations.

How should the administrator configure Distributed Resource Scheduler (DRS)?

- A. Create a 'Must run Virtual Machines to Hosts' anti-affinity rule.
- B. Create a 'Virtual Machines to Virtual Machines' anti-affinity rule.
- C. Create a 'Virtual Machines to Virtual Machines' dependency rule.
- D. Create a 'Should run Virtual Machines to Hosts' anti-affinity rule.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 6

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which TCP/IP stack can support management traffic, vSphere vMotion, IP storage and vSphere Fault Tolerance?

- A. VXLAN TCP/IP stack
- B. Provisioning TCP/IP stack
- C. Default TCP/IP stack
- D. vSphere vMotion TCP/IP stack

Show Suggested Answer




Actual exam question from VMware's 2V0-21.20

Question #: 7

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.



Members of Admins group:  
test1  
test2

Members of SystemAccounts group:  
test1  
test3

What is the effective role the test1 account has on the Finance01 virtual machine?

- A. No access
- B. Administrator
- C. Read-only
- D. Virtual machine user

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 8

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A recently deployed set of test virtual machines are impacting the performance of a company development team project datastore. The shared cache server appears to be suffering from storage congestion.

Storage I/O Control is already enabled on all company datastores.

Which two steps should the administrator take to improve the performance of the cache server? (Choose two.)

- A. Update the storage provider for the existing array.
- B. Create a claim rule to control the storage path.
- C. Configure the path selection policy.
- D. Configure storage shares per virtual machine.
- E. Configure storage limits per virtual machine.

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 9

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A single host is manually configured to company standards.

Which option would an administrator select to capture this configuration for future use?

- A. Extract Host Profile
- B. Reset Host Customizations
- C. Attach Host Profile
- D. Import Host Profile

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 10

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What is the minimum CPU core requirement for successful installation, or upgrade, of ESXi on a host?

A. 8

B. 1

C. 32

D. 2

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 11

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What is the server virtualization product that combines the ESXi hypervisor and the vCenter Server?

- A. NSX
- B. vRealize Operations Manager
- C. vSphere
- D. vSAN

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 12

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An IT department is experiencing random hardware failures that are costing the company money. The CIO is looking for technical support beyond traditional break/fix with enhanced visibility and proactive insights into the environment at no additional cost.

Which VMware service meets the needs of the CIO?

- A. VMware Global Support Services
- B. VMware Premier Support
- C. VMware Skyline
- D. vRealize Operations Manager

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 13

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which two vSphere features enable remote site availability? (Choose two.)

- A. Proactive High Availability
- B. vSphere Fault Tolerance
- C. Cross vCenter Migration
- D. vSphere vMotion
- E. vSphere Replication

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 14

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.

## Manage Snapshots | VM1

VM1

- Snap-A
  - Snap-B (You are here)
  - Snap-C

DELETE ALL   DELETE   REVERT TO

Which two statements are true regarding the state of the virtual machine (VM) if an administrator clicks the `Delete All` option? (Choose two.)

- A. The VM state will match Snap-C.
- B. No snapshots will remain on the VM.
- C. Snap-A will be intact on the VM.
- D. The VM state will match Snap-B.
- E. The VM state will match Snap-A.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 15

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator wants to be able to log in to the vSphere Client and view the inventories of two vCenter Server instances.

What must the administrator do to meet this requirement?

- A. Configure Enhanced Linked Mode on each vCenter Server instance after deployment is complete.
- B. Connect each vCenter Server instance to the same vCenter Single Sign-On domain during deployment.
- C. Connect each vCenter Server instance to the same vCenter Single Sign-On domain using the vSphere Client.
- D. Configure the vCenter Server Management Interface to view both vCenter Server instances.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 16

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

When deploying a vCenter Server Appliance, which two single sign-on (SSO)-related options are presented to an administrator? (Choose two.)

- A. Create a vCenter Enhanced Linked Mode group
- B. Create a vCenter Single Sign-On domain
- C. Join an existing vCenter Single Sign-On domain
- D. Repoint to another domain
- E. Reset Single Sign-On password

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 17

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which two statements are true regarding the use of firmware update packages in vSphere Lifecycle Manager? (Choose two.)

- A. A hardware support manager must be registered as a vCenter Server extension.
- B. The firmware and drivers add-on are distributed through the official VMware online depot.
- C. The firmware and drivers add-on can be used on clusters that are managed with baselines.
- D. The firmware and drivers add-on can add or remove components from the ESXi base image.
- E. The firmware and drivers add-on is provided by a third-party vendor.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 18

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which step is required when adding an existing hard disk that is configured as a boot disk during virtual machine creation?

- A. Enable Secure Boot.
- B. Select 'RDM Disk' from the 'Add New Device' drop-down menu.
- C. Remove the existing disk before adding the boot disk.
- D. Set the boot delay to at least 5,000 milliseconds.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 19

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator needs to configure Proactive High Availability (HA) in a vSphere environment so that virtual machines (VMs) do not run on any partially degraded hosts. The administrator would also like to see the recommendations before VMs are migrated.

Which automation and remediation level should the administrator select?

- A. Automation Level 1 Manual Remediation Level 1 Quarantine mode
- B. Automation Level 1 Automated Remediation Level 1 Maintenance mode
- C. Automation Level 1 Manual Remediation Level 1 Maintenance mode
- D. Automation Level 1 Automated Remediation Level 1 Mixed mode

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 20

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A new vSphere 7.0 environment is deployed with the following:

- ⇒ A single vCenter Server
- ⇒ Two vSAN clusters
- ⇒ A vSAN default storage policy

Which statement is true regarding virtual disk availability in this environment?

- A. Replicas will be placed on different disk groups but can be placed on the same host.
- B. All stripes will be placed on different disk groups and cannot be placed on the same host.
- C. Each virtual disk will have four replicas of data.
- D. Each virtual disk will have two replicas of data.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 21

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is running a variety of vSphere 6.5 cluster configurations and is tasked with upgrading to vSphere 7.0.

Which two conditions could cause potential conflicts or outages to the virtual machines (VMs)? (Choose two.)

- A. The use of a Windows vCenter Server system
- B. Datastores attached to the hosts based on VMFS3
- C. The upgrade of a vSphere Distributed Switch with VMs attached
- D. The upgrade of an external platform services controller
- E. The use of third-party custom vSphere Installation Bundles (VIBs) installed on the ESXi hosts

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 22

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator wants to implement virtual machine encryption.

Which component encrypts the virtual machine files?

- A. Certificate
- B. Data encryption key (DEK)
- C. Key encryption key (KEK)
- D. Key management server (KMS)

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 23

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator wants to ensure that when virtual machines (VMs) are powered on, Distributed Resource Scheduler (DRS) places them on the best-suited host.

When the cluster becomes imbalanced, the administrator wants DRS to display recommendations for manual VM migration.

Which DRS automation level should the administrator select?

- A. Manual
- B. Partially automated
- C. Fully automated
- D. Disabled

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 24

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which two VMware features are supported in a virtual machine using Intel Software Guard Extensions (Intel SGX) technology? (Choose two.)

- A. Fault tolerance
- B. vSphere vMotion
- C. VM encryption
- D. Virtual machine suspend and resume
- E. Storage I/O Control

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 25

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which feature is a pre-requisite for configuring admission control on a cluster?

- A. vSphere Enhanced vMotion Compatibility (EVC)
- B. vSphere High Availability (HA)
- C. vSphere Fault Tolerance
- D. vSphere Distributed Resource Scheduler (DRS)

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 26

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment. Which statement is true regarding this upgrade?

- A. An ESXi 7.0 host will NOT recognize a VMFS3 datastore.
- B. VMFS3 is supported with ESXi 7.0 to store boot configurations only.
- C. A VMFS5 datastore CANNOT be upgraded; a new VMFS6 datastore is required.
- D. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 27

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator can attach a baseline to which two inventory objects? (Choose two.)

- A. Resource pools
- B. Data centers
- C. Datastores
- D. Templates
- E. ESXi hosts

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 28

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

How many vSphere Trust Authority Clusters can a Trusted Cluster reference?

- A. 1
- B. 4
- C. 8
- D. 2

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 29

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A company has a vSphere environment consisting of the following characteristics:

⇒ A content library named 'CORP' is published at corporate headquarters on a vCenter Server named 'vcenterCorp'.

A regional data center contains a set of hosts managed by a vCenter Server named vcenterR1.

▪

⇒ vcenterR1 subscribes to the CORP content library.

The administrator wants to create a new virtual machine image to use on vcenterR1.

What are two possible ways the administrator can accomplish this task? (Choose two.)

- A. Configure vcenterR1 to download all library content immediately.
- B. Upload the new image to the CORP library on vcenterR1.
- C. Publish the CORP content library on vcenterR1.
- D. Upload the new image to the CORP library on vcenterCorp.
- E. Upload the new image to a local content library on vcenterR1.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 30

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A vSphere environment is configured with 1 Gigabit Ethernet for vSphere vMotion. The application team is complaining that when they try to migrate a powered-on virtual machine, the progress is slow and unsuccessful the majority of the time.

Which two recommendations should the administrator make to improve vSphere vMotion performance? (Choose two.)

- A. Use at least two port groups.
- B. Use vSphere Storage I/O Control (SIOC).
- C. Use 10 Gigabit Ethernet or above.
- D. Use Link Aggregation Control Protocol (LACP) on the port group.
- E. Disable vSphere Fault Tolerance.

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 31

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which virtual disk option allows a virtual machine to consume the minimum storage capacity?

- A. Independent persistent
- B. Lazy-zeroed thick-provisioned
- C. Eager-zeroed thick-provisioned
- D. Thin-provisioned

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 32

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

In a vSphere High Availability (vSphere HA) cluster, which condition can be detected by datastore heartbeating?

- A. Fault tolerance virtual machine (VM) failover
- B. Network isolation
- C. Virtual machine (VM) disk failure
- D. Datastore All Paths Down (APD) event

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 33

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which solution can be used to automatically deploy a fully configured VMware software-defined data center (SDDC)?

- A. vCenter Server
- B. vRealize Suite
- C. vSphere Lifecycle Manager
- D. VMware Cloud Foundation

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 34

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

vCenter Server experiences a catastrophic failure and the administrator must restore from a vCenter Server backup stored on an FTP server.

What must the administrator do to restore vCenter Server?

- A. Use the vSphere Client to deploy the appliance onto an ESXi host and restore the vCenter Server data from the backup.
- B. Use the vCenter Server Management Interface to restore the vCenter Server data, and power on the appliance.
- C. Use the vCenter Server GUI installer to deploy a vCenter Server instance and use the vSphere Client to restore vCenter Server data from the backup.
- D. Use the vCenter Server GUI installer to deploy a vCenter Server instance and restore the vCenter Server data from the backup.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 35

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

ESXi provides VLAN support by assigning a VLAN ID to which component?

- A. Virtual standard switch
- B. Physical network interface card (NIC)
- C. Virtual distributed switch
- D. Port group

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 36

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator adds an additional host to a cluster and is attempting to remediate the configuration with a host profile.

Which option would the administrator select on the host before it can be remediated with an existing host profile?

- A. Export Host Customizations
- B. Export Host Profile
- C. Attach Host Profile
- D. Copy Settings from Host

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 37

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator would like to make virtual machine templates and ISO images available to all vCenter Server instances in the data center. Which feature should the administrator use to achieve this goal?

- A. Host profiles
- B. Content libraries
- C. Storage policies
- D. Resource pools

[Show Suggested Answer](#)




Actual exam question from VMware's 2V0-21.20

Question #: 38

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.

Send email notifications  Repeat 

Subject \* Alarm {Alarm name} on vCenter Server : {Target Name} is {New status}

Email to \* admin@vmware.com

An administrator enables email notifications as shown in the attached alarm. However, notifications are NOT being sent.

Where must the mail server settings be configured to resolve this issue?

- A. In vCenter Server General settings in the vSphere Client.
- B. In the alarm rule definitions
- C. In the ESXi host system config for the cluster node hosting the vCenter Server Appliance
- D. In Administration settings in the vCenter Server Management Interface

Show Suggested Answer

Actual exam question from VMware's 2V0-21.20

Question #: 39

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is troubleshooting a recent failure and finds the following error messages:

```
The guest OS has reported an error during quiescing. The error code was: 5 The error message was:  
Asynchronous operation failed: >VssSyncStart
```

```
The guest OS has reported an error during quiescing. The error code was: 5 The error message was:  
'VssSyncStart' operation failed: The >system cannot find the file specified. (0x80070002)
```

Which action has failed, thus resulting in these errors?

- A. Virtual machine power off
- B. Virtual machine snapshot
- C. Virtual machine migration
- D. Virtual machine reconfiguration

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 40

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What are two functions of vSphere Lifecycle Manager? (Choose two.)

- A. Update ESXi hosts in a cluster using baselines
- B. Upgrade VMware Tools and virtual machine hardware
- C. Run vCenter Server interoperability reports
- D. Run vCenter Server upgrade pre-checks
- E. Update standalone ESXi hosts using images

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 41

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator runs third-party software in a virtual machine (VM). The third-party licensing agreement requires payment of a license fee for each host to which the VM migrates.

How can the administrator configure Distributed Resource Scheduler (DRS) to minimize licensing costs?

- A. Create a 'Virtual Machines to Virtual Machines' dependency rule.
- B. Create a 'Virtual Machines to Virtual Machines' affinity rule.
- C. Create a 'Should run Virtual Machines to Hosts' anti-affinity rule.
- D. Create a 'Must run Virtual Machines to Hosts' affinity rule.

Show Suggested Answer




Actual exam question from VMware's 2V0-21.20

Question #: 42

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.



Which two migration methods can an administrator use to move virtual machines from the SA-Dev cluster to the SA-Compute cluster? (Choose two.)

- A. Cold migration of compute resource only
- B. Cold migration of storage only
- C. Hot migration of compute resource and storage resource
- D. Hot migration of compute resource only
- E. Cold migration of compute resource and storage resource

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 43

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

There are two vSphere clusters in a company environment. One cluster is hosting development workloads and another is hosting production workloads. Both vSphere clusters are managed by the same vCenter Server. The application team would like to move a new virtual machine from the development to production cluster with no downtime.

Which feature would allow non-disruptive movement between these two clusters?

- A. Cross vCenter Migration
- B. vSphere High Availability
- C. vSphere vMotion
- D. vSphere Replication

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 44

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is trying to configure vCenter Single Sign-On from the vSphere Client but does NOT have permission.

Which role is required in order to configure vCenter Single Sign-On?

- A. vCenter Single Sign-On Administrator
- B. vCenter Administrator
- C. vCenter Server Appliance Root
- D. vCenter Power User

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-21.20

Question #: 45

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is unable to manage certificates with the vSphere Client.

What is another supported option that can be used to manage certificates?

- A. vCenter Server Management Interface
- B. Command Line Interface
- C. vRealize Operations Manager
- D. Cloud Builder

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-21.20

Question #: 46

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What is a minimum disk controller requirement for VMware vSAN?

- A. A disk controller in JBOD mode
- B. A disk controller in pass-through or RAID 1 mode
- C. A disk controller in pass-through or RAID 5 mode
- D. A disk controller in pass-through or RAID 0 mode

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 47

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A virtual machine with a single 100 GB virtual machine disk file has a single 20 GB snapshot. The virtual machine is powered off. How much additional free space on the datastore is required to delete the snapshot, committing the snapshot delta disk to the base disk?

- A. 0 GB
- B. 100 GB
- C. 20 GB
- D. 120 GB

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 48

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center.

Which requirement must be met?

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 49

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What is a pre-requisite for increasing datastore capacity?

- A. The backing device for the datastore has enough free space.
- B. The datastore is managed by Storage DRS (SDRS).
- C. The datastore is 100% full.
- D. There are NO powered-on virtual machines on the datastore.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 50

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which privilege is required to run the esxtop utility?

- A. Root user
- B. vStatsUser
- C. vStatsAdmin
- D. Administrator

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 51

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is asked to take a snapshot of a virtual machine prior to an application upgrade. The virtual machine has one standard virtual machine disk (VMDK) and one physical mode raw device mapping (RDM) attached.

Which statement is true with regard to taking this snapshot?

- A. The administrator will be unable to snapshot the RDM.
- B. The administrator will be able to snapshot the standard VMDK in independent persistent mode.
- C. The administrator will be able to snapshot the RDM in independent persistent mode.
- D. The administrator will be able to snapshot both disks.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 52

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which local only host utility is used for primary, real-time performance monitoring in vSphere?

- A. resxtop
- B. top
- C. esxtop
- D. vSphere Command-Line Interface (CLI)

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 53

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is tasked with upgrading an existing VMware vSphere 6.5 environment to version 7.0.

There are existing VMFS3 and VMFS5 datastores in the environment.

Which two statements are true regarding this upgrade? (Choose two.)

- A. VMFS5 is no longer supported with ESXi 7.0.
- B. VMFS3 is no longer supported with ESXi 7.0.
- C. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.
- D. An ESXi 7.0 host will automatically upgrade a VMFS3 datastore when discovered.
- E. A VMFS3 datastore cannot be upgraded; a new VMFS6 datastore is required.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 54

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What is a requirement of Storage I/O Control?

- A. Storage connected through Fibre Channel
- B. Management by a single vCenter Server
- C. Datastores with multiple extents
- D. Automated storage tiering capabilities

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 55

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which feature can an administrator use for site availability with minimal effort and a low recovery point objective (RPO)?

- A. vSphere vMotion
- B. vSphere High Availability
- C. vSphere Replication
- D. vSphere Fault Tolerance

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 56

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. The current configuration is using an external Platform Services Controller.

Which two statements are true regarding this upgrade? (Choose two.)

- A. The external Platform Services Controller needs to be converged into an embedded vCenter Server Appliance.
- B. The external Platform Services Controller needs to be decommissioned following the deployment of the new vCenter Server Appliance.
- C. The external Platform Services Controller backup can be restored to a new embedded vCenter Server Appliance.
- D. The external Platform Services Controller needs to be upgraded after the vCenter Server Appliance.
- E. The external Platform Services Controller needs to be powered down while a new vCenter Server Appliance is deployed.

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 57

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which resource pool setting is used to specify the relative priority or importance as high, normal or low?

- A. Limits
- B. Reservation type
- C. Shares
- D. Reservations

Show Suggested Answer



Actual exam question from VMware's 2V0-21.20

Question #: 58

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.

```
9:04:41am up 5 min, 637 worlds, 4 VMs, 6 vCPUs; CPU load average: 0.33, 0.09, 0.00
PCPU USED (%): 89 90 95 97 AVG: 92
PCPU UTIL (%): 88 89 94 96 AVG: 92
```

ID	GID	NAME	NWLD	%USED	%RUN	%SYS	%WAIT	%VMWAIT	%RDY	%IDLE	%OVRLP	%CSTP	%MLMTD	%SWPWT
8	8	helper	294	0.00	400.00	0.00	28784.56	-	400.00	0.00	400.00	0.00	0.00	0.00
1	1	system	152	1.35	31.90	0.15	14796.04	-	373.34	0.00	0.29	0.00	0.00	41.54
14865	14865	Linux2	7	73.32	74.45	0.07	582.88	0.32	50.48	0.11	0.20	0.00	0.00	0.00
14873	14873	Win1	9	115.74	116.08	0.00	743.07	16.52	45.26	23.51	0.36	5.66	0.00	0.00
14881	14881	Win2	9	104.23	104.40	0.00	759.42	16.44	43.60	41.62	0.35	2.63	0.00	0.00
14895	14895	Linux1	7	67.84	69.86	0.00	605.51	0.00	32.46	0.00	0.08	0.00	0.00	0.00
5485	5485	hostd.66720	21	2.30	2.30	0.00	2100.00	-	2.16	0.00	0.00	0.00	0.00	0.00
5233	5233	rhttpproxy.6668	14	0.29	0.30	0.01	1400.00	-	0.93	0.00	0.00	0.00	0.00	0.00
9	9	drivers	12	0.00	0.00	0.00	1200.00	-	0.21	0.00	0.00	0.00	0.00	0.00
10	10	ft	4	0.00	0.00	0.00	399.89	-	0.20	0.00	0.00	0.00	0.00	0.00
1012	1012	vmsyslogd.65822	3	0.13	0.14	0.00	300.00	-	0.16	0.00	0.00	0.00	0.00	0.00
14857	14857	esxtop.68027	1	2.78	3.89	0.00	97.10	-	0.13	0.00	0.00	0.00	0.00	0.00
14777	14777	sshd.68017	1	0.07	0.07	0.00	100.00	-	0.07	0.00	0.00	0.00	0.00	0.00

What does the %RDY for the Win1 virtual machine indicate?

- A. High CPU wait time
- B. Low CPU usage
- C. High CPU contention
- D. Low CPU contention

Show Suggested Answer

Actual exam question from VMware's 2V0-21.20

Question #: 59

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

Refer to the exhibit.

### Alarm Rule1



**IF**

VM CPU Ready Time  is below  1000=== ms for 15 min

[ADD ADDITIONAL TRIGGER](#)

**THEN**

Trigger the alarm and  Show as Critical

Send email notifications

[ADD ANOTHER RULE](#)

[DUPLICATE RULE](#)

[REMOVE RULE](#)

An administrator is consistently receiving an alarm regarding a CPU performance issue; however, there is NO CPU issue identified. What can the administrator do to make sure the alarm is triggered when there is an actual CPU performance issue?

- A. Change 'VM CPU Ready Time' to 'VM Memory Usage.'
- B. Change 'Show as Critical' to 'Show as Warning.'
- C. Change 'VM CPU Ready Time' to 'VM CPU Usage.'
- D. Change 'is below' to 'is above.'

[Show Suggested Answer](#)



Actual exam question from VMware's 2V0-21.20

Question #: 60

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An IT department is decommissioning a storage array and tasks an administrator with removing a datastore from ESXi hosts.

What is a prerequisite for unmounting the datastore?

- A. The datastore is NOT managed by Storage DRS.
- B. The datastore is NOT being used by vSphere High Availability heartbeating.
- C. The datastore is NOT referenced by a host profile.
- D. The datastore does NOT contain powered-off virtual machines.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 61

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

vCenter High Availability (HA) protects vCenter Server against host and hardware failures.

What is the minimum number of ESXi hosts required to enable this capability?

- A. 5
- B. 7
- C. 1
- D. 3

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 62

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which step can an administrator take so that vSphere can access patch information if vCenter Server does NOT have Internet access?

- A. Use a Web server on the vCenter Server machine to automate the transfer of files.
- B. Install VMware vSphere Update Manager Download Service on a Windows server.
- C. Use an offline ISO file to import patches to the vSphere Lifecycle Manager depot manually.
- D. Install VMware vSphere Update Manager Download Service on a Linux server.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 63

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which tool is used to monitor the vCenter Server Appliance resources?

- A. vintop
- B. esxtop
- C. esxcli
- D. vmstat

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-21.20

Question #: 64

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator places a 300 GB virtual machine named `Finance1` on a 2 TB datastore containing other virtual machines. After virtual machine placement, the datastore has 200 GB of free space. The accounting department takes a nightly snapshot of Finance1, then deletes the previous snapshot. The administrator is concerned about snapshots filling the datastore.

Which statement is true regarding snapshots?

- A. The snapshots on Finance1 cannot outgrow the datastore in less than 24 hours.
- B. Any snapshot on Finance1 has the potential to fill the datastore to capacity.
- C. vCenter Server will not allow snapshots to fill the datastore beyond 95%.
- D. The snapshots on Finance1 will be automatically committed if SEsparse format is used.

Show Suggested Answer







Actual exam question from VMware's 2V0-21.20

Question #: 65

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What are two pre-requisites for enabling ESXi secure boot? (Choose two.)

- A. External Key Management Service
- B. vCenter Server 7.0 or greater
- C. Trusted Platform Module version 2.0
- D. ESXi 6.5 or greater
- E. Unified Extensible Firmware Interface (UEFI)

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 66

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator wants to enable bandwidth allocation for workloads by using Network I/O Control.

What should the administrator configure to accomplish this?

- A. Management traffic
- B. Virtual machine traffic
- C. Load-balancing
- D. NIC teaming policy

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 67

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

Which type of network adapter is designed to provide connectivity to hosts and handle the standard system traffic of vSphere vMotion?

- A. VMkernel port
- B. VXLAN virtual tunnel end point (VXLAN VTEP)
- C. Virtual machine network interface card (VMNIC)
- D. VM network

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 68

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

What can an administrator use to partition limited CPU and memory resources between two departments?

- A. vSphere distributed switch
- B. vSphere High Availability
- C. vCenter folders
- D. Resource pools

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-21.20

Question #: 69

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

How does vSphere handle memory allocation during the instant clone process?

- A. The first child virtual machine serves as a memory snapshot for any subsequent child virtual machines.
- B. An identical clone of the parent virtual machine's memory is created for each child virtual machine
- C. Memory is shared among all child virtual machines using a delta disk.
- D. A unique memory pool is created per child virtual machine using copy-on-write.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 70

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

An administrator wants to be able to send vCenter Server log files to a remote syslog server and analyze logs using vRealize Log Insight.

Which step must the administrator take to meet this requirement?

- A. Configure the vCenter Server logging options using the vSphere Client.
- B. Specify the remote syslog server name at deployment using the vCenter Server GUI Installer.
- C. Specify the vRealize Log Insight system name using the vSphere Client.
- D. Configure log file forwarding using the vCenter Server Management Interface.

Show Suggested Answer





Actual exam question from VMware's 2V0-21.20

Question #: 71

Topic #: 1

[\[All 2V0-21.20 Questions\]](#)

---

A company has one corporate datacenter (C1) and one regional datacenter (R1). There is a vCenter Server in each location. An administrator wants a central library available to C1 and R1 for all templates and ISO images.

Which two steps must the administrator take to configure the content library feature to meet this requirement? (Choose two.)

- A. Create a published content library on C1.
- B. Create a local content library on R1.
- C. Create a local content library on C1.
- D. Create a subscribed content library on C1.
- E. Create a subscribed content library on R1.

Show Suggested Answer

