



Actual exam question from VMware's 2V0-51.21

Question #: 1

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two Windows Server Operating Systems are supported by VMware Horizon 8? (Choose two.)

- A. Windows Server 2019
- B. Windows Server 2008 R2
- C. Windows Server 2012
- D. Windows Server 2003 R2
- E. Windows Server 2016

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 2

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which storage product allows the pooling of resources to create datastores in a Software Defined Datacenter?

- A. VMware VMFS
- B. VMware vSAN
- C. VMware Storage I/O Control
- D. VMware HCI Mesh

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 3

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two client types have the lowest cost of ownership and are easier to manage deployments, firmware updates, and monitor. (Choose two.)

- A. Headless Clients
- B. Windows 10 Clients
- C. Zero Clients
- D. Thin Clients
- E. MacOS Clients

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 4

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator wants to ensure that user's desktop experience is consistent regardless of the desktop they connect to.

What solution should be used to meet the requirement?

- A. Persona Management
- B. Dynamic Environment Manager
- C. Local Profiles
- D. Temporary Profiles

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 5

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which Horizon feature provides high availability desktops across datacenters?

- A. Cloud Pod Architecture
- B. vCenter Linked Mode
- C. Instant-Clones
- D. Replica Connection Servers

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 6

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator used the Horizon Console to specify the Active Directory account for joining instant-clone VMs to the Active Directory domain. What two permissions must be granted to the Active Directory account to perform this task? (Choose two.)

- A. Grant Inventory Administrator role.
- B. Write properties in the domain or in the organization units.
- C. Create and delete computer objects.
- D. Grant the Global Domain Administrator role.
- E. Grant the Horizon Domain Admin role.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 7

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator wants to provision a new Golden Image but doesn't see the VM in the list with golden images.
Which could be the cause of the issue? (Choose two.)

- A. No snapshot was made after optimizing the golden image.
- B. There is more than 1 active snapshot on the golden image.
- C. The golden image VM is not configured with a CD-ROM player.
- D. The wrong Guest OS Version was selected when creating the golden image.
- E. The golden image was not optimized.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 8

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two built-in apps are supported and automatically added to the profile of a multi-app kiosk profile? (Choose two.)

- A. Calculator
- B. Microsoft Word
- C. Microsoft Edge
- D. Camera
- E. Sticky Notes

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 9

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Refer to the exhibit.

```
C:\Windows\System32\cmd.exe
Set log levels for VMware Horizon (8.3)
Checking the VMware Horizon role this computer plays by examining installed MSIs...
This computer has 'VMware Horizon Agent' installed
Please select a feature.
 1. All
 2. Virtual Channel [DEFAULT]
 3. Agent Core [DEFAULT]
 4. Blast [DEFAULT]
 5. PCoIP [DEFAULT]
 6. VDPService [DEFAULT]
 7. Remote Features
or...
 0. Reset to installation defaults
Choice [blank to exit]: _
```

Which command is run to produce the output shown in the exhibit?

- A. C:\Program Files\VMware\VMware Horizon Agent\DCT\support.bat loglevels
- B. C:\Program Files\VMware\VMware Horizon Agent\DCT\support.bat setlogs
- C. C:\Program Files\VMware\VMware View\Agent\DCT\support.bat loglevels
- D. C:\Program Files\VMware\VMware View\Agent\DCT\support.bat setlogs

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 10

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Users need to be able to log into Workspace ONE Access and connect to remote desktops and applications without having to provide Active Directory credentials. Which Horizon component needs to be deployed to allow this functionality?

- A. Enrollment Server
- B. vCenter Server
- C. Security Server
- D. Replica Server

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 11

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator configured a virtual machine to use an NVIDIA card but the virtual machine is not starting up.

What could be the cause of the issue? (Choose two.)

- A. No suitable host could be found.
- B. Not all memory has been reserved on the VM.
- C. Not all CPU has been reserved on the VM.
- D. The Desktop Pool doesn't support 3D cards.
- E. 3D graphics cannot be used with local storage.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 12

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A new Horizon environment has gone into production. External sessions are being disconnected after a random period of time.

The following information has been documented by the administrator:

- ⇒ Internal and external users are able to connect to their desktops.
- ⇒ External sessions connect via a Unified Access Gateway.
- ⇒ Users are immediately able to reconnect but will be disconnected again in a few minutes.
- ⇒ Internal sessions, connected directly to the desktops, are not impacted.
- ⇒ While the session remains connected, all expected functionality works properly.

What could be a cause of this issue?

- A. A misconfigured network load balancer is in front of the Unified Access Gateway appliances.
- B. A misconfigured network load balancer is in front of the Connection Servers.
- C. Required firewall ports are not open in front of the Connection Servers.
- D. Required firewall ports are not open in front of the Unified Access Gateway appliances.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 13

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

What are two Cloud Pod Architecture feature limitations? (Choose two.)

- A. Kiosk mode clients are not supported unless a workaround has been implemented.
- B. Cloud Pod Architecture does not support Active Directory two-way trusts between domains.
- C. Cloud Pod Architecture cannot span multiple sites and data centers simultaneously.
- D. Cloud Pod Architecture is not supported with Unified Access Gateway appliances.
- E. The Cloud Pod Architecture feature is not supported in an IPv6 environment.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 14

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which description explains Cloud Pod Architecture?

- A. Cloud Pod Architecture is a feature that requires additional licenses to activate and use.
- B. Cloud Pod Architecture is a feature only available when using Windows virtual desktops in a Horizon environment.
- C. Cloud Pod Architecture is a feature that provides cross-data center administration, high availability desktops, and disaster recovery capabilities.
- D. Cloud Pod Architecture is a feature that allows a vSphere cluster to become highly available for virtual desktops.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 15

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A junior-level Horizon administrator is not able to see all RDS farms.

Where would a high-level administrator need to make changes to correct the issue?

- A. Global Entitlements
- B. Global Policies
- C. Category Folder
- D. Access Groups

[Show Suggested Answer](#)



Actual exam question from VMware's 2V0-51.21

Question #: 16

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

DRAG DROP -

Drag and drop the TLS Configuration steps on the left into the correct sequential order on the right.

Select and Place:

TLS Certificate Configuration Step

Modify the certificate-friendly name to vdm

Import the TLS certificate into the Windows local computer certificate store

Configure clients to trust the root and intermediate certificates

Get a new signed TLS certificate from a CA

Correct Sequence

Step 1

Step 2

Step 3

Step 4

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 17

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two capabilities are supported by VMware Dynamic Environment Manager Application Profiler? (Choose two.)

- A. It allows individual user personalization of applications.
- B. It allows creation of computer templates.
- C. It allows third-party user personalization of applications.
- D. It allows creation of application-specific predefined settings.
- E. It analyzes registry and file system location settings for an application.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 18

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which three can be used by a Horizon administrator who wants to provision an application to users' desktops? (Choose three.)

- A. VMware App Volumes Application Package
- B. VMware Horizon Published Application
- C. VMware Thinapp
- D. VMware Dynamic Environment Manager
- E. VMware App Volumes Writable Volume

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 19

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator is tasked with giving the security team non-destructive rights to see how the connection servers have been configured.

What privilege is needed to meet the requirement?

- A. Global Configuration and Policy Administrators (Read only)
- B. Inventory Administrators (Read only)
- C. Settings Administrator (Read only)
- D. Administrators (Read only)

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 20

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two scenarios are appropriate for a Cloud implementation of a VDI solution over an on-premises solution? (Choose two.)

- A. The organization already has infrastructure to support a VDI.
- B. The organization needs to setup high availability and disaster recovery.
- C. The organization controls highly confidential data.
- D. The organization has limited CapEx budget.
- E. The organization needs to quickly scale-up in disparate geographical locations.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 21

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator is tasked with allowing managers to request desktops and changes to desktops for their employees.

What VMware solution can be used to meet this requirement?

- A. vRealize Operations
- B. Horizon Automated Pools
- C. vRealize Automation
- D. Horizon Help Desk

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 22

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator needs to change the message a user receives when using an old Horizon client.

Where can this be accomplished?

- A. Settings > Global Settings > Client Restriction Settings
- B. Client settings in VMware Dynamic Environment Manager
- C. Client Restrictions under Desktop Pool settings
- D. Settings > Global Policies > Client Restriction Settings

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-51.21

Question #: 23

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator needs to deploy an application to specific users in their instant-clone desktop environment with the following characteristics:

- ⇒ The application needs to be updated very frequently.
- ⇒ The application needs to be installed as soon as possible.

The application is not multi-user aware.

-

Which solution would meet the requirements?

- A. VMware Horizon Published Application
- B. VMware Thinapp
- C. VMware App Volumes
- D. VMware Dynamic Environment Manager

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 24

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which pre-requisite should be met before installing the Connection Server?

- A. Install AD DS and AD LDS Tools on the Connection Server.
- B. Use a domain user account with administrator privileges on the Connection Server.
- C. The host system must be a vSphere VM with a static IP address.
- D. An SSL server certificate must be installed on the Connection Server.

[Show Suggested Answer](#)




Actual exam question from VMware's 2V0-51.21

Question #: 25

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Refer to the exhibit.



An administrator is creating an automated desktop pool of full clones. When prompted to select a template, the administrator sees the detail shown in the exhibit. Which two combined actions should the administrator perform to be able to continue with creation of a desktop pool? (Choose two.)

- A. Open vSphere Client, select the golden image virtual machine, and convert to template.
- B. Open vSphere Client, select the golden image virtual machine, and take a snapshot.
- C. Enter the golden image virtual machine name in the Template Filter and select the template virtual machine.
- D. Open vSphere Client, select the golden image virtual machine, and remove all snapshots.
- E. Refresh the Select template view and select the template virtual machine.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 26

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which are the required permissions an administrator must assign to the user account for instant-clone operations in active directory before creating instant-clone desktop pools? (Choose three.)

- A. Write to service principal names
- B. Read and Write All Properties
- C. Modify Owner
- D. List contents
- E. Create and Delete Child objects
- F. Create and Delete Computer Objects

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 27

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

What are three valid options to store Horizon events? (Choose three.)

- A. flat files
- B. MS SQL
- C. DB2
- D. MYSQL
- E. syslog

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 28

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

DRAG DROP -

Integration of VMware Horizon resources with Workspace ONE consists of several high-level steps.

Drag and drop the integration steps on the left into the correct sequential order on the right.

Select and Place:

Integration Step

Correct Sequence

Create one or more virtual apps collections for the VMware Horizon pods in Workspace ONE Access

Step 1

Configure Workspace ONE Access to use the same AD domain as VMware Horizon

Step 2

Configure the SAML authenticator on the Horizon Connection Server

Step 3

Verify that users see assigned resources in Workspace ONE catalog and when clicked the resource triggers the SAML SSO process

Step 4

Synchronize Horizon AD users to the Workspace ONE Access service using Directory Sync

Step 5

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 29

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which are two methods to gather the Horizon Client log bundle? (Choose two.)

- A. Start the Horizon Client with the /supportbundle option.
- B. From the Horizon Help Desk, select generate client log bundle from the session properties.
- C. Gather the log bundle remotely from the connection server.
- D. In the Horizon Client, select About VMware Horizon Client and click Collect Support Data.
- E. At the Command Line use Support.bat.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 30

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two steps must be completed in order to expand a writable volume? (Choose two.)

- A. Select Volumes > Writables > Select Volume > Expand.
- B. Modify the snapvol.cfg to reflect the new size.
- C. Select Volumes > Writables > Select Volume > Update Writable.
- D. Specify a size which is at least 1MB larger than the current size of the volume.
- E. Specify a size which is at least 1GB larger than the current size of the volume.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 31

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Select the correct command to decommission the Horizon Connection Server replica.

- A. vdmadmin.exe
- B. viewdbchk.cmd
- C. lvmutil.cmd
- D. vdmexport.exe

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 32

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A user reports that sometimes they have issues using their remote desktops and published applications.
What three pieces of information should be collected to troubleshoot the issue? (Choose three.)

- A. What exactly did the user see on the screen when the issue occurred?
- B. Has the user reformatted recently to clean up old cached data?
- C. Does the user's home PC have the same problem?
- D. What time was it when the problem occurred?
- E. What was the user doing when the issue happened?

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 33

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two methods are available for authentication to a Unified Access Gateway? (Choose two.)

- A. Web Services Federation
- B. Smart Cards
- C. OpenID Connect
- D. Open Authentication (OAuth)
- E. Security Assertion Markup Language (SAML)

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 34

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which three Horizon based resources does Unified Access Gateway provide access to? (Choose three.)

- A. virtual desktops
- B. physical desktops
- C. thin client
- D. RDSH-based applications
- E. IOT devices

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 35

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two required distributions should be installed on a Linux machine that will be used as a multi-session host? (Choose two.)

- A. Peppermint OS
- B. RHEL Workstation
- C. Solaris Linux
- D. SUSE Enterprise Server
- E. Ubuntu

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 36

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A Horizon administrator is tasked with creating a new pool of desktops with hardware-accelerated graphics with vMotion support. Which graphic acceleration types can the administrator choose to meet the requirement?

- A. Virtual Shared Direct 3D
- B. Virtual Shared 3D rendering
- C. Virtual Dedicated Graphics Acceleration
- D. Virtual Shared Pass-through Graphics Acceleration

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 37

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

DRAG DROP -

An administrator is tasked with reinstalling a Connection Server replica that has failed to boot.

Drag and drop the procedural steps on the left into the correct order on the right to add the replica back to the Horizon pod with the same name.

Select and Place:

Procedural Step

Correct Sequence

Remove replica server from the pod using vdmadmin

Step 1

Power Off the failed replica server

Step 2

Deploy the new VM with the same name and install the Connection Server replica, pointing to one of the working connection servers in the pod

Step 3

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 38

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which of the following statements are true about Application Profiler?

- A. VMware Dynamic Environment Manager Agent and the Application Profiler cannot be installed on the same machine.
- B. Application Profiler is installed using VMware Dynamic Environment Manager Enterprise Setup Wizard and explicitly selecting local drive installation.
- C. Application Profiler is installed automatically when installing VMware Dynamic Environment Manager FlexEngine.
- D. Application Profiler is installed automatically when installing Dynamic Environment Manager Management Console.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 39

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

DRAG DROP -

Drag and drop the codecs supported by Blast on the left to the appropriate use case on the right.

Select and Place:

Codec

Use Case

JPEG/PNG

low-motion graphics, high-quality graphics such as Photoshop, and AutoCAD

H.264

rapidly moving content and motion graphics such as streaming video, video editing, and gaming

HEVC

rapidly moving content on a low bandwidth resource

Proprietary Blast codec

still images

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 40

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which can be used to make sure only certain Connection Servers are used for a Global Entitlement?

- A. Category Folders
- B. Home sites
- C. Tags
- D. Access Groups

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-51.21

Question #: 41

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which three options are required to use an instant-clone pool? (Choose three.)

- A. VMware vSphere
- B. Horizon Intelligence
- C. Horizon Composer
- D. Horizon Connection Server
- E. Horizon Agent
- F. High speed Internet Access

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 42

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator recently deployed a Horizon pod with external access using Unified Access Gateway (UAG). While trying to launch VDI from an External network, VDI launched with a black screen and then disconnects. The administrator has validated the port requirement and all other required ports are open. Users are able to connect internally using the connection server URL. While reviewing the UAG logs, the administrator found that the Blast connection is hitting the Connection Server instead of VDI IP.

What should the administrator do to resolve the issue?

- A. Disable the Tunnel and Gateways in Connection Server.
- B. Enable Tunnel in UAG.
- C. Update the Blast External URL in UAG with port number.
- D. Upload the Blast Proxy Certificate in Horizon Edge Settings.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 43

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A user reports that they are unable to connect to their desktop from the internet using PCoIP, but they are able to connect via BLAST.
Which could be the cause of the issue?

- A. The firewall is denying port 80 to the Unified Access Gateway.
- B. The firewall is denying port 443 to the desktop.
- C. The firewall is denying port 4172 to the Unified Access Gateway.
- D. The firewall is denying port 3389 to the Desktop.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 44

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator has been tasked by their organization with determining the type of Horizon deployment to use.

These requirements have been provided to the administrator:

- ⇒ Implement quickly the deployment of Windows and Linux desktops.
- ⇒ Provide hybrid cloud support.
- ⇒ Provide centralized brokering.
- ⇒ Ensure the environment is secure from end-to-end.

Which deployment solution meets the requirements?

- A. vSphere Desktop Edition
- B. Workspace ONE Unified Endpoint Management
- C. Horizon On-Premises
- D. Horizon Cloud on Azure

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 45

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

DRAG DROP -

Drag and drop the high-level configuration steps for smart card authentication on the left into the correct sequential order on the right.

Select and Place:

Smart Card Authentication Step

Obtain the root certificate from the CA

Prepare the AD for smart card authentication

Configure smart card settings in the VMware Horizon console

Add the root certificate to a server's truststore file

Correct Sequence

Step 1

Step 2

Step 3

Step 4

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 46

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Refer to the exhibit.

Edit Pool - IC-Pool1



Allow Separate Desktop Sessions from Different Client Devices

No



Remote Display Protocol

Default Display Protocol

VMware Blast

Allow Users to Choose Protocol

Yes

3D Renderer

Manage using vSphere Client



Allow Session Collaboration Enabled



Requires VMware Blast Protocol.

Cancel

OK

When editing an existing instant-clone pool, an administrator cannot find the option to configure the vRAM size in the wizard.

Referencing the exhibit, which could be the cause of the issue?

- A. Increasing vRAM size is only possible for manual pools.
- B. Modifying the vRAM settings is not permitted when selecting VMware Blast as default protocol.
- C. Modifying the vRAM settings is not permitted when selecting Manage using vSphere Client.
- D. Configuring vRAM size is only permitted during pool creation.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 47

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Where are exclusions specified for Writable Volumes to prevent App Volumes from persisting specific data between sessions?

- A. config.ini
- B. snapvol.cfg
- C. svservice.log
- D. json.cfg

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 48

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A Horizon administrator does not see the health status for the Unified Access Gateways (UAG) they configured in the Horizon Console. What two options could be causing the issue? (Choose two.)

- A. The firewall hasn't been configured properly to allow traffic on port 443.
- B. The pod needs to be added to the Cloud Pod Federation.
- C. The Connection Server needs to be rebooted.
- D. Another license is needed for UAG health overview.
- E. The name entered in the Horizon console doesn't match up with the system name in UAG.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 49

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

DRAG DROP -

The virtualization of physical resources after installation of a hypervisor follows a specific procedure.

Drag and drop the procedural steps on the left into the correct sequential order on the right.

Select and Place:

Virtualization Procedural Step

Create a VM and specify the required hardware to run a specific OS

The hypervisor abstracts the physical resources into virtual hardware

The hypervisor takes control of the physical resources of the host

Install a guest operating system inside the VM, as done on a physical computer

Correct Sequence

Step 1

Step 2

Step 3

Step 4

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 50

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator notices that a cloud pod is not in the correct site.

What can be done to solve this issue?

- A. Under Settings > Cloud Pod Architecture, select the pod and change the name of the site.
- B. Under Settings > sites, select the site, and select move pod to this site.
- C. Under Settings > Cloud Pod Architecture, select the pod, click edit and select the correct site.
- D. Under Settings > sites, select the pod, click edit, and select the correct site from the menu.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 51

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

End-users are complaining that they are frequently being asked for credentials when opening additional apps.

Which step should the administrator take to resolve the issue?

- A. Configure SSO Timeout by modifying the Global Settings in Horizon Administrator.
- B. Configure Session Timeout by modifying the Client Settings in Horizon Client.
- C. Configure a time limit by modifying the Horizon GPO.
- D. Configure Desktop Timeout by modifying the Pool Settings in Horizon Administrator.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 52

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

To reduce the risk of users downloading malware to the corporate network, an administrator wants to allow end users to open only intranet websites inside their virtual desktop. Additionally, the administrator wants to configure all other URLs to automatically open in a browser on the end-user's client machine.

Which steps should the administrator take to meet the requirements? (Choose two.)

- A. Enable the URL Content Redirection feature on the desktop pool settings.
- B. Enable the URL Content Redirection feature in Horizon Agent.
- C. Configure group policy settings to indicate how Horizon Agent redirects the URL.
- D. Enable secure website settings in the Global Settings Security menu.
- E. Disable the Allow External Website feature in Horizon Agent.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 53

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator wants to ensure users can access an application that uses .NET 3.0 for desktops available on Horizon On-premises and on Horizon Cloud Service on Microsoft Azure.

Which two options would achieve this requirement? (Choose two.)

- A. Create a ThinApp package and provision it with App Volumes.
- B. Install the application on the primary image.
- C. Copy the vmdk and .json file to the Azure storage.
- D. Capture the application in App Volumes.
- E. Copy the vhd and .json file to the Azure storage.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 54

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator is preparing to upgrade Horizon Connection Servers in parallel.

What action must first be performed to ensure that there are no issues with Horizon LDAP replication within the Pod?

- A. Execute vdmadmin.exe -s.
- B. Execute vdmexport.exe -f Myexport.LDF.
- C. Execute repadmin.exe /showrepl localhost:389.
- D. Execute ViewDBChk.cmd --scanMachines.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 55

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

After creating a new desktop pool that contains customization specifications, a Horizon administrator sees the following message in the VMware Horizon event database:

Provisioning error occurred for Machine Machine_Name: Customization failed for Machine

Which two could be the cause of the issue? (Choose two.)

- A. The customization specification has been renamed or deleted.
- B. Desktops can only be customized after the end user logs into the virtual machine.
- C. The compute account of the template has been removed from the Active Directory.
- D. The administrator does not have sufficient permissions to access the customization specification.
- E. Desktop pool provisioning is disabled.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 56

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator needs to monitor Connection Server health by using a http request.

Which command is the correct command to use?

- A. GET https://<connectionserver>:22443/favicon.ico
- B. GET https://<connectionserver>:9443/favicon.ico
- C. GET https://<connectionserver>:443/favicon.ico
- D. GET https://<connectionserver>:4172/favicon.ico

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 57

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A company that is currently using VMware Horizon with instant-clones is researching the possibility of using VMware Horizon Cloud on Azure.

What deployment option is available for Horizon on Azure?

- A. Horizon Cloud on Azure with instant-clones
- B. Horizon Cloud on Azure with full-clones
- C. Horizon Cloud on Azure with Azure clones
- D. Horizon Cloud on Azure with WVD

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 58

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Where can an administrator find the VDI machines in the Horizon LDAP?

- A. OU=VDI
- B. OU=Desktops
- C. OU=Servers
- D. OU=Machines

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 59

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

An administrator sees a lot of instant-clone template VM's that are not in use anymore in vCenter.

What tool needs to be used to clean up old templates?

- A. iccleanup.cmd
- B. icunprotect.cmd
- C. vdmadmin.exe
- D. icmaint.cmd

Show Suggested Answer



Actual exam question from VMware's 2V0-51.21

Question #: 60

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Refer to the exhibit.

Subject | General | Extensions | Private Key | Certification Authority | Signature

The subject of a certificate is the user or computer to which the certificate is issued. You can enter information about the types of subject name and alternative name values that can be used in a certificate.

Subject of certificate
The user or computer that is receiving the certificate

Subject name:
Type: Common name
Value:
Add > < Remove

Alternative name:
Type: DNS
Value:
Add > < Remove

CN=sa-connserv-02.vclass.local

DNS .vclass.local

A

Subject | General | Extensions | Private Key | Certification Authority | Signature

Cryptographic Service Provider

Key options
Set the key length and export options for the private key.

Key size: 2048

Make private key exportable
 Allow private key to be archived
 Strong private key protection

Key type

Key permissions

C

Subject | General | Extensions | Private Key | Certification Authority | Signature

A friendly name and description will make it easier to identify and use a certificate.

Friendly name: vdi

Description:

B

Subject | General | Extensions | Private Key | Certification Authority | Signature

A enrollment server is needed to issue and renew certificates. The system will connect to enrollment servers in the following list to process certificate requests.

Not all certificate templates are available each enrollment server. For diagnostic purposes, it may be helpful to identify all available enrollment servers.

Certification Authority	Type
<input checked="" type="checkbox"/> CONTROLCENTER-CA	Enterprise root CA

D

An administrator configures a CA certificate for the Connection Server. However, they are still encountering certificate warnings when trying to connect to the Connection Server. The exhibit displays the properties of the CA-Signed certificate.

Referring to the exhibit and using the alpha-character indicator, which image shows the root cause of the issue?

- A. D
- B. C
- C. A
- D. B

Show Suggested Answer

Actual exam question from VMware's 2V0-51.21

Question #: 61

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

A user is assigned two writable volumes, one created using a Windows 7 and another using a Windows 10 machine.

Which of the following scenarios will happen when the user logs on to a Windows 10 VM?

- A. Both writable volumes gets attached to the Windows 10 machine.
- B. Since a machine can have only one Writable Volume attached to it at a given point in time, and the user has two assigned writable volumes, none of them gets attached.
- C. Since a machine can have only one Writable Volume attached to it at a given point in time, the user cannot have two assigned writable volumes.
- D. The writable volume created using a using Windows 10 machine gets attached.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.21

Question #: 62

Topic #: 1

[\[All 2V0-51.21 Questions\]](#)

Which two databases are supported in Horizon 8 for Event Database configuration? (Choose two.)

- A. MySQL
- B. MariaDB
- C. Microsoft SQL
- D. DynamoDB
- E. Oracle DB

Show Suggested Answer

