



Actual exam question from VMware's 2V0-51.23

Question #: 1

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

A junior-level Horizon administrator is not able to see all RDS farms.

Where would a high-level administrator need to make changes to correct the issue?

- A. Global Entitlements
- B. Access Groups
- C. Global Policies
- D. Category Folder

[Show Suggested Answer](#)



Actual exam question from VMware's 2V0-51.23

Question #: 2

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

Refer to the exhibit.

### Add Farm - IC-Farm1

Asterisk (\*) denotes required field

Domain

\* AD Container

AD container can not be set since domain is unavailable.

Allow Reuse of Existing Computer Accounts

Image Publish Computer Account

Use ClonePrep

Power-Off Script Name

Power-Off Script Parameters

Cancel Previous Next

An administrator is trying to create an automated farm of instant-clone virtual machines using the Add Farm wizard. The administrator cannot proceed beyond the page displayed in the exhibit.

Which of the following could be the reason for the issue?

- A. The administrator did not add the RDSH golden image to the correct domain.
- B. The administrator did not prepare a RDSH golden image snapshot.
- C. In the Add Farm wizard, the administrator may not have selected Automated Farm as farm type.
- D. The administrator may not have added an instant clone domain administrator to VMware Horizon.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 3

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Which two client types have the lowest cost of ownership and are easier to manage deployments, perform firmware updates, and monitor? (Choose two.)

- A. Headless Clients
- B. Windows Clients
- C. Thin Clients
- D. Zero Clients
- E. MacOS Clients

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 4

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Which two of the following are predefined Roles in Horizon Console? (Choose two.)

- A. Desktop Pool Administrators
- B. Instant Clone Administrators
- C. Server Administrators
- D. Local Administrators
- E. Inventory Administrators

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 5

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

Refer to the exhibit.

## Select Golden Image



Select the virtual machines to be used as the golden image for this desktop pool.

Show All Golden Images ⓘ

Operating System

↻

Name	Path
No records available.	

Rows per page  0 rows

Submit

Cancel

An administrator is tasked with creating an instant clone pool for their sales department. During the creation of the pool the administrator saw that there is no golden image available, as seen in the exhibit.

Which two actions can an administrator take so that the golden image is showing up in the Golden Image selection window? (Choose two.)

- A. Login to the vSphere Client, select the Golden Image virtual machine and convert it to a template.
- B. Refresh the Select Golden Image view and select the Golden Image.
- C. Login to the vSphere Client, select the Golden Image virtual machine and clone it to a new virtual machine.
- D. Login to the vSphere Client, select the Golden Image virtual machine and create a snapshot.
- E. Login to the vSphere Client, select the Golden Image virtual machine and delete all snapshots.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 6

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

An administrator has been tasked by their organization with determining the type of VMware Horizon deployment to use.

These requirements have been provided to the administrator:

Implement quickly the deployment of Windows and Linux desktops.

Provide centralized brokering.

Ensure the environment is secure from end-to-end.

Which deployment solution meets the requirements?

- A. VMware vSphere Desktop Edition
- B. VMware Horizon On-Premises
- C. VMware Horizon Cloud on Microsoft Azure
- D. VMware Workspace ONE Unified Endpoint Management

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 7

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Adobe Acrobat 11 has been assigned to a user. VM25 already has Adobe Acrobat 11 and is natively installed.

What happens when the user logs on to VM25?

- A. The user-assigned application is attached to VM25. When the user clicks on the application shortcut, the App Volume package for Adobe Acrobat 11 is opened.
- B. Although a shortcut to the App Volume package is created on the user desktop, the application does not get attached to VM25.
- C. The App Volume package does not get attached because the natively installed application has priority.
- D. A shortcut to the user-assigned application is created on the user desktop, and when they click on the shortcut, the application gets attached to VM25.

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 8

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

A VMware Horizon administrator is tasked with deployment of a desktop pool, which should fulfill these requirements:

End-users should always get the same desktop VM.

Backups with the existing VMware image-based backup tool should be supported.

Desktop VMs will be cloned on a weekly basis per vSphere API.

Which desktop solution can accomplish this requirement?

- A. Automated Desktop Pool, based on Dedicated Full Clone Virtual Machines.
- B. Automated Desktop Pool, based on floating Instant Clones.
- C. Automated Desktop Pool, based on dedicated Instant Clones.
- D. Automated Desktop Pool, based on Floating Full Clone Virtual Machines.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 9

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

An organization wants to prohibit certain users from saving any type of data from their virtual desktops to client devices after business hours. After business hours are 5PM till 9AM.

How can this be achieved?

- A. Import vdm\_blast.admx template to Active Directory and setup a new Group Policy Object with required settings.
- B. Configure corporate firewall to block port TCP 9427 from 5PM till 9AM.
- C. Set the configuration in HKEY\_LOCAL\_MACHINE\SOFTWARE\VMware, Inc.\VMware VDM\Agent\ on virtual desktops.
- D. Use settings in Dynamic Environment Manager Horizon Smart Policy and set Conditions.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 10

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

An administrator recently deployed a Horizon pod with external access using Unified Access Gateway (UAG). While trying to launch VDI from an External network, VDI launches with a black screen and then disconnects. The administrator has validated the port requirement and all other required ports are open.

Users are able to connect internally using the connection server URL. While reviewing the UAG logs, the administrator found that the Blast connection is hitting the Connection Server instead of VDI IP.

What should the administrator do to resolve the issue?

- A. Upload the Blast Proxy Certificate in Horizon Edge Settings.
- B. Update the Blast External URL in UAG with port number.
- C. Enable Tunnel in UAG.
- D. Disable the Tunnel and Gateways in Horizon Connection Server.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 11

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

A senior Horizon administrator is tasked with enabling two-factor authentication for other Horizon administrators to login to the Horizon Console.

Which option will the administrator use that supports two-factor authentication?

- A. SAML
- B. Smart Card Authentication
- C. RSA SecureID
- D. RADIUS

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 12

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

What must be implemented on all Connection Servers for logon segment information to be populated in the Horizon Helpdesk Tool?

- A. Blast Secure Gateway
- B. Horizon Helpdesk Agent
- C. vdmadmin -A -d dtpool2 -m machine1 -getstatus
- D. vdmadmin -l -timingProfiler -enable

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 13

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Which three VMware Horizon based resources does Unified Access Gateway (UAG) provide access to? (Choose three.)

- A. RDSH-based applications
- B. physical Windows machines
- C. virtual desktops
- D. IOT devices
- E. thin clients

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 14

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

To reduce the risk of users downloading malware to the corporate network, an administrator wants to allow end-users to open only intranet websites inside their virtual desktop. Additionally, the administrator wants to configure all other URLs to automatically open in a browser on the end-user's client machine.

Which steps should the administrator take to meet the requirements? (Choose two.)

- A. Enable secure website settings in the Global Settings Security menu.
- B. Enable the URL Content Redirection feature on the desktop pool settings.
- C. Enable the URL Content Redirection feature in Horizon Agent.
- D. Disable the Allow External Website feature in Horizon Agent.
- E. Configure group policy settings to indicate how Horizon Agent redirects the URL.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 15

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Which pre-requisite should be met before installing the Horizon Connection Server?

- A. Install AD DS and AD LDS Tools on the Horizon Connection Server.
- B. The host system must be a vSphere VM with a static IP address.
- C. An SSL server certificate must be installed on the Horizon Connection Server.
- D. Use a domain user account with administrator privileges on the Horizon Connection Server.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 16

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Having configured two standalone Horizon pods, what steps should be taken to join them in a Cloud Pod Architecture (CPA) deployment?

- A. On one pod, initialize the CPOn the second pod, join the CPOn one pod, create Global Entitlements, and add local pools from each pod.
- B. On one pod, initialize the CPA. On the second pod, join the CPA. On one pod, create Cloud Entitlement: and sync pools from each pod.
- C. Initialize the CPA on both Pods. On the second pod, sync the CPA. On one pod, create Global Entitlements, and add local pools from each pod.
- D. Initialize the CPA on both Pods. On the second pod, sync the CPA. On one pod, create Cloud Entitlements, and add local pools from each pod.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 17

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

DRAG DROP -

Drag and drop each Horizon console predefined role on the left to its matching function on the right.

### Answer Area

#### Horizon Role

Administrator

Inventory  
Administrator

Local Administrator

#### Function

Performs all desktop, session, and pool-related operation.

Performs all administrative functions and applies to an Access Group.

No rights to manage Cloud Pod or the Global Data Layer.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 18

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

Which are the required permissions an administrator must assign to the user account for instant-clone operations in Active Directory before creating instant-clone desktop pools? (Choose three.)

- A. Create and Delete Child objects
- B. Write to service principal names
- C. Create and Delete Computer Objects
- D. Read and Write All Properties
- E. Modify Owner
- F. List contents

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 19

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

What is the default URL used to access the Horizon Console?

- A. `https://<connection_server_FQDN>/default`
- B. `https://<connection_server_FQDN>/admin`
- C. `https://<connection_server_IP>/administrator`
- D. `https://<connection_server_IP>/login`

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 20

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

On a VMware vCenter managed virtual machine, how does the VMware Horizon Agent know which Connection Server it should register with during the Instant Clone pool creation process?

- A. Administrator provides this information in the Horizon Agent Installation Wizard on the master image.
- B. Horizon Agent queries VMware Tools for a GuestInfo Variable during the cloning process.
- C. Horizon Agent retrieves this information from an DNS SRV record
- D. Administrator provides this information in the "Add Pool" creation wizard.

[Show Suggested Answer](#)





Actual exam question from VMware's 2V0-51.23

Question #: 21

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

An administrator is tasked with creating a new pool of desktops with hardware-accelerated graphics with vMotion support. Which graphic acceleration types can the administrator choose to meet the requirement?

- A. Virtual Shared 3D rendering
- B. Virtual Shared Direct access 3D
- C. Virtual Dedicated Graphics Acceleration
- D. Virtual Shared Pass-through Graphics Acceleration

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 22

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

An administrator configured a virtual machine to use an NVIDIA card but the virtual machine is not starting up. What could be the cause of the issue? (Choose two.)

- A. Not all CPU has been reserved on the VM.
- B. The Desktop Pool doesn't support 3D cards.
- C. 3D graphics cannot be used with local storage.
- D. No suitable host could be found.
- E. Not all memory has been reserved on the VM.

Show Suggested Answer





Actual exam question from VMware's 2V0-51.23

Question #: 23

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

When integrating a Linux OS based desktop into Active Directory, which three of the following can be used? (Choose three.)

- A. Windows Domain Join
- B. OpenLDAP Server Cut-through authentication
- C. Winbind Domain Join
- D. OpenLDAP Server Pass-through authentication
- E. System Security Services Daemon (SSSD) LDAP authentication against the AD

Show Suggested Answer



Actual exam question from VMware's 2V0-51.23

Question #: 24

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

A new Horizon environment has gone into production. External sessions are being disconnected after a random period of time.

The following information has been documented by the administrator:

Internal and external users are able to connect to their desktops.

External sessions connect via Unified Access Gateway.

Users are immediately able to reconnect but are disconnected again in a few minutes.

Due to limited amount of public IP addresses, all traffic flows through a load balancer.

Internal sessions, connected directly to the desktops, are not impacted.

While the session remains connected, all expected functionality works properly.

What could be a cause of this issue?

- A. A misconfigured network load balancer is in front of the Unified Access Gateway appliances.
- B. A misconfigured network load balancer is in front of the Connection Servers.
- C. Required firewall ports are not open in front of the Unified Access Gateway appliances.
- D. Required firewall ports are not open in front of the Connection Servers.

Show Suggested Answer







Actual exam question from VMware's 2V0-51.23

Question #: 25

Topic #: 1

[\[All 2V0-51.23 Questions\]](#)

---

After a disaster recovery failure which left the data center unavailable, a company's VMware Horizon Administration Team has decided to increase the capacity of their VMware Horizon desktop pools and their resiliency.

Which two deployment options would support the requirement? (Choose two.)

- A. VMware Horizon Desktop deployed as a Service on vCloud Air.
- B. VMware Horizon deployed on VMware Cloud on AWS.
- C. VMware Horizon deployed on VMware Cloud on VMware.
- D. VMware Horizon deployed in the same local data center.
- E. VMware Horizon deployed in a remote data center.

Show Suggested Answer

