



- Expert Verified, Online, **Free**.

Which of the following statements is true for the Form Designer? a) To add a field to the form layout, drag the field from the Fields tab to the desired destination on the form. b) To create a new field on a form's table, drag the appropriate data type from the Field Types tab to the form and then configure the new field. c) To remove a field from the form layout, hover over the field to enable the Action buttons, and select the Delete (X) button. d) To add a section to the form layout, drag it from the Field Types tab to the desired destination on the form.

- A. a, b, c, and d
- B. b, c, and d
- C. a, b, and d
- D. a, b, and c

**Suggested Answer:** D

*Community vote distribution*

D (100%)

🗨️ 👤 **Jd\_Srikar** 9 months ago

**Selected Answer: D**

correct answer  
upvoted 2 times

🗨️ 👤 **MIBE\_** 1 year, 2 months ago

**Selected Answer: D**

correct  
upvoted 1 times

🗨️ 👤 **Lord\_Korvus** 1 year, 3 months ago

**Selected Answer: D**

Answer D  
upvoted 1 times

🗨️ 👤 **Charan\_sai\_97** 1 year, 6 months ago

Please help me.  
Is this questions is enough to clear exam.  
upvoted 1 times

🗨️ 👤 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: D**

Answer D  
upvoted 1 times

🗨️ 👤 **som\_420** 2 years, 2 months ago

**Selected Answer: D**

correct  
upvoted 3 times

Which of the following are configured in an Email Notification? a) Who will receive the notification. b) What content will be in the notification. c) When to send the notification. d) How to send the notification.

- A. a, b and c
- B. a, b, and d
- C. b, c and d
- D. a, c and d

**Suggested Answer: A**

*Community vote distribution*

A (100%)

🗨️ **D\_Ogi** 10 months, 3 weeks ago

I think all a, b, c and d are valid. "d" is valid answer as we define how we send the notification: by "how" I mean it's content type, to include or not a push notification as well as SMS and to choose to make a it a part of digest.

upvoted 1 times

🗨️ **Lord\_Korvus** 1 year, 3 months ago

**Selected Answer: A**

Answer a

upvoted 1 times

🗨️ **MagdaGrS** 1 year, 3 months ago

**Selected Answer: A**

Who, What, When

upvoted 4 times

🗨️ **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: A**

Answer A

upvoted 3 times

🗨️ **som\_420** 2 years, 2 months ago

Correct

upvoted 1 times

To see what scripts, reports, and other application artifacts will be in a published application:

- A. Enter the name of the Application in the Global search field
- B. Open the list of Update Sets for the instance
- C. Examine the Application Files Related List in the application to be published
- D. Open the artifact records individually to verify the value in the Application field

**Suggested Answer:** C

Community vote distribution

C (87%) 13%

PR0704 **Highly Voted** 2 years, 12 months ago

**Selected Answer: C**

this is correct

upvoted 10 times

BenBose **Most Recent** 7 months, 3 weeks ago

**Selected Answer: B**

The correct answer is B because the question states that the application has been published. Answer C is not correct because it states the application 'is to be published' ie. It has not yet been published

upvoted 2 times

GuizaoTJ 8 months, 2 weeks ago

**Selected Answer: C**

Question correct

upvoted 1 times

Lord\_Korvus 1 year, 3 months ago

**Selected Answer: C**

"Application developers can view the complete list of application files from the custom application record."

upvoted 1 times

MaxMa 2 years ago

**Selected Answer: C**

Answer C

upvoted 1 times

Benojojo 2 years, 2 months ago

Copied from the provided link, "Update sets work in scoped apps just like they do in global scope. But there is a better way to move scoped apps from one instance to another. This capability is called "publish" and it allows you to move an application just like you would with a single executable. The publish capability checks for dependencies and locks the application in the instance where it has been moved so that no changes can be made". for option B

upvoted 1 times

Which one of the following is NOT a debugging strategy for client-side scripts?

- A. `g_form.addInfoMessage()`
- B. Field Watcher
- C. `jslog()`
- D. `gs.log()`

**Suggested Answer:** D

Community vote distribution

D (100%)

 **HaraTadahisa** 5 months, 1 week ago


**Selected Answer: D**

D is correct answer.  
upvoted 1 times

 **GoldBear** 1 year, 2 months ago


**Selected Answer: D**

Answer D  
upvoted 2 times

 **snray** 1 year, 2 months ago

**Selected Answer: D**

D is correct  
upvoted 1 times

 **MIBE\_** 1 year, 2 months ago


**Selected Answer: D**

Glide System object is not allowed in client-side  
upvoted 2 times

 **MagdaGrS** 1 year, 3 months ago

**Selected Answer: D**

You can test this!  
upvoted 1 times

 **Guiguille** 1 year, 5 months ago

Why `gs.log()` is not a valid client-side debugging option:  
upvoted 1 times

 **doctorF** 1 year, 4 months ago

`gs.log()` and `GSLog` are two different things. `gs` refers to `GlideSystem` but the `GSLog` in your link is a Script Include. These are two completely different objects.  
upvoted 1 times

 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: D**

Answer D  
upvoted 1 times

 **bharatns** 2 years, 9 months ago

correct  
upvoted 2 times



Which Application Access configuration field(s) are NOT available if the Can read configuration field is NOT selected?



- A. All access to this table via web services
- B. Can create, Can update, and Can delete
- C. Can read does not affect the availability of other Application Access fields
- D. Allow configuration


**Suggested Answer:** B


Community vote distribution


B (100%)


 **Vinothkumar\_Rangasamy**  2 years, 9 months ago  
Answer is "B"  
upvoted 18 times


 **HaraTadahisa**  5 months, 1 week ago  
**Selected Answer: B**  
B is correct answer.  
upvoted 1 times


 **manikanta\_gnbv** 8 months, 2 weeks ago  
**Selected Answer: B**  
B is correct. I just tried in studio application  
upvoted 2 times


 **manikanta\_gnbv** 8 months, 2 weeks ago  
I just tried in studio application the answer is B  
upvoted 2 times


 **fe91db0** 11 months, 4 weeks ago  
**Selected Answer: B**  
can create, update, delete becomes read only  
upvoted 2 times

 **Dekoreh** 1 year, 2 months ago  
**Selected Answer: B**  
B is correct  
upvoted 1 times

 **Mru9** 1 year, 3 months ago  
**Selected Answer: B**  
Answer is B  
upvoted 1 times

 **MagdaGrS** 1 year, 3 months ago  
**Selected Answer: B**  
You can test this!  
upvoted 1 times

 **Missori** 1 year, 5 months ago  
**Selected Answer: B**  
I've just tried it and certainly answer is B  
upvoted 4 times

 **MR126** 1 year, 5 months ago  
B is correct.  
upvoted 2 times

 **Naw210** 1 year, 7 months ago

B nha cac ban oi  
upvoted 1 times

🗨️ **anny13** 1 year, 7 months ago

**Selected Answer: B**

b is correct  
upvoted 1 times

🗨️ **Tinu12** 1 year, 9 months ago

B is Correct  
upvoted 1 times

🗨️ **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: B**

Answer B  
upvoted 4 times

🗨️ **minhdo501** 2 years ago

B is correct  
upvoted 1 times

🗨️ **Quetzalcuate** 2 years ago

Answer is B  
upvoted 1 times

🗨️ **rpersonal2** 2 years, 1 month ago

**Selected Answer: B**

B is correct.  
upvoted 1 times

Which of the following is NOT a trigger type in Flow Designer?

- A. Outbound Email
- B. Application
- C. Record
- D. Schedule

**Suggested Answer: A**

*Community vote distribution*

A (100%)

🗳️ **f27ad55** 2 months, 2 weeks ago

A is the correct answer.

These are the triggers for a Flow in ServiceNow:

Record

-Created

-Updated

-Created or Updated

Scheduled

-Daily

-Weekly

-Monthly

-Run once

-Repeat

Application

-SLA Task

-Inbound Email

-Service Catalog

upvoted 1 times

🗳️ **HaraTadahisa** 5 months, 1 week ago

**Selected Answer: A**

A is correct answer.

upvoted 1 times

🗳️ **Hmzpkts** 1 year, 1 month ago

Should be A and D. Flow designer trigger types are Application, Record, Date..

So in this case we kinda considering D schedule as Date, which is weird..

upvoted 1 times

🗳️ **sstest2** 11 months, 2 weeks ago

Schedule is the wrong answer. Answers must be messed up. Outbound email is a wrong answer too.

upvoted 1 times

🗳️ **Dekoreh** 1 year, 2 months ago

**Selected Answer: A**

Outbound email is not a trigger type

upvoted 3 times



🗳️ **MagdaGrs** 1 year, 3 months ago

**Selected Answer: A**

Just go and check

upvoted 1 times



  **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: A**

Answer A


upvoted 2 times

When creating new application files in a scoped application, cross scope access is turned on by default in which of the following?

- A. REST messages
- B. Table
- C. Script Include
- D. Workflow

**Suggested Answer: B**

Community vote distribution



**evoken** 3 months, 4 weeks ago

**Selected Answer: A**

The answer is A. Tables are not accessible outside of the scope by default.  
upvoted 1 times

**HaraTadahisa** 5 months, 1 week ago

**Selected Answer: B**

B is correct answer.  
upvoted 1 times

**ravidamarla** 1 year, 1 month ago

B is correct answer  
upvoted 1 times

**Rai0704** 1 year, 3 months ago

**Selected Answer: B**

Cross-scope privileges can be granted for:  
  
Table: Read, write, create, delete records  
Script Include: Execute API  
Scriptable (script objects): Execute API

Reference: <https://www.servicenow.com/community/developer-blog/securing-an-application-using-cross-scope-access-application/ba-p/2288801#:~:text=Cross%20scope%20access%20allows%20administrators,run%20on%20the%20target%20instance.>

upvoted 3 times

**Mru9** 1 year, 3 months ago

**Selected Answer: D**

Both B & D are correct  
upvoted 1 times

**AR1970** 1 year, 11 months ago

B and D  
upvoted 2 times

**Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: B**

"By default, all application scope scripts can read the table's records but cannot perform any other database operations."  
upvoted 2 times

**som\_420** 2 years, 2 months ago

**Selected Answer: B**

correct  
upvoted 1 times

In an Email Notification, which one of the following is NOT true for the Weight field?

- A. Only Notifications with the highest weight for the same record and recipients are sent
- B. A Weight value of zero means that no email should be sent
- C. The Weight value defaults to zero
- D. A Weight value of zero means the Notification is always sent when the Notification's When to send criteria is met

**Suggested Answer: B**

Community vote distribution

B (79%)

D (21%)

 **pgjensen** Highly Voted 2 years, 7 months ago


Selected Answer: B

Which is "NOT" true. A, C, D are true. B is false.  
upvoted 9 times

 **HaraTadahisa** Most Recent 5 months, 1 week ago

Selected Answer: B

B is correct answer.  
upvoted 1 times

 **roxoxete** 8 months, 1 week ago

Which is "NOT" true. A, C, D are true. B is false.  
  
upvoted 1 times

 **manikanta\_gnbv** 8 months, 2 weeks ago

Selected Answer: B

B is correct for this question  
upvoted 1 times

 **Jd\_Srikar** 9 months ago

Selected Answer: B

B is correct answer  
upvoted 1 times

 **Iyon301** 1 year ago

Selected Answer: D

D is the right one  
upvoted 4 times

 **Raz\_Maz** 1 year, 5 months ago

D is correct.  
upvoted 1 times


 **MrPedroLeite** 1 year, 7 months ago

The correct answer is D

" The default value 0 causes the system to always send the notification (assuming the conditions are met)."  
upvoted 4 times

 **MrPedroLeite** 1 year, 6 months ago

ndiichie is right, the D is TRUE, so the correct answer is B  
upvoted 2 times

 **Naw210** 1 year, 7 months ago

**Selected Answer: B**

B moi dung nha may ba oi

upvoted 2 times

🗨️ 👤 **Shisol13** 1 year, 7 months ago

Per my Developer Fundamental class notes:

Notifications with Weight value of zero are always sent

upvoted 1 times

🗨️ 👤 **ndiichie** 1 year, 9 months ago

B is the right answer. See the "NOT" in the question.

upvoted 2 times

🗨️ 👤 **sg\_100** 1 year, 9 months ago

B! (Ref Tokyo Documentation)

Notifications that have the same target table and recipients are considered duplicates if the weights are different. If weights are same, an additional evaluation is done to check if the subject and the body (excluding watermark) are same to qualify as duplicate notification. When there are duplicate notifications, the system only sends the notification with the highest weight. All other notifications are moved from the Outbox to the Skipped mailbox. The default value 0 causes the system to always send the notification (assuming the conditions are met).

upvoted 1 times

🗨️ 👤 **cpportugal** 1 year, 11 months ago

**Selected Answer: D**

Answer D

upvoted 1 times

🗨️ 👤 **fivani** 1 year, 8 months ago

Answer is B. Your link even states the same, "Notifications with a Weight value of zero are always sent."

upvoted 2 times

🗨️ 👤 **cpportugal** 1 year, 11 months ago

**Selected Answer: D**

Answer D

upvoted 1 times

🗨️ 👤 **fivani** 1 year, 8 months ago

Answer is B. Your link even states the same, "Notifications with a Weight value of zero are always sent."

upvoted 1 times

🗨️ 👤 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: B**

Answer B

upvoted 2 times

🗨️ 👤 **Nick\_O** 2 years, 3 months ago

Answer is B

upvoted 1 times

🗨️ 👤 **Farnous** 2 years, 3 months ago

**Selected Answer: B**

B is correct

upvoted 3 times

Which of the following objects does a Display Business Rule NOT have access to?

- A. previous
- B. GlideSystem
- C. g\_scratchpad
- D. current


**Suggested Answer: A**

Community vote distribution

A (100%)


 **ptrckw** Highly Voted 2 years, 4 months ago

Question should be asking about async business rules  
upvoted 6 times


 **HaraTadahisa** Most Recent 5 months, 1 week ago

**Selected Answer: A**

A is correct answer.  
upvoted 1 times

 **tiji834** 1 year, 4 months ago

But the problem is, that g\_scratchpad is also not available in Async BR...  
upvoted 2 times

 **Ricou** 1 year, 5 months ago


**Selected Answer: A**

Business Rules often use the current and previous objects in their script logic.

The current object is automatically instantiated from the GlideRecord class. The current object's properties are all the fields for a record and all the GlideRecord methods. The property values are the values as they exist in the runtime environment.

The previous object is also automatically instantiated from the GlideRecord class. The previous object's properties are also all fields from a record and the GlideRecord methods. The property values are the values for the record fields when they were loaded from the database and before any changes were made. The previous object is not available for use in async Business Rules.

upvoted 1 times

 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: A**

Yes, I think this should be about async business rules:  
[https://docs.servicenow.com/bundle/tokyo-application-development/page/script/business-rules/concept/c\\_BusinessRules.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/script/business-rules/concept/c_BusinessRules.html)  
upvoted 1 times

 **3Renato** 2 years, 1 month ago

Previous is only unavailable in Async Business Rules  
upvoted 1 times

 **som\_420** 2 years, 2 months ago

**Selected Answer: A**

A is correct  
upvoted 1 times

Which of the following features are available to Global applications? (Choose two.)

- A. Automated Test Framework
- B. Source Control
- C. Delegated Development
- D. Flow Designer

**Suggested Answer:** AD

Community vote distribution

AD (100%)

🗳️ **VarunV007** Highly Voted 2 years, 9 months ago

Correct answer is A & D  
upvoted 12 times

🗳️ **TwelveKay** Highly Voted 1 year, 8 months ago

A, B & D.

The question is outdated as 3 are now supported in Global ( A) Automated Test Framework, B) Source Control and D) Flow Designer). Delegated Development is not supported in Global scope.

<https://www.servicenow.com/community/developer-forum/which-of-the-following-features-are-available-to-global/m-p/1391919>

Global apps gained source control integration in the Paris release.

<https://developer.servicenow.com/blog.do?p=/post/paris-source-control/>

The delegated developer feature only works with true scoped apps, not global.

<https://www.servicenow.com/community/developer-forum/globally-scoped-apps-and-delegated-developers/m-p/1862075>

upvoted 12 times

🗳️ **rikhiphitheni** Most Recent 3 months, 3 weeks ago

Selected Answer: AD

Only those are the correct answer  
upvoted 1 times

🗳️ **DKey** 3 months, 3 weeks ago

Source control is available since Paris  
upvoted 1 times

🗳️ **DKey** 4 months ago

should be A,B and D.  
Source control is available to Global applications today  
upvoted 1 times

🗳️ **HaraTadahisa** 5 months, 1 week ago

Selected Answer: AD

AD is correct answer.  
upvoted 1 times

🗳️ **Chanti1243** 7 months, 3 weeks ago

A&B

options C (Delegated Development) and D (Flow Designer) are not specifically tied to global applications. While they are valuable features, they are not inherently exclusive to global deployments.

upvoted 1 times

🗨️ 👤 **Benojojo** 8 months, 2 weeks ago

The delegated developer feature only works with true scoped apps  
upvoted 1 times

🗨️ 👤 **MagdaGrs** 1 year, 3 months ago

**Selected Answer: AD**

Delegated Development is supported only on private scoped app.  
upvoted 1 times

🗨️ 👤 **TwelveKay** 1 year, 8 months ago

The question is outdated as 3 are now supported in Global (Automated Test Framework, Source Control and Flow Designer). Delegated Development is not supported in Global scope.

<https://www.servicenow.com/community/developer-forum/which-of-the-following-features-are-available-to-global/m-p/1391919>

Global apps gained source control integration in the Paris release.

<https://developer.servicenow.com/blog.do?p=/post/paris-source-control/>

The delegated developer feature only works with true scoped apps, not global.

<https://www.servicenow.com/community/developer-forum/globally-scoped-apps-and-delegated-developers/m-p/1862075>

upvoted 3 times

🗨️ 👤 **rpersonal2** 2 years, 1 month ago

Correct answer should be update as it is A, B, D with the recent integration of source control in Paris release.

upvoted 5 times

🗨️ 👤 **ManthanW03** 2 years, 2 months ago

A, B, D - ATFs and Flow Designer is available to Global not the Delegate Development. Also, after Paris release source control is available to Global apps as well

upvoted 5 times

🗨️ 👤 **ptrckw** 2 years, 4 months ago

Question is outdated, global apps gained source control integration in the Paris release

upvoted 4 times

🗨️ 👤 **parcerocarl** 2 years, 6 months ago

A & D is the correct answer

upvoted 2 times

🗨️ 👤 **pgjensen** 2 years, 7 months ago

**Selected Answer: AD**

ATF is available for both Global and Scoped applications. Same for Flow Designer.

upvoted 4 times

Which one of the following is NOT a UI Action type?

- A. List choice
- B. Form button
- C. List banner button
- D. Form choice

**Suggested Answer:** D

*Community vote distribution*

D (100%)

 **pgjensen** Highly Voted 2 years, 7 months ago

**Selected Answer:** D

[https://docs.servicenow.com/en-US/bundle/sandiego-platform-administration/page/administer/list-administration/concept/c\\_UIActions.html](https://docs.servicenow.com/en-US/bundle/sandiego-platform-administration/page/administer/list-administration/concept/c_UIActions.html)  
upvoted 5 times

 **HaraTadahisa** Most Recent 5 months, 1 week ago

**Selected Answer:** D

D is correct answer.  
upvoted 1 times

 **manikanta\_gnbv** 8 months, 2 weeks ago

**Selected Answer:** D

D is correct there is a list choice and there is no form choice  
upvoted 3 times

 **Lily81** 8 months, 3 weeks ago

[https://docs.servicenow.com/bundle/washingtondc-platform-administration/page/administer/list-administration/concept/c\\_UIActions.html](https://docs.servicenow.com/bundle/washingtondc-platform-administration/page/administer/list-administration/concept/c_UIActions.html)  
upvoted 1 times



Which of the following is NOT supported by Flow Designer?

- A. Call a subflow from a flow
- B. Test a flow with rollback
- C. Use Delegated Developer
- D. Run a flow from a MetricBase Trigger

**Suggested Answer: B**

*Community vote distribution*

B (100%)

 **HaraTadahisa** 5 months, 1 week ago

**Selected Answer: B**

B is correct answer.


upvoted 1 times

 **manikanta\_gnbv** 8 months, 2 weeks ago

**Selected Answer: B**


There is no roll back in flow testing

upvoted 4 times

 **D\_Ogi** 10 months, 3 weeks ago

B - I think they meant "Rollback action" which is available for Workflows only. However testing a flow in Flow Designer also does not offer rollback functionality. Record modified during a Test of a Flow remains modified when a Test is completed.

upvoted 3 times

 **som\_420** 2 years, 2 months ago

**Selected Answer: B**

Correct

upvoted 2 times

Which of the following are true for reports in ServiceNow? (Choose three.)

- A. Any user can see any report shared with them.
- B. Can be a graphical representation of data.
- C. All users can generate reports on any table.
- D. Can be run on demand by authorized users.
- E. Can be scheduled to be run and distributed by email.

**Suggested Answer:** BDE

Community vote distribution

BDE (100%)

 **nsmcan** Highly Voted 3 years, 1 month ago

Valid is BDE

A is invalid because an user cannot see a shared report if has no access to a report's table(s)

E is valid: <https://docs.servicenow.com/bundle/rome-platform-administration/page/administer/reference-pages/task/schedule-report.html>

Generate and distribute scheduled reports via email.

upvoted 24 times

 **samrat1010** Highly Voted 2 years, 8 months ago

BDE is right


upvoted 8 times

 **Vinaykpro** Most Recent 5 months ago

Selected Answer: BDE

Simple

upvoted 1 times


 **evoken** 10 months, 2 weeks ago

B. Can be a graphical representation of data: Reports in ServiceNow can include various graphical representations, such as charts and graphs, to provide visual insights into the data.

D. Can be run on demand by authorized users: Authorized users can generate reports on-demand to view real-time data or specific information from the ServiceNow instance.

E. Can be scheduled to be run and distributed by email: ServiceNow allows users to schedule reports to run at specific times and automatically distribute the results via email. This feature is useful for regular reporting and sharing information with stakeholders.

upvoted 4 times

 **Zcam** 1 year, 2 months ago

BDE is correct

upvoted 1 times

 **Dekoreh** 1 year, 2 months ago

Selected Answer: BDE

BDE is correct. A is absolutely wrong


upvoted 1 times

 **Lord\_Korvus** 1 year, 3 months ago

Selected Answer: BDE

B, D and A are the correct answers.

upvoted 1 times

 **Mru9** 1 year, 3 months ago

BDE is correct answer in Utah

upvoted 1 times

🗨️ 👤 **Stockholm\_syndrom\_Snow** 1 year, 4 months ago

**Selected Answer: BDE**

User without authorization to see some tables, cannot see the report  
upvoted 1 times

🗨️ 👤 **Sledgess** 1 year, 6 months ago

BDE should be the answer  
upvoted 1 times

🗨️ 👤 **AmmarGabr** 1 year, 8 months ago

**Selected Answer: BDE**

BDE is my answer  
upvoted 3 times

🗨️ 👤 **rpersonal2** 2 years, 1 month ago

**Selected Answer: BDE**

BDE is correct.  
upvoted 2 times

🗨️ 👤 **Nick\_O** 2 years, 3 months ago

BDE is valid in San Diego  
upvoted 1 times

🗨️ 👤 **Gurubala** 2 years, 3 months ago

**Selected Answer: BDE**

yes BDE is correct according to docs.servicenow  
upvoted 3 times

🗨️ 👤 **14006044** 2 years, 4 months ago

VALID IS BDE  
upvoted 3 times

Modules must have a Link type. Which one of the following is a list of Link types?

- A. List of Records, Separator, Catalog Type, Roles
- B. Assessment, List of Records, Separator, Timeline Page
- C. List of Records, Content Page, Order, URL (from arguments:)
- D. Assessment, List of Records, Content Page, Roles

**Suggested Answer: B**

Community vote distribution

B (88%) 13%

evoken 2 months, 3 weeks ago

Selected Answer: C

- List of Records: Displays a list of records from a specified table.
- Content Page: Displays a custom content page.
- Order: Refers to displaying an ordered list or a sequential structure.
- URL (from arguments:): Directs users to a specific URL or webpage.

upvoted 1 times

manikanta\_gnbv 8 months, 2 weeks ago

Selected Answer: B

There is no roles and oreder and catalog in link type.so correct option is B.

upvoted 2 times

D\_Ogi 10 months, 3 weeks ago

B.

Valid link for docs:

[https://docs.servicenow.com/bundle/utah-application-development/page/administer/auto-test-framework/reference/test-steps-app-navigator-category.html#title\\_r\\_ModuleLinkTypes](https://docs.servicenow.com/bundle/utah-application-development/page/administer/auto-test-framework/reference/test-steps-app-navigator-category.html#title_r_ModuleLinkTypes)

upvoted 1 times

Dekoreh 1 year, 2 months ago

Selected Answer: B

B is correct

upvoted 1 times

sephereth 2 years, 3 months ago

Selected Answer: B

B is correct, all Link Type options are: ontent Page, Documentation Link, HTML (from Arguments:), List Filter, List of Records, Map Page, New Reocrd, Run a Report, Script (from Arguments:), Search Screen, Seperator, Single Record, Survey, Timeline Page, URL (from Arguments:)

upvoted 4 times

Which one of the following is true for a table with the `Allow configuration` Application Access option selected?

- A. Only the in scope application's scripts can create Business Rules for the table
- B. Any user with the application's user role can modify the application's scripts
- C. Out of scope applications can create Business Rules for the table
- D. Out of scope applications can add new tables to the scoped application

**Suggested Answer:** C

Community vote distribution


C (100%)

 **beto\_guitar** 4 months, 3 weeks ago

**Selected Answer: C**

C is correct

upvoted 1 times

 **evoken** 10 months, 2 weeks ago

A. Incorrect. "Catalog Type" is not a standard Link type for modules in ServiceNow.

B. Incorrect. "Assessment" and "Timeline Page" are not standard Link types for modules in ServiceNow.

C. Correct. This option includes standard Link types for modules in ServiceNow:

List of Records: Displays a list of records from a specified table.

Content Page: Links to a ServiceNow content page.

Order: Represents an ordering of items (a separator that organizes other modules).

URL (from arguments): Allows you to link to an external URL.

D. Incorrect. "Assessment" is not a standard Link type for modules in ServiceNow.

upvoted 1 times

 **f27ad55** 2 months ago

This is for question 14. Please remove your answers from questions as it applies to question 14.

upvoted 2 times

 **apballard** 1 year, 4 months ago

**Selected Answer: C**

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_allow_configuration)

[plans/tokyo/new\\_to\\_servicenow/app\\_store\\_learnv2\\_securingapps\\_tokyo\\_allow\\_configuration](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_allow_configuration)

upvoted 3 times

 **JackLopez** 2 years ago

Option C is correct.

upvoted 3 times

When working in the Form Designer, configuring the label of a field in a child table changes the label on which table(s)?

- A. base table
- B. child table
- C. parent table
- D. all tables

**Suggested Answer: B**

*Community vote distribution*

B (100%)

🗳️ **sahithi2004** 4 months, 2 weeks ago

**Selected Answer: B**

When working in the Form Designer in ServiceNow, configuring the label of a field in a child table changes the label on:

B. child table

This means that the label change will only apply to the child table where you made the modification, not affecting the base table, parent table, or all tables.

upvoted 1 times

🗳️ **jck777** 5 months, 1 week ago

c. Parent table

from servicenow support documentation: If a child table, such as pm\_project, is saved using the form designer, the parent field labels (sys\_documentation) are changed to those of the child. For example, changing and saving the pm\_project form causes the short\_description field label on task to change from "Short Description" to "Project Name."

upvoted 1 times

🗳️ **D\_Ogi** 10 months, 3 weeks ago

A is correct:

<https://www.servicenow.com/community/developer-forum/when-working-in-form-designer-configuring-the-label-of-a-field/m-p/1436339/highlight/true#M93265>

System would not create a dictionary override automatically.

upvoted 1 times

🗳️ **Kontopro** 9 months ago

It creates Label not dict. override. It is B

upvoted 2 times

🗳️ **Dekoreh** 1 year, 2 months ago

**Selected Answer: B**

B is correct

upvoted 1 times

🗳️ **Anu\_K** 1 year, 4 months ago

**Selected Answer: B**

Child table

upvoted 2 times

🗳️ **YMijoe** 1 year, 8 months ago

**Selected Answer: B**

I agree that the "child table" is correct.


upvoted 1 times

Which one of the following is true?

- A. A UI Policy's Actions execute before the UI Policy's Scripts
- B. The execution order for a UI Policy's Scripts and Actions is determined at runtime
- C. A UI Policy's Scripts execute before the UI Policy's Actions
- D. A UI Policy's Actions and Scripts execute at the same time

**Suggested Answer: A**

Community vote distribution



**nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is A. I didn't find any definite statements about order in the docs. However in the link, quoted for this question, there are two opposite responses. One, which takes UI Policy Actions first and UI Policy Scripts second, was marked helpful by ServiceNow and Expert(s) upvoted 13 times

**Haikz** Highly Voted 2 years, 6 months ago

**Selected Answer: A**

A is correct, verified.

Created UI policy on incident form, action set's cmdb\_ci field as mandatory and script as not. result, field was not mandatory. upvoted 9 times

**RoadtoCad** Most Recent 3 months, 1 week ago

The answer is A

Actions execute first: When a UI Policy is triggered, the Actions are applied first. This ensures that the form is updated (fields are shown, hidden, made mandatory, etc.) before any custom scripts are run.

Scripts execute after Actions: Once the Actions have been applied, the UI Policy Scripts are then executed. This allows the script to work with the form in its updated state.

upvoted 1 times

**DKey** 4 months ago

A. tested in PDI

upvoted 1 times

**sahithi2004** 4 months, 2 weeks ago

**Selected Answer: A**

In ServiceNow, when a UI Policy is triggered, its actions (such as setting fields to mandatory, visible, or read-only) are executed before any scripts associated with the UI Policy are run.

upvoted 1 times

**CodingAmo** 5 months, 1 week ago

**Selected Answer: A**

The Scripting in ServiceNow Fundamentals course section called Catalog Client Scripts and Catalog UI Policies which is found in the student instance has a KBA #KB8675309 that states "UI Policy Actions execute before UI Policy Scripts".

upvoted 1 times

**jutorri** 5 months, 2 weeks ago

Correct is A:

General Order:

-UI Scripts

-Client Scripts

-UI Policy Action

-UI Policy Scripts

upvoted 1 times

🗨️ 👤 **51f8ce8** 5 months, 2 weeks ago

Correct answer is A. UI Policy action executes before scripts.  
upvoted 1 times

🗨️ 👤 **chrisRY** 6 months ago

This video goes over Answer A - <https://www.google.com/search?client=opera&q=UI+Policy%27s+Actions+execute+before+the+UI+Policy%27s+Scripts&sourceid=opera&ie=UTF-8&oe=UTF-8#fpstate=ive&vld=cid:63e72bd4,vid:TtpAXILT10,st:0>  
upvoted 1 times

🗨️ 👤 **georgeg4** 6 months, 2 weeks ago

**Selected Answer: C**

The correct is C  
upvoted 1 times

🗨️ 👤 **georgeg4** 6 months, 2 weeks ago

[https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app\\_store\\_learnv2\\_scripting\\_washingtondc\\_scripting\\_in\\_servicenow/app\\_sto](https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_sto)  
upvoted 1 times

🗨️ 👤 **Chanti1243** 7 months, 3 weeks ago

C

UI Policy's Scripts execute before the UI Policy's Actions (Option C): This statement is accurate. When a UI Policy is triggered, its script runs first. The script evaluates conditions and performs any necessary modifications. If the conditions are met, the associated actions (such as hiding fields or setting field values) are then executed.  
upvoted 1 times

🗨️ 👤 **Checwes** 8 months, 2 weeks ago

**Selected Answer: A**

Just tested in my PDI.

Sample example:

- 1) on incident form write UI policy when state changes to closed; make short description as mandatory from UI policy action
- 2) from UI policy script execute if true; use below script

```
g_form.setMandatory('short_description', false);
```

Answer is A.

upvoted 1 times

🗨️ 👤 **manikanta\_gnbv** 8 months, 2 weeks ago

**Selected Answer: C**

I think the answer is C  
upvoted 3 times

🗨️ 👤 **MacGyver4th** 10 months ago

**Selected Answer: C**

I tested this on the incident form in a Vancouver PDI by modifying the "Fields set to mandatory for all states" UI policy.

I changed the "When to Apply" condition to when the state was "In Progress"

I enabled "Run scripts" and added code in the "Execute if true" section

**\*\*I keep getting bad gateway errors when I try to submit with the code\*\***

When the form loads, the caller and short descriptions fields are not mandatory. When I select "In Progress" for the state, after about 5 seconds the caller and short description fields become mandatory.

This tells me that the script runs before the actions.

The answer is C

upvoted 3 times

🗨️ 👤 **evoken** 10 months, 2 weeks ago



In ServiceNow, UI Policies are used to dynamically change the behavior of form elements based on certain conditions. A UI Policy consists of both Scripts and Actions.

Scripts: These are JavaScript code snippets that execute when the conditions specified in the UI Policy are met. They are typically used for more complex logic and calculations.

Actions: These are predefined operations that can be applied to form elements when the conditions are met. Examples include showing or hiding a field, making a field mandatory, or setting a default value.

The correct order of execution is that the Scripts execute before the Actions. The JavaScript code in the Scripts section is evaluated first, and based on the results, the corresponding Actions are then executed.

So, option C is the correct statement.

upvoted 3 times

  **D\_Ogi** 10 months, 3 weeks ago

A

<https://www.servicenow.com/community/developer-forum/which-executes-first-ui-policy-action-or-ui-policy-script/m-p/2666819/highlight/true#M1034196>

upvoted 1 times

  **zoro69** 1 year ago

C is correct logically

upvoted 1 times

Here is the Business Rule script template:

```
(function executeRule (current, previous */null when async*/) {  
  
    }) (current, previous);
```

This type of JavaScript function is known as:

- A. Constructor
- B. Scoped
- C. Anonymous
- D. Self-invoking

**Suggested Answer:** D

Community vote distribution

D (100%)

- 🗨️ **nsmcan** Highly Voted 3 years, 1 month ago  
Correct answer is D: Self-invoking. Learn JavaScript!  
upvoted 14 times
- 🗨️ **Hmzpks** 1 year, 1 month ago  
True and.. easy man!  
upvoted 1 times
- 🗨️ **Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago  
Correct Answer is "D"  
upvoted 7 times
- 🗨️ **chuks100** Most Recent 6 months ago  
D is correct  
upvoted 1 times
- 🗨️ **brutaltea** 1 year, 1 month ago  
Selected Answer: D  
D  
[https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new\\_to\\_servicenow/app\\_store\\_learnv2\\_scripting\\_utah\\_business\\_rule\\_scripts](https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_scripts)  
upvoted 1 times
- 🗨️ **ravidamarla** 1 year, 1 month ago  
Notice the template syntax. The function syntax is known in JavaScript as a self-invoking function or an Immediately Invoked Function Expression (IIFE). The function is immediately invoked after it is defined. ServiceNow manages the function and when it is invoked; developers do not explicitly call Business Rule scripts.  
Reference Link: [https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new\\_to\\_servicenow/app\\_store\\_learnv2\\_scripting\\_utah\\_business\\_rule\\_scripts](https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_scripts)  
upvoted 1 times
- 🗨️ **Anu\_K** 1 year, 4 months ago  
Selected Answer: D  
It is self invoking  
upvoted 1 times
- 🗨️ **SarojPatel** 1 year, 10 months ago  
in javascript ut is called immediate invoked function /self invoking function  
upvoted 2 times
- 🗨️ **X\_Venkat** 1 year, 11 months ago  
Notice the template syntax. The function syntax is known in JavaScript as a self-invoking function or an Immediately Invoked Function Expression (IIFE).  
upvoted 2 times

🗨️ **Bob\_Loblaw** 1 year, 11 months ago

"The template's process function, known as a self-invoking or immediately invoked function expression, is automatically invoked when a resource is accessed."

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/servicenow\\_application\\_developer/app\\_store\\_learnv2\\_rest\\_rome\\_resource\\_script](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/servicenow_application_developer/app_store_learnv2_rest_rome_resource_script)

upvoted 2 times

🗨️ **amineHTB** 2 years, 1 month ago

**Selected Answer: D**

in javascript it's called self-invoking

upvoted 3 times

🗨️ **rpersonal2** 2 years, 1 month ago

**Selected Answer: D**

self Invoking

upvoted 2 times

🗨️ **rpersonal2** 2 years, 1 month ago

Correct answer is D - self-invoking. Its NOT a constructor.

upvoted 2 times

🗨️ **Farnous** 2 years, 3 months ago

**Selected Answer: D**

D is the correct one

upvoted 2 times

🗨️ **Gurubala** 2 years, 3 months ago

**Selected Answer: D**

D is correct

upvoted 2 times

🗨️ **parcerocar1** 2 years, 6 months ago

D, that's an IIFE which stands for immediately invoked Function Expression

upvoted 4 times

Which method call returns true only if the currently logged in user has the catalog\_admin role and in no other case?

- A. g\_user.hasRole('catalog\_admin')
- B. g\_user.hasRoleExactly('catalog\_admin')
- C. g\_user.hasRoleOnly('catalog\_admin')
- D. g\_user.hasRoleFromList('catalog\_admin')

**Suggested Answer: B**

Community vote distribution

B (100%)

 **kundgir** Highly Voted 3 years, 2 months ago

Answer is incorrect , It should be B  
upvoted 14 times

 **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is B. There is no g\_user.hasRoleOnly function  
upvoted 14 times

 **Nisha2706** Most Recent 3 months, 3 weeks ago

it's B  
upvoted 1 times

 **chuks100** 6 months ago

B is correct  
upvoted 1 times


 **Klahr** 6 months ago

B  
([https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app\\_store\\_learnv2\\_scripting\\_washingtondc\\_scripting\\_in\\_servicenow/app\\_store\\_](https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_store_))  
upvoted 1 times

 **manikanta\_gnbv** 8 months, 2 weeks ago

Selected Answer: B

B is Correct  
upvoted 1 times

 **evoken** 10 months, 2 weeks ago

Selected Answer: B

The g\_user.hasRoleExactly() method in ServiceNow is used to check if the currently logged-in user has a specified role and no other roles. In this case, it checks if the user has the 'catalog\_admin' role and no other roles.

So, the correct method call to return true only if the currently logged-in user has the 'catalog\_admin' role and in no other case is

g\_user.hasRoleExactly('catalog\_admin')  
upvoted 2 times

 **BugPanda** 1 year ago


Selected Answer: B

B is the correct one  
upvoted 1 times

 **brutaltea** 1 year, 1 month ago

Selected Answer: B

Correct answer is B, there is no hasRoleOnly method in g\_user  
upvoted 3 times

 **Lord\_Korvus** 1 year, 3 months ago

Selected Answer: B

Correct answer is B, g\_user.hasRoleExactly()

Please find this g\_user.hasRoleOnly() client side script that you speak of in the below ServiceNow documentation. I can wait. :D

Source: [https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c\\_GlideUserAPI](https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideUserAPI)

upvoted 1 times

🗨️ **Mru9** 1 year, 3 months ago

Answer is B

upvoted 1 times

🗨️ **Anu\_K** 1 year, 4 months ago

**Selected Answer: B**

Has role exactly.

upvoted 1 times

🗨️ **stophs** 1 year, 6 months ago

**Selected Answer: B**

B IS CORRECT

upvoted 3 times

🗨️ **KAAAAARIM** 1 year, 11 months ago

Can you guys update the correct answer? So far I've seen the "correct answer" be incorrect a little too many times and I'm not even a quarter of the way through these questions....the correct answer is B!!!

upvoted 3 times

🗨️ **g\_user** 2 years ago

let it b, let it b...

upvoted 2 times

🗨️ **JackLopez** 2 years ago

**Selected Answer: B**

Should be B

upvoted 3 times

🗨️ **rpersonal2** 2 years, 1 month ago

**Selected Answer: B**

Exactly. There is no roleOnly

upvoted 3 times

There is a basic strategy when creating a Utils Script Include. Identify the step that does not belong.

- A. Identify the table
- B. Script the function(s)
- C. Create a class
- D. Create a prototype object from the new class

**Suggested Answer: A**

*Community vote distribution*

A (100%)

🗨️ **D\_Ogi** 10 months, 3 weeks ago

A and D - You don't define the table for Script Include and also you don't create an instance of an object of the class. An object is created on a script invoking the class -level.

upvoted 1 times

🗨️ **cricosta** 1 year, 1 month ago

A is correct;

Application Development Fundamentals - San Diego book page 343

upvoted 2 times

🗨️ **Dekoreh** 1 year, 2 months ago

**Selected Answer: A**

A is correct

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new\\_to\\_servicenow/app\\_store\\_learnv2\\_scripting\\_tokyo\\_utilities\\_script\\_include](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include)

upvoted 1 times

🗨️ **MagdaGrS** 1 year, 3 months ago

**Selected Answer: A**

On a Script Include you don't need to Identify the table.

upvoted 1 times

🗨️ **luis\_alonso\_jonay** 1 year, 8 months ago

The correct is A

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new\\_to\\_servicenow/app\\_store\\_learnv2\\_scripting\\_tokyo\\_utilities\\_script\\_include](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include)

upvoted 1 times

Which roles grant access to source control repository operations such as importing applications from source control, or linking an application to source control?

(Choose two.)

- A. source\_control
- B. source\_control\_admin
- C. admin
- D. git\_admin

**Suggested Answer:** AC

Reference:

[https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t\\_LinkAnApplicationToSourceControl.html](https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html)

Community vote distribution

AC (100%)

  **gdmail2** Highly Voted 1 year, 10 months ago

[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t\\_LinkAnApplicationToSourceControl.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html)  
Based on tokyo release, only the admin can do it. For previous releases, source\_control role is needed.  
upvoted 6 times

  **illini4392** Most Recent 6 months, 1 week ago

Selected Answer: AC

Still A and C as of Utah

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new\\_to\\_servicenow/app\\_store\\_learnv2\\_devenvironment\\_utah\\_linking\\_an\\_application\\_to\\_source\\_control](https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_linking_an_application_to_source_control)  
upvoted 1 times



  **Nicknameonetwo** 1 year, 7 months ago

A and C are correct:

A.) [https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t\\_ImportAppFromSourceControl.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_ImportAppFromSourceControl.html)

C.) [https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t\\_LinkAnApplicationToSourceControl.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html)

upvoted 1 times

  **Bob\_Loblaw** 1 year, 11 months ago

A and C. "Users with the admin or source\_control role can use Studio to link a ServiceNow application to a repository."


[https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new\\_to\\_servicenow/app\\_store\\_learnv2\\_devenvironment\\_rome\\_linking\\_an\\_application\\_to\\_source\\_control](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_devenvironment_rome_linking_an_application_to_source_control)  
upvoted 2 times

When configuring the content of an Email Notification, which syntax should be used to reference the properties of an event triggering the Notification?

- A. `${event.<property name>}`
- B. `${current.<property name>}`
- C. `${<property name>.getDisplayValue()}`
- D. `${gs.<property name>}`

**Suggested Answer: A**

Community vote distribution



🗳️ 👤 **kundgir** Highly Voted 3 years, 2 months ago

`${event.<property name>}` should be answer  
upvoted 17 times

🗳️ 👤 **Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago

Answer :A  
upvoted 9 times

🗳️ 👤 **Whitewalker\_75** Most Recent 5 months, 1 week ago

Selected Answer: A  
correct ans a  
upvoted 1 times

🗳️ 👤 **sstest2** 11 months, 2 weeks ago

Answers are messed up. Should be either event params or field value.  
upvoted 1 times

🗳️ 👤 **Dekoreh** 1 year, 2 months ago

Selected Answer: A  
A is correct  
upvoted 2 times

🗳️ 👤 **AccentureKiloGuru** 1 year, 5 months ago

Selected Answer: A  
A:`${event.<property name>}` is the correct answer, refer:  
<https://www.servicenow.com/community/itsm-forum/email-notification/m-p/695221>  
upvoted 2 times

🗳️ 👤 **jesiegel** 1 year, 5 months ago

Selected Answer: C  
C is right  
upvoted 1 times

🗳️ 👤 **jesiegel** 1 year, 5 months ago

When you pass an event, you pass a record and two parameters, this does not ask if you want to access the parameters, which would need the `${event.parm1}` syntax, but it asks to access the properties of the event, which would be the record being passed with it. which can be accessed by using the field name directly. so `${property_name}` would work, and so should `${property_name.getDisplayValue}` to get its display value instead of actual value. the trigger for an event is `gs.eventQueue(<EVENT NAME>, <RECORD OBJECT>, PARM1, PARM2)` you can access a field within the record object by simply using `${field_Name}`  
upvoted 4 times

🗳️ 👤 **Ofuoma** 1 year, 7 months ago

Selected Answer: A  
A is correct  
upvoted 2 times



🗨️ 👤 **Bob\_Loblaw** 1 year, 11 months ago

Answer: A.

<https://www.servicenow.com/community/it-service-management-forum/email-notification/m-p/695221>

upvoted 3 times

🗨️ 👤 **JackLopez** 2 years ago

**Selected Answer: A**

Option A

upvoted 2 times

🗨️ 👤 **Gurubala** 2 years, 3 months ago

**Selected Answer: A**

A is correct

upvoted 2 times

🗨️ 👤 **Krundol** 2 years, 4 months ago

**Selected Answer: A**

Answer A is correct

upvoted 2 times

🗨️ 👤 **14006044** 2 years, 4 months ago

`${event.<property name>}`

upvoted 2 times

🗨️ 👤 **Dharma\_tsa** 3 years ago

**Selected Answer: A**

Answer: A

upvoted 8 times

Which one of the following is true for a Script Include with a Protection Policy value of Protected?

- A. Any user with the protected\_edit role can see and edit the Script Include
- B. The Protection policy option can only be enabled by a user with the admin role
- C. The Protection Policy is applied only if the glide.app.apply\_protection system property value is true
- D. The Protection Policy is applied only if the application is downloaded from the ServiceNow App Store

**Suggested Answer: D**

Community vote distribution

D (100%)

 **nsmcan** Highly Voted 3 years, 1 month ago

Valid answer is D:

[https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c\\_ScriptProtectionPolicy.html](https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ScriptProtectionPolicy.html)

Answer by Chuck Tomasi: [https://community.servicenow.com/community?id=community\\_question&sys\\_id=530ff629db58dbc01dcaf3231f9619d7](https://community.servicenow.com/community?id=community_question&sys_id=530ff629db58dbc01dcaf3231f9619d7)

This field is mainly intended for our TPP (technical partner program) - those people who create apps and publish them to the store.

upvoted 15 times

 **Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago

Correct Answer :D

upvoted 6 times

 **manikanta\_gnbv** Most Recent 8 months, 2 weeks ago

**Selected Answer: D**

its true

upvoted 1 times

 **AdamAdamAdam** 1 year ago

**Selected Answer: D**

Active link - [https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_scripting_vancouver_script_includes)

[plans/vancouver/new\\_to\\_servicenow/app\\_store\\_learnv2\\_scripting\\_vancouver\\_script\\_includes](https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_scripting_vancouver_script_includes)

"Protection policy: If set to Read-only, instances on which the application is installed from the ServiceNow Store can read but not edit the Script Include. If set to Protected, the Script Include is encrypted on instances on which the application is installed from the ServiceNow Store.

Protection policies are never applied to the instance on which an application is developed."


upvoted 2 times

 **bertis2311154** 1 year, 1 month ago

**Selected Answer: D**

Correct answer is D

upvoted 1 times

 **cricosta** 1 year, 3 months ago

Pag 379 form fundamentales scripting Book

Correct answer is D

upvoted 2 times

 **Mru9** 1 year, 3 months ago

**Selected Answer: D**

D IS THE ANSWER

upvoted 1 times

 **JackLopez** 2 years ago

**Selected Answer: D**

Valid is D

upvoted 2 times

 **tashpasnow** 2 years, 1 month ago



Selected Answer: D

answer is D! Did a robot create the test? The official answer makes no sense at all.  
upvoted 2 times

  **KondorZw** 2 years, 1 month ago



Selected Answer: D

D is right  
upvoted 2 times

  **som\_420** 2 years, 2 months ago


Selected Answer: D

Answer : D  
upvoted 2 times

  **Farnous** 2 years, 3 months ago

Selected Answer: D

D is correct  
upvoted 2 times

  **Gurubala** 2 years, 3 months ago

Selected Answer: D

Answer Is D  
upvoted 2 times

  **14006044** 2 years, 4 months ago

CORRECT ANSWER IS D  
upvoted 2 times

Which one of the following is true for GlideUser (g\_user) methods?

- A. Can be used in Client Scripts and UI Policies only
- B. Can be used in Business Rules only
- C. Can be used in Client Scripts, UI Policies, and UI Actions
- D. Can be used in Business Rules, and Scripts Includes

**Suggested Answer:** C

Community vote distribution

C (73%)

A (27%)

🗨️ **brianwsoares** 11 months, 3 weeks ago

**Selected Answer: C**

[https://developer.servicenow.com/dev.do#!/reference/api/vancouver/client/c\\_GlideUserAPI](https://developer.servicenow.com/dev.do#!/reference/api/vancouver/client/c_GlideUserAPI)

C

upvoted 2 times

🗨️ **fe91db0** 11 months, 4 weeks ago

**Selected Answer: C**

UI actions is a server side artifact but it can also run on client. hence g\_user can be used on any client side scripts

upvoted 2 times

🗨️ **Lord\_Korvus** 1 year, 3 months ago

**Selected Answer: C**

- is typically used in client scripts and UI policies but is also found in UI actions that run on the client.

- cannot be used in business rules or UI actions that run on the server.

Source: [https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c\\_GlideUserAPI](https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideUserAPI)

upvoted 1 times

🗨️ **MagdaGrs** 1 year, 3 months ago

**Selected Answer: C**

g\_user can be used on Client Side Scripts:

1. Client Script
2. UI Policy Script
3. UI Action (if client checkbox is true)

upvoted 1 times

🗨️ **hawful** 1 year, 4 months ago

**Selected Answer: C**

The correct answer is C, although GlideUser is not COMMONLY used in UI Actions, you can make a UI Action run client side. Running a UI action client side is also how you integrate GlideModal and other client operations with a UI Action.

Tricky question, but the answer is C.

upvoted 2 times

🗨️ **luissevero** 1 year, 6 months ago

Search in the doc UTAH version: "is typically used in client scripts and UI policies but is also found in UI actions that run on the client."

So, the correct answer is C.

upvoted 1 times

🗨️ **schaparro** 1 year, 6 months ago

**Selected Answer: A**

The link being shared says that the GlideUser API cannot be used in UI actions that run on the server. This question doesn't specify if the UI Action runs on the client or on the server. For that reason, I believe the correct answer is A. The GlideUser is typically used in client scripts and UI policies. Unless it is specified where the UI Action is running I will not assume is on the client side. A very tricky question indeed.

upvoted 3 times

🗨️ 👤 **snguru** 1 year, 6 months ago

**Selected Answer: C**

"CAN" is a key word interpretation that needs to be understood for this question.

"Can be used in Client Scripts, UI Policies, and UI Actions" as is mentioned below. Read these details carefully.

[https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c\\_GlideUserAPI](https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI)

upvoted 3 times

🗨️ 👤 **stophs** 1 year, 6 months ago

**Selected Answer: A**

A is correct

upvoted 1 times

🗨️ 👤 **Nicknameonetwo** 1 year, 7 months ago

C is correct - Can be used in Client Scripts, UI Policies, and UI Actions.

[https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c\\_GlideUserAPI](https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI)

upvoted 2 times

🗨️ 👤 **REENA124** 1 year, 10 months ago

answer is client scripts and ui policies only, Please correct the answer in website

upvoted 1 times

🗨️ 👤 **veniwa8015** 1 year, 10 months ago

you can run the ui action in client side

upvoted 1 times

🗨️ 👤 **REENA124** 1 year, 10 months ago

GlideUser

The GlideUser API provides access to information about the current user and current user roles. Using the GlideUser API avoids the need to use the slower GlideRecord queries to get user information.

The GlideUser methods and properties are accessed through a global object (g\_user) that is only available in client scripts. GlideUser contains name and role information about the current user.

is typically used in client scripts and UI policies but is also found in UI actions that run on the client.

cannot be used in business rules or UI actions that run on the server.

(Refer:[https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c\\_GlideUserAPI](https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI))

upvoted 2 times

🗨️ 👤 **raj9885** 1 year, 11 months ago

UI action works as both client and server side

So Answer C is correct

upvoted 1 times

🗨️ 👤 **ezsy** 1 year, 11 months ago

A

[https://servicenowguru.com/scripting/user-object-cheat-sheet/#:~:text=The%20g\\_user%20object%20can%20be,accessible%20to%20client%2Dside%20JavaScript.](https://servicenowguru.com/scripting/user-object-cheat-sheet/#:~:text=The%20g_user%20object%20can%20be,accessible%20to%20client%2Dside%20JavaScript.)

upvoted 1 times

When configuring a module, what does the Override application menu roles configuration option do?

- A. Users with the module role but without access to the application menu access the module
- B. Self-Service users can access the module even though they do not have roles
- C. Admin is given access to the module even if Access Controls would ordinarily prevent access
- D. Users with access to the application menu can see the module even if they don't have the module role

**Suggested Answer: A**

Community vote distribution

A (100%)

 **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is A.

The reference link, provided for the question, confirms that: Override application menu roles : Allows users to access this module even if they do not have permission to view the containing application menu. Users must still meet the role requirements for this module.

upvoted 14 times

 **Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago

Correct Answer :A

upvoted 5 times

 **manikanta\_gnbv** Most Recent 8 months, 2 weeks ago

Selected Answer: A

A is correct

upvoted 1 times

 **MagdaGrs** 1 year, 3 months ago

Selected Answer: A

Use the Override application menu roles option to give module-level access to a role that is not authorized to see the application.

For example, assume the Special Occasions application menu requires the admin role and the Occasions module for the Special Occasions application requires the x\_snc\_employee\_spe.occasions\_user role.

The application-level requirement supersedes the module-level requirement which means that users with the x\_snc\_employee\_spe.occasions\_user role cannot see either the application or the module.

If the Override application menu roles option is selected, users with the x\_snc\_employee\_spe.occasions\_user role can see both the application and the module even though the user is not authorized by role to see the application menu.

upvoted 1 times

 **REENA124** 1 year, 10 months ago

A is right answer

upvoted 3 times

 **Charan\_sai\_97** 1 year, 6 months ago

Is this questions is enough to pass the exam????


upvoted 1 times

 **JackLopez** 2 years ago

Selected Answer: A

Answer A

upvoted 2 times

 **Krundol** 2 years, 4 months ago

Selected Answer: A

Answer A is correct:

Checkbox tooltip:

"Show this module when the user has the specified roles. Otherwise the user must have the roles specified by both the application menu and the module."

upvoted 2 times

☒  **VarunV007** 2 years, 9 months ago

Selected Answer: A

Option A

upvoted 4 times

☒  **Dharma\_tsa** 3 years ago

Selected Answer: A

Answer: A

upvoted 4 times

Which platform feature can be used to determine the relationships between field in an Import Set table to field in an existing ServiceNow table?

- A. Business Service Management Map
- B. Data Sources
- C. Transform Map
- D. CI Relationship Builder

**Suggested Answer:** C

A transform map determines the relationships between fields displaying in an Import Set table and fields in an existing ServiceNow table, such as the Incidents or Users table.

Reference:

[https://community.servicenow.com/community?id=community\\_question&sys\\_id=69fc8369db9cdbc01dcaf3231f961935](https://community.servicenow.com/community?id=community_question&sys_id=69fc8369db9cdbc01dcaf3231f961935)

*Community vote distribution*

C (100%)

🗨️ 👤 **Zuned** 8 months ago

C, Transform MAP  
upvoted 1 times

🗨️ 👤 **Dekoreh** 1 year, 2 months ago

**Selected Answer: C**  
Transform map is correct  
upvoted 2 times

🗨️ 👤 **Nicknameonetwo** 1 year, 7 months ago

C. Transform Map - correct  
upvoted 2 times



When configuring a REST Message, the Endpoint is:

- A. The commands to the REST script to stop execution
- B. The URI of the data to be accessed, queried, or modified
- C. Information about the format of the returned data
- D. The response from the provider indicating there is no data to send back

**Suggested Answer: B**


*Community vote distribution*

B (100%)

 **Dekoreh** 1 year, 2 months ago

**Selected Answer: B**

B is correct base on Lab 9.2 number 5 (page 455 of SN CAD ebook)  
upvoted 1 times

 **YMijoe** 1 year, 7 months ago

**Selected Answer: B**

The endpoint is the URL of the data to be retrieved, updated, or deleted.

[https://docs.servicenow.com/bundle/utah-api-reference/page/integrate/outbound-rest/reference/r\\_RESTMessageElements.html](https://docs.servicenow.com/bundle/utah-api-reference/page/integrate/outbound-rest/reference/r_RESTMessageElements.html)  
upvoted 2 times

When evaluating Access Controls, ServiceNow searches and evaluates:

- A. Only for matches on the current table
- B. Only for matches on the current field
- C. From the most specific match to the most generic match
- D. From the most generic match to the most specific match

**Suggested Answer:** C

Community vote distribution

C (100%)

 **nsmcan** Highly Voted 3 years, 1 month ago

Correct is C.

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/paris/new_to_servicenow/app_store_learnv2_securingapps_paris_access_controls_evaluation_order)


[plans/paris/new\\_to\\_servicenow/app\\_store\\_learnv2\\_securingapps\\_paris\\_access\\_controls\\_evaluation\\_order](https://developer.servicenow.com/dev.do#!/learn/learning-plans/paris/new_to_servicenow/app_store_learnv2_securingapps_paris_access_controls_evaluation_order)

upvoted 17 times

 **Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago

Answer :C

upvoted 9 times

 **MagdaGrS** Most Recent 1 year, 3 months ago

**Selected Answer: C**

Whenever a session requests data, the system searches for access control rules that match the requested object and operation. If there is a matching access control rule, then the system evaluates if the user has the permissions required to access the object and operation. If an access control rule specifies more than one permission, then the user must meet all permissions to gain access to the object and operation. Failing any one permission check prevents the user from accessing the matching object and operation.

If a user does not meet the permissions of the first matching rule, the system evaluates the permissions of the next matching access control rule as specified by the access control processing order. If the user fails to meet the permissions of any matching access control rule, the system denies access to the requested object and operation.

upvoted 2 times

 **Alice\_Steele** 1 year, 8 months ago

**Selected Answer: C**

correct is C


upvoted 2 times

 **Mike49707** 1 year, 10 months ago

**Selected Answer: C**

Answer: C

upvoted 4 times


 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: C**

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_access_controls_evaluation_order)

[plans/tokyo/new\\_to\\_servicenow/app\\_store\\_learnv2\\_securingapps\\_tokyo\\_access\\_controls\\_evaluation\\_order](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_access_controls_evaluation_order)

upvoted 3 times

 **Krundol** 2 years, 4 months ago

**Selected Answer: C**

It's C:

When deciding whether to grant or deny access, the ACL is searched from the most specific to the most generic match.

upvoted 3 times

 **14006044** 2 years, 4 months ago

Correct is C.

upvoted 3 times

🗨️ 👤 **parcerocar1** 2 years, 6 months ago

Correct answer is C

upvoted 3 times

🗨️ 👤 **VarunV007** 2 years, 9 months ago

**Selected Answer: C**

Option C

upvoted 7 times

In a Business Rule, which one of the following returns true if the currently logged in user has the admin role?

- A. `g_form.hasRoleExactly('admin')`
- B. `gs.hasRole('admin')`
- C. `g_form.hasRole('admin')`
- D. `gs.hasRoleExactly('admin')`

**Suggested Answer: B**

Community vote distribution

B (100%)

 **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is B. `gs.hasRole`

Business Rule is server-side, so it uses GlideSystem API. `gs.hasRoleExactly` doesn't exist  
upvoted 16 times

 **Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago


Correct ans :B

upvoted 6 times

 **RoadtoCad** Most Recent 3 months, 1 week ago

**Selected Answer: B**

Only `gs` is for server side, `g_form` is for client side  
upvoted 1 times

 **adesogus** 6 months, 2 weeks ago

`hasRoleExactly` only exists in the Glide User (`g_user`) class  
upvoted 2 times

 **MagdaGrS** 1 year, 3 months ago

**Selected Answer: B**

Only `gs` is for server side, `g_form` is for client side.  
upvoted 1 times

 **Raz\_Maz** 1 year, 5 months ago

`gs.hasRole` is correct. `g_form.hasRole` and `g_form.hasRoleExactly` not exist  
upvoted 3 times

 **Alice\_Steele** 1 year, 8 months ago


**Selected Answer: B**

server side is `gs`  
upvoted 3 times

 **SNAngler** 1 year, 11 months ago

**Selected Answer: B**

server side api  
upvoted 2 times

 **Krundol** 2 years, 4 months ago

**Selected Answer: B**

Answer B is correct  
upvoted 2 times

 **arunmech2001** 2 years, 8 months ago

**Selected Answer: B**

Correct Answer is B  
upvoted 5 times

From the list below, identify one reason an application might NOT be a good fit with ServiceNow.

The application:

- A. Needs workflow to manage processes
- B. Requires extensive use of low-level programming libraries
- C. Requires reporting capabilities
- D. Uses forms extensively to interact with data

**Suggested Answer:** B

Community vote distribution

B (100%)

 **MagdaGrs** Highly Voted 1 year, 3 months ago

**Selected Answer: B**

ServiceNow doesn't support libraries with low-level programming, they support their own API with low-code functionalities.


upvoted 6 times

 **Shankar\_Sughosh** Most Recent 10 months, 2 weeks ago

**Selected Answer: B**

B is correct

upvoted 1 times

 **stophs** 1 year, 6 months ago

**Selected Answer: B**

b is correct


upvoted 1 times

Identify the incorrect statement about Delegated Development in ServiceNow.

- A. Administrators can grant non-admin users the ability to develop global applications.
- B. Administrators can specify which application file types the developer can access.
- C. Administrators can grant the developer access to script fields.
- D. Administrators can grant the developer access to security records.

**Suggested Answer: A**

Community vote distribution



**nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is: A. Administrators can grant non-admin users the ability to develop global applications.  
Delegated Development is for the scoped applications only  
upvoted 18 times

**Vinothkumar\_Rangasamy** Highly Voted 2 years, 9 months ago

Correct Answer :A  
upvoted 9 times

**RoadtoCad** Most Recent 3 months, 1 week ago

**Selected Answer: A**  
It is only for scoped applications  
upvoted 1 times

**macyou** 3 months, 2 weeks ago

A is correct  
Scope and delegated development module 1.2 of servicenow application developer fundamentals on demand

Application - specific permissions: specify which file types the developer can access

Instance - specific user roles: grants the developer access to security records and script fields.

upvoted 1 times

**CosmicMonster1** 3 months, 3 weeks ago

**Selected Answer: B**  
Delegated Development = Scoped Apps  
upvoted 1 times

**f37cbd9** 6 months ago

This is for scoped apps only. See the docs... "A" is not correct. B is correct  
upvoted 1 times

**Lily81** 8 months, 2 weeks ago

Correct Reference is :  
[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c\\_DelegatedDevelopment.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_DelegatedDevelopment.html)  
upvoted 1 times

**snawaza243** 11 months ago

**Selected Answer: A**  
ADF EBOOK, PN = 48  
upvoted 1 times

**MagdaGrs** 1 year, 3 months ago

**Selected Answer: A**  
A system administrator can assign a non-administrator user or group as a developer or deployment resource for a specific application.  
upvoted 1 times

🗨️ 👤 **Raz\_Maz** 1 year, 5 months ago

A is correct. Delegated is only for Scoped apps not for Global. A says admin can grant for Global apps.  
upvoted 3 times

🗨️ 👤 **Alice\_Steele** 1 year, 8 months ago

Selected Answer: A

delegated development is for scoped apps only  
upvoted 3 times

🗨️ 👤 **Dufus123** 1 year, 8 months ago

Selected Answer: A

Delegated Development is for the scoped applications only  
upvoted 3 times

🗨️ 👤 **SarojPatel** 1 year, 10 months ago

B is the right answer  
upvoted 1 times

🗨️ 👤 **sakshi\_chitnis\_** 1 year, 11 months ago

Selected Answer: A

A is correct  
upvoted 4 times

🗨️ 👤 **cportugal** 1 year, 11 months ago

Selected Answer: A

Administrators can grant non-admin users the ability to develop global applications.  
upvoted 2 times

🗨️ 👤 **trackstick** 2 years ago

Selected Answer: A

Applies only to scoped apps  
upvoted 3 times

🗨️ 👤 **Krundol** 2 years, 4 months ago

Selected Answer: A

Correct answer is A:  
Assign full access to source control for a particular scope to a delegated developer.  
upvoted 2 times



One of the uses of the ServiceNow REST API Explorer is:

- A. Practice using REST to interact with public data providers
- B. Find resources on the web for learning about REST
- C. Convert SOAP Message functions to REST methods
- D. Create sample code for sending REST requests to ServiceNow

**Suggested Answer:** D

*Community vote distribution*

D (100%)

  **YMijoe** 6 months ago

**Selected Answer: D**

Create sample code for sending REST requests to ServiceNow is correct.

[https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app\\_store\\_learnv2\\_rest\\_washingtondc\\_rest\\_integrations/app\\_store\\_learnv2\\_rest](https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_rest_washingtondc_rest_integrations/app_store_learnv2_rest)  
upvoted 1 times

  **Dekoreh** 1 year, 2 months ago

**Selected Answer: D**

D is correct - SN CAD ebook pg 394  
upvoted 3 times



Which one of the following is true regarding Application Scope?

- A. All applications are automatically part of the Global scope
- B. Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd
- C. Any developer can edit any application
- D. Developers can choose the prefix for a scope's namespace

**Suggested Answer: B**

Community vote distribution

B (78%)

D (22%)

  **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is B.

[https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c\\_ApplicationScope.html](https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ApplicationScope.html)  
upvoted 15 times

  **4903776** Most Recent 5 months, 1 week ago

you can't change the prefix. So B.

upvoted 2 times

  **MagdaGrs** 1 year, 3 months ago

Selected Answer: D

B and D are correct.

B: import App from Store or Source control must not be conflict with existing ones

D: for client-instance, it can be any. But for personal instance, it needs some prefix number before the app name

upvoted 2 times

  **sunilomrey** 1 year, 4 months ago

Selected Answer: B

correct ans is B

upvoted 1 times

  **Dufus123** 1 year, 8 months ago

Selected Answer: B

Correct answer is B.

upvoted 1 times

  **Andskie** 1 year, 9 months ago

Selected Answer: B

It's B

upvoted 1 times

  **Gurubala** 2 years, 3 months ago

B is correct Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd


upvoted 2 times

  **14006044** 2 years, 4 months ago

Correct answer is B.

Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd

upvoted 1 times

  **dza3** 2 years, 8 months ago

Selected Answer: B

[https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c\\_ApplicationScope.html](https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ApplicationScope.html)


upvoted 4 times

Which one of the following is the baseline behavior of a table in a privately-scoped application?

- A. The table and its data are not accessible using web services
- B. Any Business Rule can read, write, delete, and update from the table
- C. Only artifacts in the table's application can read from the table
- D. All application scopes can read from the table

**Suggested Answer:** D

Community vote distribution



**nsmcan** Highly Voted 3 years, 1 month ago

Correct is indeed D:

[https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c\\_DefaultDesignAccessPermissions.html](https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html)  
upvoted 8 times

**evoken** Most Recent 2 months, 1 week ago

**Selected Answer: D**

Table is accessible by default.

upvoted 1 times

**evoken** 4 months, 1 week ago

**Selected Answer: C**

The answer is C.

upvoted 2 times

**georgeg4** 6 months, 2 weeks ago

are the comments for different question?

upvoted 1 times

**Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: D**

[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c\\_DefaultDesignAccessPermissions.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html)  
upvoted 1 times

**JackLopez** 2 years ago

**Selected Answer: D**

The correct answer is D

upvoted 1 times

**manunarik** 2 years, 1 month ago

Yes, the correct Answer is D

upvoted 1 times

Which one of the following is NOT a purpose of application scoping?

- A. Provide a relationship between application artifacts
- B. Provide a way of tracking the user who developed an application
- C. Provide a namespace (prefix and scope name) to prevent cross application name collisions
- D. Provide controls for how scripts from another scope can alter tables in a scoped application

**Suggested Answer: B**

Community vote distribution

B (100%)

🗳️ **VarunV007** Highly Voted 👍 2 years, 9 months ago

**Selected Answer: B**

Option B

upvoted 10 times

🗳️ **ediward1** Most Recent 🕒 3 months, 3 weeks ago

B is also my answer. Why is there several incorrect answers

upvoted 1 times

🗳️ **evoken** 3 months, 4 weeks ago

**Selected Answer: B**

Option B

upvoted 1 times

🗳️ **donmas** 8 months, 1 week ago

**Selected Answer: B**

Answer B

upvoted 1 times

🗳️ **ShivaCharan23** 11 months ago

**Selected Answer: B**

B is Correct

upvoted 1 times

🗳️ **brutaltea** 1 year, 1 month ago

**Selected Answer: B**

The purpose of application scoping is not to track the user who developed an application. However, application scoping does provide a way to manage access to applications based on roles and groups, which can be used to control who has access to create, modify, and delete application artifacts

upvoted 3 times

🗳️ **Charan\_sai\_97** 1 year, 6 months ago

**Selected Answer: B**

Option B

upvoted 1 times

🗳️ **Benojojo** 1 year, 10 months ago

Option B is correct

upvoted 2 times

🗳️ **Benojojo** 1 year, 10 months ago

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_buildneedit_rome_application_scope)

[plans/rome/new\\_to\\_servicenow/app\\_store\\_learnv2\\_buildneedit\\_rome\\_application\\_scope:](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_buildneedit_rome_application_scope)

Scope protects an application, its files, and its data from conflicts with other applications.

Scope determines which parts of an application are available for use by other applications in ServiceNow.

Scope allows developers to configure which parts of their application can be acted on by other applications.

Scope prevents work done in the main ServiceNow browser window (not in Studio) from becoming part of an application's files.

upvoted 3 times

🗨️ 👤 **JackLopez** 2 years ago

**Selected Answer: B**

Correct answer is B

upvoted 1 times

🗨️ 👤 **manunarik** 2 years, 1 month ago

Option B

upvoted 1 times

🗨️ 👤 **parcerocar1** 2 years, 6 months ago

The answer is B

upvoted 1 times

🗨️ 👤 **Vinothkumar\_Rangasamy** 2 years, 9 months ago

Correct Answer :A

upvoted 4 times

🗨️ 👤 **nsmcan** 3 years, 1 month ago

Correct answer is A. Provide a relationship between application artifacts

IMHO :)

upvoted 3 times

It is best practice to define the business requirements and the process(es) an application will manage as part of the application development plan. What are some of the considerations to document as part of the business process?

- A. Business problem, data input/output, users/stakeholders, and process steps
- B. Business problem, data input/output, project schedule, and process steps
- C. Business problem, data input/output, users/stakeholders, and database capacity
- D. Business problem, users/stakeholders, available licenses, and database capacity

**Suggested Answer:** A

*Community vote distribution*

A (100%)

🗨️ **Dekoreh** 1 year, 2 months ago

**Selected Answer: A**

A is correct

upvoted 2 times

🗨️ **Lord\_Korvus** 1 year, 3 months ago

**Selected Answer: A**

Explanation:

Business problem - If you are not solving a business problem, you do not need an application.

Stakeholders - Requestor and Fulfiller, Application Administrator, Management.

Users - Personas largely equate to Roles in ServiceNow.

Inputs - can take many forms such as Users, spreadsheets, and web services.

Outputs: can also take many forms such as dashboards, reports, and email.

Process Steps - There are many strategies for defining a process, such as SIPOC(Six Sigma), ASME Standard for Process Charts, and others. Choose a strategy that works well for you.

<https://docs.servicenow.com/bundle/vancouver-governance-risk-compliance/page/product/grc-risk/concept/business-process-overview.html>

upvoted 4 times

🗨️ **titojoseph070** 1 year, 5 months ago

Yes A is correct

upvoted 1 times

🗨️ **YMijoe** 1 year, 6 months ago

**Selected Answer: A**

I agree that "Business problem, data input/output, users/stakeholders, and process steps" are correct.

upvoted 1 times

Which of the following statements does NOT apply when extending an existing table?

- A. The parent table's Access Controls are evaluated when determining access to the new table's records and fields
- B. The new table inherits the functionality built into the parent table
- C. The new table inherits all of the fields from the parent table
- D. You must script and configure all required behaviors

**Suggested Answer:** D

Community vote distribution

D (89%) 11%

 **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is D. You must script and configure all required behaviors

Provided link has this statement: Extending an existing ServiceNow table means the new table inherits the parent table's columns as well as its business logic.

upvoted 16 times

 **64fb170** Highly Voted 11 months, 3 weeks ago

I need my money back. So many questions are absolutely wrong. Absolute garbage!!

upvoted 7 times

 **Tengy28** Most Recent 1 year, 3 months ago

Do you must script and configure all required behavior when table extending an existing table ? NO ! so answer D does not apply... stop doubt

The correct answer D

upvoted 2 times

 **MagdaGrs** 1 year, 3 months ago

Selected Answer: D

does NOT apply!


upvoted 1 times

 **Pranesh\_RP** 1 year, 4 months ago

Selected Answer: C

We have a flexibility to choose which fields from the parent table to include in the extended table. Its not always "ALL"

upvoted 1 times

 **YMijoe** 1 year, 7 months ago

Selected Answer: D

I agree "You must script and configure all required behaviors" is the correct answer.

upvoted 1 times

 **Charan\_sai\_97** 1 year, 6 months ago

Hello,

Please let me know. Is this questions is enough to clear the CAD exam????

upvoted 3 times

 **trackstick** 2 years ago

Selected Answer: D

D is correct

upvoted 1 times

 **JackLopez** 2 years ago

Selected Answer: D

Correct is D. No doubt.

upvoted 2 times

 **manunarik** 2 years, 1 month ago

D is the correct answer

upvoted 3 times

🗨️ **Gurubala** 2 years, 3 months ago

**Selected Answer: D**

D is correct

upvoted 3 times

🗨️ **14006044** 2 years, 4 months ago

Correct Answer is D

upvoted 1 times

🗨️ **Reaperozuma** 2 years, 7 months ago

ANSWER: D

upvoted 3 times

🗨️ **arunmech2001** 2 years, 8 months ago

Correct Answer is D


upvoted 4 times

Which of the following CANNOT be debugged using the Field Watcher?

- A. Business Rules
- B. Script Includes
- C. Client Scripts
- D. Access Controls

**Suggested Answer: B**

Community vote distribution



**evoken** 4 days, 23 hours ago

B. its about what interacts with fields, and no client vs server  
upvoted 1 times

**DKey** 4 months ago

B is correct ... looked up how field watcher works here ([https://docs.servicenow.com/bundle/washingtondc-api-reference/page/script/debugging/concept/c\\_FieldWatcher.html#d1173192e71](https://docs.servicenow.com/bundle/washingtondc-api-reference/page/script/debugging/concept/c_FieldWatcher.html#d1173192e71)) and the only field not referenced is the Script Includes. So ... B it is.  
upvoted 2 times

**MacGyver4th** 10 months ago

**Selected Answer: B**

Just opened the field watcher in a Vancouver PDI and these are the options:

ACL  
Business rule  
Client Script  
Data lookup  
Data policy  
UI Policy  
UI action  
Workflow activity  
Reference qualifier  
upvoted 3 times

**ri12345** 11 months ago

**Selected Answer: D**

Access control can not be debugged by feed watcher  
upvoted 1 times

**D\_Ogi** 10 months, 3 weeks ago

Why do you think so?  
upvoted 1 times

**Dekoreh** 1 year, 2 months ago

**Selected Answer: B**

B is correct  
upvoted 1 times

**Satanik123** 1 year, 3 months ago

**Selected Answer: B**

Option B  
upvoted 1 times

**Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: B**



[https://docs.servicenow.com/bundle/tokyo-application-development/page/script/debugging/concept/c\\_FieldWatcher.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/script/debugging/concept/c_FieldWatcher.html)  
upvoted 1 times

Which objects can be used in Inbound Action scripts?

- A. current and previous
- B. current and email
- C. current and event
- D. current and producer

**Suggested Answer: B**

Community vote distribution

B (93%)

7%

 **kundgir** Highly Voted 3 years, 1 month ago

Should be B. There is no access to event in inbound action  
upvoted 14 times

 **Jyoti18** Highly Voted 2 years, 6 months ago

Technically both B and C are correct:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger) {
```

```
// Implement email action here
```

```
})(current, event, email, logger);
```

upvoted 14 times

 **RoadtoCad** Most Recent 2 months, 3 weeks ago

Selected Answer: C

Both B and C are correct:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger) {
```

```
// Implement email action here
```

```
})(current, event, email, logger);
```

upvoted 1 times

 **MacGyver4th** 10 months ago

I agree that B and C are correct.

As Jyoti18 pointed out, the available objects are:

current, event, email, logger, classifier)


This the function that populates in my Vancouver PDI:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger, /*EmailClassifier*/ classifier) {
```

```
// Implement email action here
```

```
})(current, event, email, logger, classifier);
```


upvoted 1 times

 **fe91db0** 11 months, 4 weeks ago

Selected Answer: B

event is deprecated



upvoted 3 times

 **IT4life** 1 year, 1 month ago

You cannot use current and email in Inbound Action scripts. The current and email objects are only available in the context of an inbound email action. The current and previous objects are the only objects available in Inbound Action scripts for the following reasons:

- (1) The current and previous objects allow you to access the current and previous records in the context of an inbound email action.
- (2) The current and previous objects are the only objects that contain information about the email message that triggered the inbound email action.
- (3) The current and previous objects are the only objects that contain information about the records that are associated with the email message that triggered the inbound email action.
- (4) The current and previous objects are the only objects that contain information about the user who sent the email message that triggered the inbound email action.
- (5) The current and previous objects are the only objects that contain information about the inbound email action that was triggered by the email message.

Therefore, the current and previous objects are the only objects used in Inbound Action scripts for this reason. The correct answer is A  
upvoted 1 times



  **Mru9** 1 year, 3 months ago

**Selected Answer: B**

event is deprecated in inbound email action  
upvoted 3 times



  **\_Susan\_** 1 year, 8 months ago

B and C are correct: [https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t\\_CreatingAnInboundEmailAction.html](https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreatingAnInboundEmailAction.html)  
upvoted 2 times

  **fivani** 1 year, 8 months ago

**Selected Answer: B**

Definitely B - current and email  
"event" really has no purpose as inbound email actions are always triggered by "email.read".  
upvoted 3 times


  **Zolly** 1 year, 9 months ago

Utah PDI: When checking System Policy > Email > Inbound Actions and creating new Inbound action

The function runAction() Has parameters current,event,email



However event is striked and marked as deprecated, thats why B is correct.

upvoted 6 times

  **SergioVSJ** 1 year, 10 months ago

**Selected Answer: B**

Correct answer is B.  
Event is a parameter of the function, that gives access one of the parameters of the originating event. For example, event.parm1 accesses the first parameter of the event or event.parm2 for the second parameter.  
Inbound actions are not generated by an event.  
[https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t\\_CreatingAnInboundEmailAction.html](https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreatingAnInboundEmailAction.html)  
upvoted 1 times

  **AR1970** 1 year, 11 months ago

B and C both are correct.  
upvoted 2 times

  **trackstick** 2 years ago

**Selected Answer: B**

Current, email  
upvoted 1 times

  **JackLopez** 2 years ago

**Selected Answer: B**

Correct is B

upvoted 1 times

🗨️ 👤 **manunarik** 2 years, 1 month ago

Answer B is correct

upvoted 1 times

🗨️ 👤 **MaxMa** 2 years ago

Have you finished CAD? Is this dump still valid?

upvoted 3 times

🗨️ 👤 **Kristol** 2 years ago

have you? I'm thinking about today :D

upvoted 1 times

🗨️ 👤 **Hmzpkts** 1 year, 1 month ago

what was your experience? was it valid?

upvoted 1 times

🗨️ 👤 **Krishireddy** 10 months, 2 weeks ago

fghnjm

upvoted 1 times

🗨️ 👤 **som\_420** 2 years, 2 months ago

**Selected Answer: B**

B is correct

upvoted 1 times

🗨️ 👤 **14006044** 2 years, 4 months ago

correct answer is B

upvoted 1 times

Which one of the following is part of the client-side scripting API?

- A. workflow.scratchpad
- B. GlideUser object (g\_user)
- C. current and previous objects
- D. GlideSystem object (gs)

**Suggested Answer: B**

Community vote distribution

B (100%)

  **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is B. GlideUser object (g\_user)

<https://developer.servicenow.com/dev.do#!/reference/api/rome/client>

upvoted 19 times

  **brutaltea** Most Recent 1 year, 1 month ago

**Selected Answer: B**

B is the correct answer

upvoted 1 times

  **MagdaGrs** 1 year, 3 months ago

**Selected Answer: B**

Open a client script record, you will see.



upvoted 1 times

  **Alice\_Steele** 1 year, 8 months ago

**Selected Answer: B**

C is not correct



upvoted 1 times

  **Ghostrunner** 1 year, 11 months ago

**Selected Answer: B**

B is correct

upvoted 1 times

  **tashpasnow** 2 years, 1 month ago

**Selected Answer: B**

C is not correct, as previous is not available in some types of BRs and not available in all other client scripts (UI Action etc.)

upvoted 2 times

  **manunarik** 2 years, 1 month ago

B is the correct answer

upvoted 1 times

  **edehvide** 2 years, 2 months ago

**Selected Answer: B**

B is correct



upvoted 1 times

  **Thiagofemeira** 2 years, 3 months ago

**Selected Answer: B**

B is correct

upvoted 1 times

  **Krundol** 2 years, 4 months ago

**Selected Answer: B**

Correct answer is B

upvoted 1 times

  **14006044** 2 years, 4 months ago

Correct answer is B

GLIDEUSER IS CLIENT SIDE

upvoted 1 times

Application developers configure ServiceNow using industry standard JavaScript to

- A. Enable the right-click to edit the context menus on applications in the navigator
- B. Extend and add functionality
- C. Customize the organization's company logo and banner text
- D. Configure the outgoing email display name

**Suggested Answer: B**

*Community vote distribution*

B (100%)

 **Dekoreh** 1 year, 2 months ago

**Selected Answer: B**

Base on SN CAD ebook pg 10

upvoted 2 times

 **Lord\_Korvus** 1 year, 3 months ago

**Selected Answer: B**

Correct answer is B

upvoted 1 times

How many applications menus can an application have?

- A. 3, one for an application's user modules, one for an application's administrator modules, and one for the ServiceNow administrator's modules
- B. As many as the application design requires
- C. 2, one for an application's user modules and one for an application's administrator modules
- D. 1, which is used for all application modules

**Suggested Answer:** B

Community vote distribution

B (100%)

🗨️ **Krundol** Highly Voted 2 years, 4 months ago

**Selected Answer: B**

B is correct

upvoted 7 times

🗨️ **Dekoreh** Most Recent 1 year, 2 months ago

**Selected Answer: B**

B for certain

upvoted 1 times

🗨️ **AccentureKiloGuru** 1 year, 5 months ago

**Selected Answer: B**

Of course b, I mean look at the global application. It has by default 119 application menus

upvoted 1 times

🗨️ **Ripsy** 1 year, 5 months ago

final answer guys?

upvoted 2 times

🗨️ **SergioVSJ** 1 year, 10 months ago

**Selected Answer: B**

Correct answer is B.

D answer is a best practice, but technically you can create as many applications menus as needed.

upvoted 2 times

🗨️ **sakshi\_chitnis\_** 1 year, 11 months ago

D is the correct answer

upvoted 1 times

🗨️ **the7kmaster** 1 year, 6 months ago

No B is correct

upvoted 1 times

🗨️ **manunarik** 2 years, 1 month ago

B is the correct answer

upvoted 1 times

🗨️ **14006044** 2 years, 4 months ago

Correct Answer is D.

1, which is used for all application modules

upvoted 1 times

🗨️ **IhorSNdev** 2 years, 4 months ago

I just created 2 and it works, so I think as many as needed

upvoted 6 times



The source control operation used to store local changes on an instance for later application is called a(n) <blank>.

- A. Branch
- B. Tag
- C. Stash
- D. Update set

**Suggested Answer:** C

Community vote distribution

C (83%)

D (17%)

🗨️ **Benojojo** 8 months, 3 weeks ago

C is correct. git stash - temporarily shelves (or stashes) changes you've made to your working copy so you can work on something else, and then come back and re-apply them later on  
upvoted 2 times

🗨️ **snawaza243** 11 months ago

**Selected Answer: C**

Stash is correct  
upvoted 1 times

🗨️ **Dekoreh** 1 year, 2 months ago

**Selected Answer: C**

Stash is correct SN CAD ebook pg102  
upvoted 2 times

🗨️ **Hmzpkts** 1 year, 1 month ago

Correction: Ebook pg 94  
upvoted 1 times

🗨️ **PetterRE** 1 year, 3 months ago

**Selected Answer: C**

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new\\_to\\_servicenow/app\\_store\\_learnv2\\_devenvironment\\_utah\\_stashing\\_changes](https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_stashing_changes)  
upvoted 2 times

🗨️ **Pranesh\_RP** 1 year, 4 months ago

**Selected Answer: D**

Update Set is the source control operation used to store local changes on an instance for later application.  
Branch is actually used to isolate new features, bugs, or experiments. To work on your independent changes without directly affecting the actual codebase  
upvoted 1 times

🗨️ **YMijoe** 1 year, 7 months ago

I am leaning more towards stashing.  
"Stashing in source control saves local changes for an application to apply later. The local changes do not need to be committed to the remote repository; the change for a developer to later apply or delete." [https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new\\_to\\_servicenow/app\\_store\\_learnv2\\_devenvironment\\_utah\\_stashing\\_changes#:~:text=To%20stash%20something%20is%20to%20store%20](https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_stashing_changes#:~:text=To%20stash%20something%20is%20to%20store%20)  
upvoted 4 times

🗨️ **blackjack987** 1 year, 7 months ago

i think the answer should be A  
upvoted 2 times

🗨️ **blackjack987** 1 year, 7 months ago

i think the answer should be A  
upvoted 1 times

  **Charan\_sai\_97** 1 year, 6 months ago

is this questions is enough to clear the CAD exam????

upvoted 1 times

What syntax is used in a Record Producer script to access values from Record Producer form fields?

- A. producer.field\_name
- B. producer.variable\_name
- C. current.variable\_name
- D. current.field\_name

**Suggested Answer: A**

*Community vote distribution*

B (50%)

A (50%)

 **Benjojo** Highly Voted 8 months, 3 weeks ago

B is correct - Use producer.\*VARIABLE\_NAME\* to reference values entered by the end user.  
upvoted 7 times

 **tenkawa10** Most Recent 1 month ago

**Selected Answer: B**


From the docs that everyone else linked:

Define a script that uses any variable or server-side objects and functions to assign values.

Use current.\*FIELD\_NAME\* to reference fields on the record being created.

Use producer.\*VARIABLE\_NAME\* to reference values entered by the end user.

upvoted 1 times


 **AltiaTek** 4 months, 2 weeks ago

**Selected Answer: B**

Right answer is B.


`/** Use `producer.var1` to access variables*/`

upvoted 1 times

 **51f8ce8** 4 months, 2 weeks ago

B is correct


upvoted 1 times

 **georgeg4** 6 months, 2 weeks ago

**Selected Answer: B**

[https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c\\_PopulatingRecordData.html](https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html)

upvoted 2 times

 **EforExtra** 6 months, 3 weeks ago

**Selected Answer: B**

B is correct

upvoted 1 times

 **pazorische** 9 months, 1 week ago

**Selected Answer: B**

B is correct

upvoted 2 times

 **vidhya\_mouli** 10 months, 1 week ago

B is the correct answer

[https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c\\_PopulatingRecordData.html#:~:text=Use%20producer.\\*VARIABLE\\_NAME\\*%20to%20reference%20values%20entered%20by%20th](https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html#:~:text=Use%20producer.*VARIABLE_NAME*%20to%20reference%20values%20entered%20by%20th)

upvoted 2 times

 **D\_Ogi** 10 months, 3 weeks ago

Both A and B are literally the same depending on the input field name.

upvoted 1 times

🗨️ **sstest2** 11 months, 2 weeks ago

**Selected Answer: A**

A is correct per SDF book

upvoted 1 times

🗨️ **zoro69** 1 year ago

it should be B according to the SN community as well.

upvoted 1 times

🗨️ **Laurys** 1 year, 1 month ago

**Selected Answer: B**

B is correct

[https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c\\_PopulatingRecordData.html](https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html)

upvoted 1 times

🗨️ **Hmzpkts** 1 year, 1 month ago

B is correct

check the SN docs

[https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c\\_PopulatingRecordData.html](https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html)

upvoted 2 times

🗨️ **ravidamarla** 1 year, 1 month ago

B is correct

upvoted 2 times

🗨️ **DavidJJ** 1 year, 2 months ago

B is correct

Use current.\*FIELD\_NAME\* to reference fields on the record being created.

Use producer.\*VARIABLE\_NAME\* to reference values entered by the end

[https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c\\_PopulatingRecordData.html](https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html)

upvoted 3 times

🗨️ **FOJ** 1 year, 3 months ago

**Selected Answer: A**

Option A is correct, as said before.

upvoted 1 times

🗨️ **Danny6767** 1 year, 5 months ago

**Selected Answer: A**

Option A is correct

upvoted 2 times

Which of the following methods prints a message on a blue background to the top of the current form by default?

- A. `g_form.addInfoMsg()`
- B. `g_form.addInfoMessage()`
- C. `g_form.showFieldMessage()`
- D. `g_form.showFieldMsg()`


**Suggested Answer: B**

Community vote distribution

B (100%)

 **kundgir** Highly Voted 3 years, 1 month ago

Answer should be B.  
upvoted 15 times

 **Erdi** Highly Voted 3 years ago

Answer should be B  
upvoted 15 times

 **Dekoreh** Most Recent 1 year, 2 months ago

Selected Answer: B  
B is correct  
upvoted 1 times

 **Alice\_Steele** 1 year, 8 months ago

Selected Answer: B  
it's B  
upvoted 2 times

 **Stardust85** 1 year, 11 months ago

Selected Answer: B  
[https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c\\_GlideFormAPI#r\\_GlideFormAddInfoMessage\\_String](https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideFormAPI#r_GlideFormAddInfoMessage_String)  
upvoted 4 times

 **agarwans** 2 years, 5 months ago

Answer is AddinfoMessage  
upvoted 2 times

 **parcerocar1** 2 years, 6 months ago

showFieldMessage is used for displaying messages under a specific field, this is another question in the CAD exam  
upvoted 3 times

 **arunmech2001** 2 years, 8 months ago

Selected Answer: B  
Answer is B  
upvoted 6 times

 **bigmikeyvegas** 2 years, 8 months ago

From: [https://docs.servicenow.com/bundle/paris-application-development/page/script/general-scripting/reference/r\\_ScriptingAlertInfoAndErrorMsgs.html](https://docs.servicenow.com/bundle/paris-application-development/page/script/general-scripting/reference/r_ScriptingAlertInfoAndErrorMsgs.html)

`g_form.showFieldMsg("field_name", "Hello World", "error");` Puts "Hello World" in an error message **\*\*below the specified field\*\***.

`g_form.addInfoMessage()` or `g_form.addErrorMessage()` place a blue box message at the top of the screen. Pg 126 of the CAD handbook  
upvoted 5 times

A scoped application containing Flow Designer content dedicated to a particular application is called a(n):

- A. Spoke
- B. Bundle
- C. Action
- D. Flow

**Suggested Answer: A**

*Community vote distribution*

A (85%)

D (15%)

🗨️ **Remo878** Highly Voted 2 years, 7 months ago

**Selected Answer: A**

<https://docs.servicenow.com/bundle/paris-servicenow-platform/page/administer/flow-designer/concept/spokes.html>  
upvoted 7 times

🗨️ **Benojojo** Most Recent 8 months, 3 weeks ago

A is correct. A spoke is a scoped application that includes Flow Designer custom actions or subflows. A spoke is a logical grouping of related custom actions, subflows, and supporting application files. Developers can reuse spoke logic in their own applications. Flow Designer includes baseline spokes  
upvoted 2 times

🗨️ **Dekoreh** 1 year, 2 months ago

**Selected Answer: A**

Spoke is correct  
SN CAD ebook pg284  
upvoted 1 times

🗨️ **TwelveKay** 1 year, 8 months ago

**Selected Answer: A**

A: Spoke

[https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app\\_store\\_learnv2\\_flowdesigner\\_sandiego\\_flow\\_designer/app\\_store\\_learnv2\\_flowdes](https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_flowdesigner_sandiego_flow_designer/app_store_learnv2_flowdes)  
upvoted 1 times

🗨️ **TwelveKay** 1 year, 8 months ago

A: Spoke

[https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app\\_store\\_learnv2\\_flowdesigner\\_sandiego\\_flow\\_designer/app\\_store\\_learnv2\\_flowdes](https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_flowdesigner_sandiego_flow_designer/app_store_learnv2_flowdes)  
upvoted 1 times

🗨️ **Ghostrunner** 1 year, 11 months ago

**Selected Answer: A**

A is correct  
upvoted 2 times

🗨️ **rahulvtag** 2 years, 7 months ago

Answer is A, Spoke  
upvoted 4 times

🗨️ **arunmech2001** 2 years, 8 months ago

**Selected Answer: D**

Answer is Flow  
upvoted 2 times

What is a Module?

- A. The functionality within an application menu such as opening a page in the content frame or a separate tab or window
- B. A group of menus, or pages, providing related information and functionality to end-users
- C. A way of helping users quickly access information and services by filtering the items in the Application Navigator
- D. A web-based way of providing software to end-users

**Suggested Answer: A**

Community vote distribution

A (100%)

 **nsmcan** Highly Voted 3 years, 1 month ago

Correct answer is B. A group of menus, or pages, providing related information and functionality to end-users

[https://docs.servicenow.com/bundle/rome-platform-user-interface/page/use/navigation/concept/c\\_ApplicationNavigation.html](https://docs.servicenow.com/bundle/rome-platform-user-interface/page/use/navigation/concept/c_ApplicationNavigation.html)

An application is a group of modules, or pages, that provide related information and functionality in an instance


upvoted 15 times

 **NiDoSa** Highly Voted 2 years, 10 months ago

**Selected Answer: A**

Answer A is correct IMHO

upvoted 6 times

 **NiDoSa** 2 years, 10 months ago

Here is the reference from documentation:

[https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/task/t\\_CreateAModule.html](https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/task/t_CreateAModule.html)

upvoted 5 times

 **evoken** Most Recent 4 months ago

**Selected Answer: A**

A describes a module

B describes an application

C describes the navigator


upvoted 1 times

 **MagdaGrs** 1 year, 3 months ago

**Selected Answer: A**

Modules are the children, or the second tier navigation options to the applications in the application navigator. Modules often link to other pages or records in the platform. You can configure which modules appear in the application navigator using Application Menus module.


upvoted 2 times

 **Vishalvr** 1 year, 7 months ago

**Selected Answer: A**

A, check the video in NiDoSa comment.

upvoted 1 times

 **SergioVSJ** 1 year, 10 months ago


**Selected Answer: A**

Correct answer is A.

See "Content Page" and "Documentation Link" types.

[https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/reference/r\\_ModuleLinkTypes.html](https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/reference/r_ModuleLinkTypes.html)

upvoted 1 times

 **Ghostrunner** 1 year, 11 months ago

**Selected Answer: A**



A is correct

upvoted 1 times

 **parcerocar1** 2 years, 6 months ago

Answer is A already taken the exam

upvoted 5 times

  **Pranesh\_RP** 1 year, 4 months ago

Hi Parcerocar1, Hey is this dumps enough to clear CAD. Did you have any other recommendations? Please Help me on this.

upvoted 2 times

  **TrevorGF** 2 years, 6 months ago

It is A. The documentation provided by NiDoSa says it perfectly

upvoted 2 times



Which source control operation is available from BOTH Studio and the Git Repository?

- A. Create Branch
- B. Apply Remote Changes
- C. Stash Local Changes
- D. Edit Repository Configurations

**Suggested Answer: A**

Community vote distribution

A (100%)

BillBaits **Highly Voted** 2 years, 11 months ago

Correct answer is A - check SNOW documentation  
upvoted 13 times

examtp1 **Highly Voted** 1 year, 10 months ago

**Selected Answer: A**

[https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/reference/r\\_AvailableSourceControlOperations.html#:~:text=The%20source%20control%20integration%20primarily](https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html#:~:text=The%20source%20control%20integration%20primarily)  
upvoted 5 times

examtp1 1 year, 10 months ago

[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r\\_AvailableSourceControlOperations.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html)

Updated link also showing A is right.

upvoted 2 times

Dekoreh **Most Recent** 1 year, 1 month ago

**Selected Answer: A**

Create branch is correct  
upvoted 1 times

aandooo 1 year, 3 months ago

**Selected Answer: A**

[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r\\_AvailableSourceControlOperations.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html)  
upvoted 1 times

YMijoe 1 year, 7 months ago

**Selected Answer: A**

I agree that "Create Branch" is correct  
upvoted 1 times

Ghostrunner 1 year, 11 months ago

**Selected Answer: A**

A is correct  
upvoted 2 times

arunmech2001 2 years, 8 months ago

**Selected Answer: A**

Create a Branch  
upvoted 3 times

Which one of the following is NOT required to link a ServiceNow application to a Git repository?

- A. Password
- B. URL
- C. User name
- D. Application name

**Suggested Answer:** D

Reference:

[https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t\\_LinkAnApplicationToSourceControl.html](https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html)

*Community vote distribution*



D (100%)

  **manikanta\_gnbv** 8 months, 2 weeks ago

**Selected Answer: D**

D is correct answer

upvoted 1 times

  **D\_Ogi** 10 months, 3 weeks ago

Correct link:

[https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/task/t\\_LinkAnApplicationToSourceControl.html](https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html)

upvoted 1 times

Which Report Type(s) can be created by right-clicking on a column header in a table's list?

- A. Bar Chart, Pie Chart, Histogram, and Line
- B. Bar Chart
- C. Bar Chart, Pie Chart, and Histogram
- D. Bar Chart and Pie Chart

**Suggested Answer:** D

*Community vote distribution*

D (100%)

 **Dharma\_tsa** Highly Voted 3 years ago

**Selected Answer: D**

Answer: D

upvoted 16 times

 **Benojojo** Most Recent 8 months, 3 weeks ago

D. Bar Chart and Pie Chart is correct

upvoted 2 times

 **elanocek** 1 year, 2 months ago

**Selected Answer: D**

D is right

upvoted 3 times

 **Surendar24** 1 year, 3 months ago

**Selected Answer: D**

Bar Chart , Pie Chart


upvoted 2 times

 **MagdaGrs** 1 year, 3 months ago

**Selected Answer: D**


Right click on a list of records, we can create Bar Chart , Pie Chart.

upvoted 2 times

 **KaBurAdNus** 1 year, 6 months ago

D is correct

upvoted 1 times

 **YMijoe** 1 year, 7 months ago

**Selected Answer: D**

I agree that "Bar Chart and Pie Chart" is correct.

upvoted 1 times

 **Alice\_Steele** 1 year, 8 months ago

**Selected Answer: D**

it's D


upvoted 1 times

 **Dufus123** 1 year, 8 months ago

**Selected Answer: D**


Bar and Pie

upvoted 1 times

 **Benojojo** 1 year, 10 months ago

Option D is the correct answer, please

upvoted 1 times

 **Benojojo** 1 year, 10 months ago

Option B is the correct answer: Pie Chart and Bar Chart  
upvoted 1 times

  **schaparro** 1 year, 6 months ago

Option B is not correct. It only mentions Bar Chart.  
upvoted 1 times

  **Ghostrunner** 1 year, 11 months ago

**Selected Answer: D**

D is correct  
upvoted 2 times

  **SNangler** 1 year, 11 months ago

**Selected Answer: D**

default behavior  
upvoted 2 times

  **arunmech2001** 2 years, 8 months ago

**Selected Answer: D**

Pie Chart and Bar Chart  
upvoted 3 times

Which one of the following is NOT a method used for logging messages in a server-side script for a privately-scoped application?

- A. gs.log()
- B. gs.error()
- C. gs.warn()
- D. gs.debug()

**Suggested Answer: A**

Reference:

[https://community.servicenow.com/community?id=community\\_question&sys\\_id=bd71cb29db98dbc01dcaf3231f9619c6](https://community.servicenow.com/community?id=community_question&sys_id=bd71cb29db98dbc01dcaf3231f9619c6)

*Community vote distribution*

A (100%)

🗨️ **VirtuaLee** Highly Voted 2 years, 8 months ago

Scoped Application Script Logging

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore are more versatile going forward in future versions.

upvoted 5 times

🗨️ **manikanta\_gnbv** Most Recent 8 months, 2 weeks ago

Selected Answer: A

gs.log is not used in scoped applications

upvoted 2 times

🗨️ **xxshinichan** 1 year, 6 months ago

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore are more versatile going forward in future versions.

Reference: [https://developer.servicenow.com/dev.do#!/guides/utah/now-platform/tpb-guide/debugging\\_best\\_practices](https://developer.servicenow.com/dev.do#!/guides/utah/now-platform/tpb-guide/debugging_best_practices)

upvoted 3 times

If the Create module field is selected when creating a table, what is the new module's default behavior?

- A. Open an empty form so new records can be created
- B. Open a link to a wiki article with instructions on how to customize the behavior of the new module
- C. Display an empty homepage for the application
- D. Display a list of all records from the table

**Suggested Answer:** D

*Community vote distribution*

D (100%)

🗉 👤 **gcf** 1 year, 2 months ago

**Selected Answer: D**

List of records is the default  
upvoted 4 times

🗉 👤 **Lord\_Korvus** 1 year, 3 months ago

**Selected Answer: D**

[https://docs.servicenow.com/en-US/bundle/utah-platform-administration/page/administer/table-administration/task/t\\_CreateATable.html](https://docs.servicenow.com/en-US/bundle/utah-platform-administration/page/administer/table-administration/task/t_CreateATable.html)  
upvoted 1 times

🗉 👤 **ezsy** 1 year, 11 months ago

Link type is default to list of records  
upvoted 2 times

How must Application Access be configured to prevent all other private application scopes from creating configuration records on an application's data tables?

- A. You must create Access Controls to prevent all other application scopes from creating configuration records on an application's data tables rather than using Application Access
- B. Set the Accessible from field value to All application scopes and de-select the Can create option
- C. Set the Accessible from field value to This application scope only and de-select the Allow access to this table via web services option
- D. Set the Accessible from field value to This application scope only

**Suggested Answer:** D

Community vote distribution

D (75%)

B (25%)

🗳️ 👤 **Ashtan1985** Highly Voted 👍 2 years, 7 months ago

Correct answer is D. When Accessible from is set to "This app scope only", then "Allow configuration" is unchecked and read-only  
upvoted 10 times

🗳️ 👤 **manikanta\_gnbv** Most Recent 🕒 8 months, 2 weeks ago

Selected Answer: B

B is the correct answer.  
upvoted 1 times

🗳️ 👤 **MacGyver4th** 10 months ago

Selected Answer: D

Just tested this in a Vancouver PDI.  
When selecting "This application scope only", all the check boxes are cleared and become read-only.  
upvoted 3 times

🗳️ 👤 **ravidamarla** 1 year, 1 month ago

B is correct answer  
upvoted 1 times

🗳️ 👤 **Dekoreh** 1 year, 2 months ago

Selected Answer: D

D is correct.  
upvoted 1 times

🗳️ 👤 **MagdaGrs** 1 year, 3 months ago

Selected Answer: D

To prevent all other app scopes, simply select "This application scope only".  
upvoted 1 times

🗳️ 👤 **Vishalvr** 1 year, 7 months ago

Selected Answer: D

D is the best option. B is also correct in a way but since one option only, can select D  
upvoted 2 times

🗳️ 👤 **SergioVSJ** 1 year, 10 months ago

Selected Answer: D

Correct answer is D.  
Check the following 2 examples of denying and granting access.  
[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c\\_ExampleDenyingAllRuntimeAccess.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ExampleDenyingAllRuntimeAccess.html)  
[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c\\_ExampleGrantingAllRuntimeAccess.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ExampleGrantingAllRuntimeAccess.html)  
upvoted 2 times

🗳️ 👤 **Ghostrunner** 1 year, 11 months ago

I would say both B and D could be correct, however, D would also disable the read/update/delete, not just the create function. The question isn't clear whether the table should still be readable by others or not.

upvoted 4 times

🗨️ **som\_420** 2 years, 2 months ago

**Selected Answer: D**

answer is D

upvoted 3 times

🗨️ **Bajel** 2 years, 3 months ago

I agree with D refer to

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new\\_to\\_servicenow/app\\_store\\_learnv2\\_securingapps\\_rome\\_application\\_access](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access)

upvoted 2 times

🗨️ **StandardSanders** 2 years, 8 months ago

D - Reference

Note: If you set Accessible From to This Application Scope Only, it automatically unchecks and greys out Web Services so it can't be C

[https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c\\_ExampleDenyingAllDesignAccess.html](https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ExampleDenyingAllDesignAccess.html)

upvoted 3 times

🗨️ **ParagSanyashiv** 2 years, 10 months ago

**Selected Answer: B**

B is the correct answer

upvoted 3 times



What are some of the benefits of extending an existing table such as the Task table when creating a new application? a) You can repurpose existing fields by simply changing the label. b) Use existing fields with no modifications. c) Existing logic from the parent table will be automatically applied to the new table. d) All of the parent table records are copied to the new table.

- A. a, b, c, and d
- B. a and b
- C. b and c
- D. a, b, and c

**Suggested Answer:** D

Community vote distribution

D (100%)

🗨️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 10 months ago

**Selected Answer: D**

D is the correct answer  
upvoted 7 times

🗨️ 👤 **64fb170** Most Recent 🕒 11 months, 3 weeks ago

**Selected Answer: D**

D is the correct answer. This study guide is honestly the most inaccurate guide I've come across. I definitely will get my money back for this garbage.  
upvoted 4 times

🗨️ 👤 **Shisol13** 1 year, 7 months ago

D, records do not come with table  
upvoted 1 times

🗨️ 👤 **Alice\_Steele** 1 year, 8 months ago

**Selected Answer: D**

it's D  
upvoted 1 times

🗨️ 👤 **Ghostrunner** 1 year, 11 months ago

**Selected Answer: D**

D is correct  
upvoted 2 times

🗨️ 👤 **sephereth** 2 years, 3 months ago

**Selected Answer: D**

D is the right answer, "you can repurpose existing fields by simply change the label" is mentioned in the ADF course.....  
upvoted 4 times

When configuring an Access Control which has no condition or script, which one of the following statements is NOT true?

- A. table.\*will grant access to every field in a record
- B. table.None will grant access to every record on the table
- C. table.field will grant access to a specific field in a record
- D. table.id will grant access to a specific record on the table

**Suggested Answer:** D

Community vote distribution

D (100%)

🗨️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 10 months ago

**Selected Answer: D**

D is the correct answer  
upvoted 11 times

🗨️ 👤 **RogerW** Most Recent 🕒 11 months, 1 week ago

B. table.None grants access to all fields and since there is no condition or script, every record is accessible.  
upvoted 1 times

🗨️ 👤 **RogerW** 11 months, 1 week ago

Never mind, the answer is D. I misread the question.  
upvoted 1 times

🗨️ 👤 **brutaltea** 1 year, 1 month ago

you all saying D and table.id isnt a thing but D is about table.id \*confusing\*  
upvoted 1 times

🗨️ 👤 **Sheydeko** 1 year, 2 months ago

**Selected Answer: D**

D is correct.  
upvoted 1 times

🗨️ 👤 **doctorF** 1 year, 4 months ago

People saying D but table.\* will not give access to every field - it restricts access and doesn't grant  
upvoted 1 times

🗨️ 👤 **hawful** 1 year, 4 months ago

**Selected Answer: D**

table.id isn't a thing, the correct answer is D  
upvoted 1 times

🗨️ 👤 **Ghostrunner** 1 year, 11 months ago

**Selected Answer: D**

D is correct  
upvoted 1 times

🗨️ 👤 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer: D**

No such thing as "table.id" for ACL. Go on - do a Google search - nothing relevant comes up.  
upvoted 2 times

Which of the following methods are useful in Access Control scripts?

- A. `g_user.hasRole()` and `current.isNewRecord()`
- B. `gs.hasRole()` and `current.isNewRecord()`
- C. `g_user.hasRole()` and `current.isNew()`
- D. `gs.hasRole()` and `current.isNew()`

**Suggested Answer:** B

*Community vote distribution*

B (100%)

 **manikanta\_gnbv** 8 months, 2 weeks ago

**Selected Answer:** B

its B beacuse the `current.isnewrecord` is used and second thing is its serverside so `gs.hashole()` will be used  
upvoted 4 times

 **Flanky** 1 year ago

**Selected Answer:** B

glideSystem options: `getUser()`, `getUserID()`, `getUserName()`, `hasRole(Object role)`, `isLoggedIn()`, `isInteractive()`, `getSession()`  
upvoted 1 times

 **Mishu123** 1 year, 1 month ago

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new\\_to\\_servicenow/app\\_store\\_learnv2\\_securingapps\\_vancouver\\_creating\\_and\\_editing\\_access\\_controls](https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_securingapps_vancouver_creating_and_editing_access_controls)  
upvoted 2 times

Which one of the following client-side scripts apply to Record Producers?

- A. Catalog Client Scripts and Catalog UI Policies
- B. UI Scripts and UI Actions
- C. UI Scripts and Record Producer Scripts
- D. Client Scripts and UI Policies

**Suggested Answer: A**

Reference:

[https://docs.servicenow.com/bundle/orlando-application-development/page/script/client-scripts/concept/c\\_CatalogClientScriptCreation.html](https://docs.servicenow.com/bundle/orlando-application-development/page/script/client-scripts/concept/c_CatalogClientScriptCreation.html)

*Community vote distribution*

A (100%)

🗉 **DKey** 4 months ago

A. UI Policies / client scripts written on incident/change tables for example will not reflect in Service Catalog record producer. one needs to go to catalog UI Policies / Catalog client script and rewrite the script for respective record producer catalog items.

upvoted 1 times

🗉 **sstest2** 11 months, 3 weeks ago

**Selected Answer: A**

A is correct

upvoted 1 times

🗉 **MR126** 1 year, 5 months ago

A is correct

upvoted 1 times

🗉 **moa21** 1 year, 7 months ago

D ?? there are no catalog UIs but category UI can be

upvoted 1 times

🗉 **MR126** 1 year, 5 months ago

There is.

[https://docs.servicenow.com/bundle/utah-api-reference/page/script/client-scripts/concept/c\\_CatalogClientScriptCreation.html](https://docs.servicenow.com/bundle/utah-api-reference/page/script/client-scripts/concept/c_CatalogClientScriptCreation.html)

[https://docs.servicenow.com/bundle/utah-servicenow-platform/page/product/service-catalog-management/task/t\\_CreatUIPolicyForSvcCalglt.html](https://docs.servicenow.com/bundle/utah-servicenow-platform/page/product/service-catalog-management/task/t_CreatUIPolicyForSvcCalglt.html)

upvoted 1 times

When a ServiceNow instance requests information from a web service, ServiceNow is the web service:

- A. Publisher
- B. Specialist
- C. Provider
- D. Consumer

**Suggested Answer:** D

*Community vote distribution*

D (100%)

 **Flanky** Highly Voted 1 year ago

**Selected Answer: D**

"A web service consumer (client) requests information from a web service provider (server). A web service provider processes the request and returns a status code and a response body."

[https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/technology\\_partner\\_program\\_1/app\\_store\\_learnv2\\_rest\\_tokyo\\_servicenow\\_as\\_a\\_web\\_service\\_consumer](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/technology_partner_program_1/app_store_learnv2_rest_tokyo_servicenow_as_a_web_service_consumer)  
upvoted 5 times

 **stophs** Most Recent 1 year, 6 months ago

**Selected Answer: D**

d is ok

upvoted 1 times

Which one of the following is the fastest way to create and configure a Record Producer?

- A. Create a Catalog Category, open the category, and select the Add New Record Producer button
- B. Use the Record Producer module then add and configure all variables manually
- C. Open the table in the Table records and select the Add to Service Catalog Related Link
- D. Open the table's form, right-click on the form header, and select the Create Record Producer menu item

**Suggested Answer:** C

Community vote distribution

C (100%)

 **ParagSanyashiv** Highly Voted 2 years, 10 months ago


**Selected Answer:** C

C is the correct as the simplest way is to click the related link which say "Publish to Service catalog"  
upvoted 14 times

 **fe91db0** Most Recent 11 months, 4 weeks ago

**Selected Answer:** C

is told in course  
upvoted 1 times

 **Zcam** 1 year, 2 months ago

C is correct  
upvoted 1 times


 **Shisol13** 1 year, 7 months ago

C, Link at the bottom of the table  
upvoted 1 times

 **Mike49707** 1 year, 8 months ago

**Selected Answer:** C

C is correct  
upvoted 1 times

 **Ghostrunner** 1 year, 11 months ago

**Selected Answer:** C

C is correct  
upvoted 3 times

 **trackstick** 2 years ago

This also how it is done in the ADF course lab.  
upvoted 2 times

Which objects can you use in a Scheduled Script Execution (Scheduled Job) script?

- A. GlideRecord and current
- B. GlideUser and GlideRecord
- C. GlideSystem and GlideRecord
- D. GlideSystem and current

**Suggested Answer:** C

Community vote distribution

C (89%) 11%

Ashtan1985 **Highly Voted** 2 years, 7 months ago

Correct answer is C. You can only use server side scripting in Scheduled Jobs.  
upvoted 7 times

aandoo **Most Recent** 1 year, 3 months ago

**Selected Answer: C**

there is no user nor current in scheduled job  
upvoted 3 times

Alice\_Steele 1 year, 8 months ago

**Selected Answer: C**

it has no access to current: [https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/servicenow\\_administrator/app\\_store\\_learnv2\\_automatingapps\\_tokyo\\_scheduled\\_script\\_execution\\_scripts](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/servicenow_administrator/app_store_learnv2_automatingapps_tokyo_scheduled_script_execution_scripts)  
upvoted 3 times

Mike49707 1 year, 10 months ago

**Selected Answer: C**

C is correct - you don't have a user or current in a scheduled job  
upvoted 2 times

kapshawn 1 year, 10 months ago

**Selected Answer: C**

C is correct  
upvoted 2 times

Ghostrunner 1 year, 11 months ago

**Selected Answer: C**

C is correct  
upvoted 2 times

SNangler 1 year, 11 months ago

**Selected Answer: C**

C is correct  
upvoted 2 times

Bajel 2 years, 3 months ago

Correct answer is C refer to [https://developer.servicenow.com/dev.do#!/learn/learning-plans/quebec/servicenow\\_administrator/app\\_store\\_learnv2\\_automatingapps\\_quebec\\_scheduled\\_script\\_execution\\_scripts](https://developer.servicenow.com/dev.do#!/learn/learning-plans/quebec/servicenow_administrator/app_store_learnv2_automatingapps_quebec_scheduled_script_execution_scripts)  
upvoted 2 times

Bayoubeot 2 years, 3 months ago



**Selected Answer: C**

Correct answer is C the code examples in the book use the GlideRecord and GlideSystem  
upvoted 3 times

ParagSanyashiv 2 years, 10 months ago

**Selected Answer: D**

Correct answer is D, as the gs object and current object can be directly used, for rest other you need to initialize the class into the object.  
upvoted 2 times

  **sstest2** 11 months, 3 weeks ago

D is incorrect. "Scheduled Script Executions are not associated with records and have no access to the previous or current objects used by many other server-side script types."

upvoted 1 times



Can inherited fields be deleted from a table?

- A. Yes, select the red X in the left-most column in the table definition
- B. Yes, but only if they are text fields
- C. Yes, but only if there has never been any saved field data
- D. No, inherited fields cannot be deleted from a child table

**Suggested Answer:** D

*Community vote distribution*

D (100%)

🗃️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 10 months ago

**Selected Answer: D**

Cannot be deleted from child table directly, you need to open the record and then delete it.  
upvoted 7 times

🗃️ 👤 **JuanGalindo** Most Recent 🕒 1 year, 2 months ago

**Selected Answer: D**

D is correct  
upvoted 1 times

🗃️ 👤 **Shisol13** 1 year, 7 months ago

D, Per CAD class slide from SNOW  
upvoted 1 times

🗃️ 👤 **Ghostrunner** 1 year, 11 months ago

**Selected Answer: D**

D is correct  
upvoted 2 times

🗃️ 👤 **Bayoubeot** 2 years, 3 months ago

**Selected Answer: D**

Cannot delete  
upvoted 2 times

What is the purpose of the Application Picker?

- A. Select an application to run
- B. Select an application as a favorite in the Application Navigator
- C. Choose an application to edit and set the Application Scope
- D. Choose an application to download and install

**Suggested Answer:** C

Community vote distribution

C (100%)

🗳️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 10 months ago

**Selected Answer:** C

C is the correct answer in this case  
upvoted 15 times

🗳️ 👤 **Flanky** Most Recent 🕒 1 year ago

**Selected Answer:** C

"The application picker allows application developers to view and select the application where their changes apply"

[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c\\_ApplicationPicker.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html)

upvoted 2 times

🗳️ 👤 **sg\_100** 1 year, 9 months ago

**Selected Answer:** C

It is C. All other make no sense!  
upvoted 3 times

🗳️ 👤 **Ghostrunner** 1 year, 11 months ago

**Selected Answer:** C

C is correct  
upvoted 2 times

🗳️ 👤 **AR1970** 1 year, 11 months ago

A is correct option.  
upvoted 1 times

🗳️ 👤 **Bob\_Loblaw** 1 year, 11 months ago

**Selected Answer:** C

[https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c\\_ApplicationPicker.html](https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html)

upvoted 3 times

What are Application Files in a ServiceNow application?

- A. An XML export of an application's table records
- B. CSV files containing data imported into an application
- C. ServiceNow artifacts comprising an application
- D. XML exports of an application's Update Set

**Suggested Answer:** C

Community vote distribution

C (100%)

Ashtan1985 **Highly Voted** 2 years, 7 months ago

**Selected Answer: C**

Application Files is the related list under an application record. It contains all artifacts that are part of that application.  
upvoted 13 times

rahulvtag **Highly Voted** 2 years, 7 months ago

C is the correct answer  
upvoted 6 times

Benojojo **Most Recent** 8 months, 3 weeks ago

Application files are configuration records that allow developers to extend application functionality.  
upvoted 1 times

RohitBM 11 months ago

**Selected Answer: C**

[https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/concept/c\\_ApplicationFiles.html](https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/concept/c_ApplicationFiles.html)  
upvoted 1 times

Vishalvr 1 year, 7 months ago

**Selected Answer: C**

C is the one. rest all contains partial info about application  
upvoted 2 times

Ghostrunner 1 year, 11 months ago

**Selected Answer: C**

C is correct  
upvoted 4 times