



- Expert Verified, Online, **Free**.



CERTIFICATION TEST

- CertificationTest.net - Cheap & Quality Resources With Best Support

Which of the following statements is true for the Form Designer? a) To add a field to the form layout, drag the field from the Fields tab to the desired destination on the form. b) To create a new field on a form's table, drag the appropriate data type from the Field Types tab to the form and then configure the new field. c) To remove a field from the form layout, hover over the field to enable the Action buttons, and select the Delete (X) button. d) To add a section to the form layout, drag it from the Field Types tab to the desired destination on the form.

- A. a, b, c, and d
- B. b, c, and d
- C. a, b, and d
- D. a, b, and c

Suggested Answer: D

Community vote distribution

D (100%)

🗳️ 👤 **RKServiceNow** 2 weeks, 3 days ago

Selected Answer: D

A B and C are correct
upvoted 1 times

🗳️ 👤 **esllin** 1 month, 1 week ago

Selected Answer: D

D is not true.
upvoted 1 times

🗳️ 👤 **PurushothamanD** 2 months, 1 week ago

Selected Answer: D

Since "Section" is under Components and not Fields. You have Annotation and Section under Components.
upvoted 1 times

🗳️ 👤 **Jd_Srikar** 10 months ago

Selected Answer: D

correct answer
upvoted 2 times

🗳️ 👤 **MIBE_** 1 year, 3 months ago

Selected Answer: D

correct
upvoted 1 times

🗳️ 👤 **Lord_Korvus** 1 year, 4 months ago

Selected Answer: D

Answer D
upvoted 1 times

🗳️ 👤 **Charan_sai_97** 1 year, 7 months ago

Please help me.
Is this questions is enough to clear exam.
upvoted 2 times

🗳️ 👤 **Bob_Loblaw** 2 years ago

Selected Answer: D

Answer D
upvoted 1 times

🗳️ 👤 **som_420** 2 years, 3 months ago

Selected Answer: D

correct
upvoted 3 times

Which of the following are configured in an Email Notification? a) Who will receive the notification. b) What content will be in the notification. c) When to send the notification. d) How to send the notification.

- A. a, b and c
- B. a, b, and d
- C. b, c and d
- D. a, c and d

Suggested Answer: A

Community vote distribution

A (100%)

🗳️ 👤 **RKServiceNow** 2 weeks, 3 days ago

Selected Answer: A

A B and C are valid tabs on the email notifications.

upvoted 1 times

🗳️ 👤 **esllin** 1 month, 1 week ago

Selected Answer: A

When, Who, what

upvoted 1 times

🗳️ 👤 **D_Ogi** 11 months, 3 weeks ago

I think all a, b, c and d are valid. "d" is valid answer as we define how we send the notification: by "how" I mean it's content type, to include or not a push notification as well as SMS and to choose to make it a part of digest.

upvoted 1 times

🗳️ 👤 **dnbly** 2 months, 2 weeks ago

d isn't applicable because they already told you the notification type in the question i.e. email. Push and SMS are also notification types (i.e. "how"). One notification (template) can have multiple types but it's redundant to say "this email notification is sent via email" because by definition you can't have an email sent via another method. d would only be applicable if the question stated "notification" or "template".

upvoted 1 times

🗳️ 👤 **Lord_Korvus** 1 year, 4 months ago

Selected Answer: A

Answer a

upvoted 1 times

🗳️ 👤 **MagdaGrs** 1 year, 5 months ago

Selected Answer: A

Who, What, When

upvoted 4 times

🗳️ 👤 **Bob_Loblaw** 2 years ago

Selected Answer: A

Answer A

upvoted 3 times

🗳️ 👤 **som_420** 2 years, 3 months ago

Correct


upvoted 1 times

To see what scripts, reports, and other application artifacts will be in a published application:

- A. Enter the name of the Application in the Global search field
- B. Open the list of Update Sets for the instance
- C. Examine the Application Files Related List in the application to be published
- D. Open the artifact records individually to verify the value in the Application field

Suggested Answer: C

Community vote distribution



PR0704 **Highly Voted** 3 years, 7 months ago

Selected Answer: C

this is correct
upvoted 11 times

RKServiceNow **Most Recent** 2 weeks, 3 days ago

Selected Answer: C

C is most accurate scenario to check the existing development of a published application. The update sets and global search option can also be used to see what different types of development the specific application contains.
upvoted 1 times

ayush15567 3 weeks ago

Selected Answer: C

correct
upvoted 1 times

AnnaHr 6 months, 4 weeks ago

Selected Answer: C

correct answer is C
upvoted 1 times

BenBose 1 year, 2 months ago

Selected Answer: B

The correct answer is B because the question states that the application has been published. Answer C is not correct because it states the application 'is to be published' ie. It has not yet been published
upvoted 2 times

GuizaoTJ 1 year, 3 months ago

Selected Answer: C

Question correct
upvoted 1 times

Lord_Korvus 1 year, 10 months ago

Selected Answer: C

"Application developers can view the complete list of application files from the custom application record."

upvoted 1 times

MaxMa 2 years, 8 months ago

Selected Answer: C

Answer C
upvoted 1 times

Benojojo 2 years, 9 months ago

Copied from the provided link, "Update sets work in scoped apps just like they do in global scope. But there is a better way to move scoped apps from one instance to another. This capability is called "publish" and it allows you to move an application just like you would with a single executable. The

publish capability checks for dependencies and locks the application in the instance where it has been moved so that no changes can be made". for option B

upvoted 1 times

Which one of the following is NOT a debugging strategy for client-side scripts?

- A. `g_form.addInfoMessage()`
- B. Field Watcher
- C. `jslog()`
- D. `gs.log()`

Suggested Answer: D

Community vote distribution

D (100%)

🗳️ 👤 **kuchhu** 3 weeks ago

Selected Answer: D

gs is server side

upvoted 1 times

🗳️ 👤 **esllin** 1 month, 1 week ago

Selected Answer: D

gs is server side

upvoted 1 times

🗳️ 👤 **miguelhidrogo** 6 months, 2 weeks ago

Selected Answer: D

gs.log

upvoted 1 times

🗳️ 👤 **HaraTadahisa** 1 year ago

Selected Answer: D

D is correct answer.

upvoted 1 times

🗳️ 👤 **GoldBear** 1 year, 9 months ago

Selected Answer: D

Answer D

upvoted 2 times

🗳️ 👤 **snray** 1 year, 9 months ago

Selected Answer: D

D is correct

upvoted 1 times

🗳️ 👤 **MIBE_** 1 year, 9 months ago

Selected Answer: D

Glide System object is not allowed in client-side

upvoted 2 times

🗳️ 👤 **MagdaGrS** 1 year, 11 months ago

Selected Answer: D

You can test this!

upvoted 1 times

🗳️ 👤 **Guiguille** 2 years ago

Why `gs.log()` is not a valid client-side debugging option:

upvoted 1 times

🗳️ 👤 **doctorF** 1 year, 11 months ago

`gs.log()` and `GSLog` are two different things. `gs` refers to `GlideSystem` but the `GSLog` in your link is a Script Include. These are two completely different objects.


upvoted 1 times

  **Bob_Loblaw** 2 years, 6 months ago

Selected Answer: D

Answer D

upvoted 1 times

  **bharatns** 3 years, 4 months ago

correct

upvoted 2 times

Which Application Access configuration field(s) are NOT available if the Can read configuration field is NOT selected?

- A. All access to this table via web services
- B. Can create, Can update, and Can delete
- C. Can read does not affect the availability of other Application Access fields
- D. Allow configuration

Suggested Answer: B

Community vote distribution

B (100%)

 **Vinothkumar_Rangasamy** Highly Voted 3 years, 4 months ago

Answer is "B"


upvoted 18 times

 **arango** Most Recent 2 months, 2 weeks ago

Selected Answer: B

Answer B is the correct. Just tried it on the table setting.

upvoted 1 times

 **Ruchi_69** 4 months, 2 weeks ago

Selected Answer: B

Please navigate to your PDI and, in the Filter Navigator, go to System Definition > Tables. Search for the 'Incident' table and open the record. Then, go to the Application Access tab and uncheck the 'Can Read' field. You will notice that the 'Can Create,' 'Can Update,' and 'Can Delete' fields are now read-only.

upvoted 1 times

 **HaraTadahisa** 1 year ago

Selected Answer: B

B is correct answer.

upvoted 1 times

 **manikanta_gnbv** 1 year, 3 months ago

Selected Answer: B

B is correct. I just tried in studio application

upvoted 2 times

 **manikanta_gnbv** 1 year, 3 months ago

I just tried in studio application the answer is B

upvoted 2 times

 **fe91db0** 1 year, 6 months ago

Selected Answer: B

can create, update, delete becomes read only


upvoted 2 times

 **Dekoreh** 1 year, 9 months ago

Selected Answer: B

B is correct

upvoted 1 times

 **Mru9** 1 year, 10 months ago

Selected Answer: B

Answer is B

upvoted 1 times

 **MagdaGrS** 1 year, 11 months ago

Selected Answer: B

You can test this!

upvoted 1 times

  **Missori** 2 years ago

Selected Answer: B



I've just tried it and certainly answer is B

upvoted 4 times

  **MR126** 2 years ago



B is correct.

upvoted 2 times

  **Naw210** 2 years, 2 months ago

B nha cac ban oi



upvoted 1 times

  **anny13** 2 years, 2 months ago

Selected Answer: B

b is correct

upvoted 1 times

  **Tinu12** 2 years, 4 months ago

B is Correct

upvoted 1 times

  **Bob_Loblaw** 2 years, 6 months ago

Selected Answer: B

Answer B

upvoted 4 times

  **minhdo501** 2 years, 7 months ago

B is correct

upvoted 1 times

Which of the following is NOT a trigger type in Flow Designer?

- A. Outbound Email
- B. Application
- C. Record
- D. Schedule

Suggested Answer: A

Community vote distribution

A (100%)

🗳️ 👤 **f27ad55** 9 months, 2 weeks ago

A is the correct answer.

These are the triggers for a Flow in ServiceNow:

Record

-Created

-Updated

-Created or Updated

Scheduled

-Daily

-Weekly

-Monthly

-Run once

-Repeat

Application

-SLA Task

-Inbound Email

-Service Catalog

upvoted 3 times

🗳️ 👤 **HaraTadahisa** 1 year ago

Selected Answer: A

A is correct answer.

upvoted 2 times

🗳️ 👤 **Hmzpkts** 1 year, 8 months ago

Should be A and D. Flow designer trigger types are Application, Record, Date..

So in this case we kinda considering D schedule as Date, which is weird..

upvoted 1 times

🗳️ 👤 **sstest2** 1 year, 6 months ago

Schedule is the wrong answer. Answers must be messed up. Outbound email is a wrong answer too.

upvoted 1 times

🗳️ 👤 **Dekoreh** 1 year, 9 months ago

Selected Answer: A

Outbound email is not a trigger type

upvoted 3 times

🗳️ 👤 **MagdaGrs** 1 year, 11 months ago

Selected Answer: A

Just go and check

upvoted 1 times

  **Bob_Loblaw** 2 years, 6 months ago

Selected Answer: A

Answer A


upvoted 2 times

When creating new application files in a scoped application, cross scope access is turned on by default in which of the following?

- A. REST messages
- B. Table
- C. Script Include
- D. Workflow

Suggested Answer: B

Community vote distribution



ff063b3 2 months ago

Selected Answer: B

The correct answer is "B".

Cross-scope privileges can be granted for: Table: Read, write, create, delete records

upvoted 1 times

Arjun766 4 months, 3 weeks ago

Selected Answer: C

Table need explicit permissions

upvoted 1 times

mrcharli66 5 months ago

Selected Answer: A

The correct answer is:

****A. REST messages****

In ServiceNow, when creating new application files in a scoped application, ****cross-scope access**** is turned on by default for ****REST messages****.

This allows the scoped application to interact with external systems or other applications via REST without requiring additional configuration for cross-scope privileges.

Other components, like ****Tables****, ****Script Includes****, and ****Workflows****, generally require specific permissions or configuration to enable cross-scope access.

upvoted 3 times

evoken 11 months ago

Selected Answer: A

The answer is A. Tables are not accessible outside of the scope by default.

upvoted 2 times

HaraTadahisa 1 year ago

Selected Answer: B

B is correct answer.

upvoted 1 times

ravidamarla 1 year, 8 months ago

B is correct answer

upvoted 1 times

Rai0704 1 year, 10 months ago

Selected Answer: B

Cross-scope privileges can be granted for:

Table: Read, write, create, delete records

Script Include: Execute API

Scriptable (script objects): Execute API

Reference: <https://www.servicenow.com/community/developer-blog/securing-an-application-using-cross-scope-access-application/ba-p/2288801#:~:text=Cross%20scope%20access%20allows%20administrators,run%20on%20the%20target%20instance.>

upvoted 4 times

🗨️ 👤 **Mru9** 1 year, 10 months ago

Selected Answer: D

Both B & D are correct

upvoted 1 times

🗨️ 👤 **AR1970** 2 years, 6 months ago

B and D

upvoted 2 times

🗨️ 👤 **Bob_Loblaw** 2 years, 6 months ago

Selected Answer: B

"By default, all application scope scripts can read the table's records but cannot perform any other database operations."

upvoted 2 times

🗨️ 👤 **som_420** 2 years, 9 months ago

Selected Answer: B

correct

upvoted 1 times

In an Email Notification, which one of the following is NOT true for the Weight field?

- A. Only Notifications with the highest weight for the same record and recipients are sent
- B. A Weight value of zero means that no email should be sent
- C. The Weight value defaults to zero
- D. A Weight value of zero means the Notification is always sent when the Notification's When to send criteria is met

Suggested Answer: B

Community vote distribution

B (79%)

D (21%)

  **pgjensen** Highly Voted 3 years, 2 months ago

Selected Answer: B

Which is "NOT" true. A, C, D are true. B is false.

upvoted 10 times

  **ff063b3** Most Recent 2 months ago

Selected Answer: B

My wife's boyfriend confirmed it was B. I just accept it

upvoted 1 times

  **HaraTadahisa** 1 year ago

Selected Answer: B

B is correct answer.

upvoted 1 times

  **roxoxete** 1 year, 3 months ago

Which is "NOT" true. A, C, D are true. B is false.

upvoted 1 times

  **manikanta_gnbv** 1 year, 3 months ago

Selected Answer: B

B is correct for this question

upvoted 1 times

  **Jd_Srikar** 1 year, 4 months ago

Selected Answer: B

B is correct answer

upvoted 1 times

  **Iyon301** 1 year, 7 months ago

Selected Answer: D

D is the right one

upvoted 4 times

  **Raz_Maz** 2 years ago

D is correct.

upvoted 1 times

  **MrPedroLeite** 2 years, 2 months ago

The correct answer is D

" The default value 0 causes the system to always send the notification (assuming the conditions are met)."

upvoted 4 times

🗳️ 👤 **MrPedroLeite** 2 years, 1 month ago
ndiichie is right, the D is TRUE, so the correct answer is B
upvoted 3 times

🗳️ 👤 **Naw210** 2 years, 2 months ago
Selected Answer: B
B moi dung nha may ba oi
upvoted 2 times

🗳️ 👤 **Shisol13** 2 years, 2 months ago
Per my Developer Fundamental class notes:
Notifications with Weight value of zero are always sent
upvoted 1 times

🗳️ 👤 **ndiichie** 2 years, 4 months ago
B is the right answer. See the "NOT" in the question.
upvoted 2 times

🗳️ 👤 **sg_100** 2 years, 4 months ago
B! (Ref Tokyo Documentation)
Notifications that have the same target table and recipients are considered duplicates if the weights are different. If weights are same, an additional evaluation is done to check if the subject and the body (excluding watermark) are same to qualify as duplicate notification. When there are duplicate notifications, the system only sends the notification with the highest weight. All other notifications are moved from the Outbox to the Skipped mailbox. The default value 0 causes the system to always send the notification (assuming the conditions are met).
upvoted 1 times

🗳️ 👤 **cportugal** 2 years, 6 months ago
Selected Answer: D
Answer D
upvoted 1 times

🗳️ 👤 **fivani** 2 years, 3 months ago
Answer is B. Your link even states the same, "Notifications with a Weight value of zero are always sent."
upvoted 2 times

🗳️ 👤 **cportugal** 2 years, 6 months ago
Selected Answer: D
Answer D
upvoted 1 times

🗳️ 👤 **fivani** 2 years, 3 months ago
Answer is B. Your link even states the same, "Notifications with a Weight value of zero are always sent."
upvoted 1 times

🗳️ 👤 **Bob_Loblaw** 2 years, 6 months ago
Selected Answer: B
Answer B
upvoted 2 times

🗳️ 👤 **Nick_O** 2 years, 10 months ago
Answer is B
upvoted 1 times

Which of the following objects does a Display Business Rule NOT have access to?

- A. previous
- B. GlideSystem
- C. g_scratchpad
- D. current

Suggested Answer: A

Community vote distribution

A (100%)



  **ptrckw** Highly Voted 2 years, 11 months ago

Question should be asking about async business rules
upvoted 6 times

  **paw_pri** Most Recent 3 weeks, 6 days ago

Selected Answer: A

A display BR is Before the form is presented to the user, just after the data is read from the database, so there will be always the current data not the previous data which was stored in the database, however the previous object available, but not sure it holds any value to it.
As per the definition of Display BR it should not hold any previous data.
upvoted 2 times

  **theadminek** 5 months, 4 weeks ago



Selected Answer: A

Docs says current and gscratchpad are available for ondisplay br.
upvoted 1 times

  **HaraTadahisa** 1 year ago

Selected Answer: A

A is correct answer.
upvoted 1 times

  **tiji834** 1 year, 12 months ago

But the problem is, that g_scratchpad is also not available in Async BR...
upvoted 2 times

  **Ricou** 2 years ago

Selected Answer: A

Business Rules often use the current and previous objects in their script logic.

The current object is automatically instantiated from the GlideRecord class. The current object's properties are all the fields for a record and all the GlideRecord methods. The property values are the values as they exist in the runtime environment.

The previous object is also automatically instantiated from the GlideRecord class. The previous object's properties are also all fields from a record and the GlideRecord methods. The property values are the values for the record fields when they were loaded from the database and before any changes were made. The previous object is not available for use in async Business Rules.
upvoted 1 times

  **Bob_Loblaw** 2 years, 6 months ago

Selected Answer: A

Yes, I think this should be about async business rules:
https://docs.servicenow.com/bundle/tokyo-application-development/page/script/business-rules/concept/c_BusinessRules.html
upvoted 1 times

  **3Renato** 2 years, 8 months ago

Previous is only unavailable in Async Business Rules
upvoted 1 times

  **som_420** 2 years, 9 months ago

Selected Answer: A

A is correct

upvoted 1 times

Which of the following features are available to Global applications? (Choose two.)

- A. Automated Test Framework
- B. Source Control
- C. Delegated Development
- D. Flow Designer

Suggested Answer: AD

Community vote distribution

AD (100%)

 **TwelveKay** Highly Voted 2 years, 4 months ago
A, B & D.

The question is outdated as 3 are now supported in Global (A) Automated Test Framework, B) Source Control and D) Flow Designer). Delegated Development is not supported in Global scope.


<https://www.servicenow.com/community/developer-forum/which-of-the-following-features-are-available-to-global/m-p/1391919>


Global apps gained source control integration in the Paris release.


<https://developer.servicenow.com/blog.do?p=/post/paris-source-control/>


The delegated developer feature only works with true scoped apps, not global.


<https://www.servicenow.com/community/developer-forum/globally-scoped-apps-and-delegated-developers/m-p/1862075>
upvoted 13 times


 **VarunV007** Highly Voted 3 years, 4 months ago
Correct answer is A & D
upvoted 13 times

 **miguelhidrogo** Most Recent 6 months, 2 weeks ago
Selected Answer: AD
Like TwelveKay said.
Answer is ATF, Source Control and Flow Designer. Just Delegated Development is not supported in Global Scope
upvoted 1 times

 **rikhiphitheni** 10 months, 4 weeks ago
Selected Answer: AD
Only those are the correct answer
upvoted 1 times

 **DKey** 11 months ago
Source control is available since Paris
upvoted 1 times

 **DKey** 11 months, 1 week ago
should be A,B and D.
Source control is available to Global applications today
upvoted 2 times

 **HaraTadahisa** 1 year ago
Selected Answer: AD
AD is correct answer.
upvoted 1 times

🗨️ 👤 **Chanti1243** 1 year, 2 months ago

A&B

options C (Delegated Development) and D (Flow Designer) are not specifically tied to global applications. While they are valuable features, they are not inherently exclusive to global deployments.

upvoted 1 times

🗨️ 👤 **Benojojo** 1 year, 3 months ago

The delegated developer feature only works with true scoped apps

upvoted 1 times

🗨️ 👤 **MagdaGrs** 1 year, 11 months ago

Selected Answer: AD

Delegated Development is supported only on private scoped app.

upvoted 1 times

🗨️ 👤 **TwelveKay** 2 years, 4 months ago

The question is outdated as 3 are now supported in Global (Automated Test Framework, Source Control and Flow Designer). Delegated Development is not supported in Global scope.

<https://www.servicenow.com/community/developer-forum/which-of-the-following-features-are-available-to-global/m-p/1391919>

Global apps gained source control integration in the Paris release.

<https://developer.servicenow.com/blog.do?p=/post/paris-source-control/>

The delegated developer feature only works with true scoped apps, not global.

<https://www.servicenow.com/community/developer-forum/globally-scoped-apps-and-delegated-developers/m-p/1862075>

upvoted 4 times

🗨️ 👤 **rpersonal2** 2 years, 8 months ago

Correct answer should be update as it is A, B, D with the recent integration of source control in Paris release.

upvoted 5 times

🗨️ 👤 **ManthanW03** 2 years, 10 months ago

A, B, D - ATFs and Flow Designer is available to Global not the Delegate Development. Also, after Paris release source control is available to Global apps as well

upvoted 5 times

🗨️ 👤 **ptrckw** 2 years, 11 months ago

Question is outdated, global apps gained source control integration in the Paris release

upvoted 4 times

🗨️ 👤 **parcerocar1** 3 years, 1 month ago

A & D is the correct answer

upvoted 2 times

🗨️ 👤 **pgjensen** 3 years, 2 months ago

Selected Answer: AD

ATF is available for both Global and Scoped applications. Same for Flow Designer.

upvoted 4 times

Which one of the following is NOT a UI Action type?

- A. List choice
- B. Form button
- C. List banner button
- D. Form choice

Suggested Answer: D

Community vote distribution

D (100%)

 **pgjensen** Highly Voted 3 years, 2 months ago

Selected Answer: D

https://docs.servicenow.com/en-US/bundle/sandiego-platform-administration/page/administer/list-administration/concept/c_UIActions.html
upvoted 5 times

 **HaraTadahisa** Most Recent 1 year ago


Selected Answer: D

D is correct answer.
upvoted 1 times

 **manikanta_gnbv** 1 year, 3 months ago

Selected Answer: D

D is correct there is a list choice and there is no form choice
upvoted 3 times

 **Lily81** 1 year, 3 months ago

https://docs.servicenow.com/bundle/washingtondc-platform-administration/page/administer/list-administration/concept/c_UIActions.html
upvoted 1 times

Which of the following is NOT supported by Flow Designer?

- A. Call a subflow from a flow
- B. Test a flow with rollback
- C. Use Delegated Developer
- D. Run a flow from a MetricBase Trigger

Suggested Answer: B

Community vote distribution

B (100%)

🗨️ 👤 **HaraTadahisa** 1 year ago

Selected Answer: B

B is correct answer.

upvoted 1 times

🗨️ 👤 **manikanta_gnbv** 1 year, 3 months ago

Selected Answer: B

There is no roll back in flow testing

upvoted 4 times

🗨️ 👤 **D_Ogi** 1 year, 5 months ago

B - I think they meant "Rollback action" which is available for Workflows only. However testing a flow in Flow Designer also does not offer rollback functionality. Record modified during a Test of a Flow remains modified when a Test is completed.

upvoted 4 times

🗨️ 👤 **som_420** 2 years, 9 months ago

Selected Answer: B

Correct

upvoted 2 times

Which of the following are true for reports in ServiceNow? (Choose three.)

- A. Any user can see any report shared with them.
- B. Can be a graphical representation of data.
- C. All users can generate reports on any table.
- D. Can be run on demand by authorized users.
- E. Can be scheduled to be run and distributed by email.

Suggested Answer: BDE

Community vote distribution

BDE (100%)

 **nsmcan** Highly Voted 3 years, 8 months ago

Valid is BDE

A is invalid because an user cannot see a shared report if has no access to a report's table(s)

E is valid: <https://docs.servicenow.com/bundle/rome-platform-administration/page/administer/reference-pages/task/schedule-report.html>

Generate and distribute scheduled reports via email.

upvoted 25 times

 **samrat1010** Highly Voted 3 years, 3 months ago

BDE is right

upvoted 8 times

 **Vinaykpro** Most Recent 1 year ago

Selected Answer: BDE

Simple

upvoted 1 times


 **evoken** 1 year, 5 months ago

B. Can be a graphical representation of data: Reports in ServiceNow can include various graphical representations, such as charts and graphs, to provide visual insights into the data.

D. Can be run on demand by authorized users: Authorized users can generate reports on-demand to view real-time data or specific information from the ServiceNow instance.

E. Can be scheduled to be run and distributed by email: ServiceNow allows users to schedule reports to run at specific times and automatically distribute the results via email. This feature is useful for regular reporting and sharing information with stakeholders.

upvoted 4 times

 **Zcam** 1 year, 9 months ago

BDE is correct

upvoted 1 times

 **Dekoreh** 1 year, 9 months ago

Selected Answer: BDE

BDE is correct. A is absolutely wrong

upvoted 1 times

 **Lord_Korvus** 1 year, 10 months ago

Selected Answer: BDE

B, D and A are the correct answers.

upvoted 1 times

 **Mru9** 1 year, 10 months ago

BDE is correct answer in Utah

upvoted 1 times

🗨️ 👤 **Stockholm_syndrom_Snow** 1 year, 11 months ago

Selected Answer: BDE

User without authorization to see some tables, cannot see the report
upvoted 1 times

🗨️ 👤 **Sledgess** 2 years, 1 month ago

BDE should be the answer
upvoted 1 times

🗨️ 👤 **AmmarGabr** 2 years, 4 months ago

Selected Answer: BDE

BDE is my answer
upvoted 3 times

🗨️ 👤 **rpersonal2** 2 years, 8 months ago

Selected Answer: BDE

BDE is correct.
upvoted 2 times

🗨️ 👤 **Nick_O** 2 years, 10 months ago

BDE is valid in San Diego
upvoted 1 times

🗨️ 👤 **Gurubala** 2 years, 10 months ago

Selected Answer: BDE

yes BDE is correct according to docs.servicenow
upvoted 3 times

🗨️ 👤 **14006044** 2 years, 11 months ago


VALID IS BDE
upvoted 3 times

Modules must have a Link type. Which one of the following is a list of Link types?

- A. List of Records, Separator, Catalog Type, Roles
- B. Assessment, List of Records, Separator, Timeline Page
- C. List of Records, Content Page, Order, URL (from arguments:)
- D. Assessment, List of Records, Content Page, Roles

Suggested Answer: B

Community vote distribution



mrcharli66 5 months ago

Selected Answer: B

Order and role unavailable to select.

upvoted 1 times

theadminek 5 months, 4 weeks ago

Selected Answer: B

Order and role unavailable to select.

upvoted 1 times

evoken 9 months, 4 weeks ago

Selected Answer: C

- List of Records: Displays a list of records from a specified table.
- Content Page: Displays a custom content page.
- Order: Refers to displaying an ordered list or a sequential structure.
- URL (from arguments:): Directs users to a specific URL or webpage.

upvoted 1 times

manikanta_gnbv 1 year, 3 months ago

Selected Answer: B

There is no roles and order and catalog in link type.so correct option is B.

upvoted 3 times

D_Ogi 1 year, 5 months ago

B.

Valid link for docs:

https://docs.servicenow.com/bundle/utah-application-development/page/administer/auto-test-framework/reference/test-steps-app-navigator-category.html#title_r_ModuleLinkTypes

upvoted 1 times

Dekoreh 1 year, 9 months ago

Selected Answer: B

B is correct

upvoted 1 times

sephereth 2 years, 10 months ago

Selected Answer: B

B is correct, all Link Type options are: Content Page, Documentation Link, HTML (from Arguments:), List Filter, List of Records, Map Page, New Record, Run a Report, Script (from Arguments:), Search Screen, Separator, Single Record, Survey, Timeline Page, URL (from Arguments:)

upvoted 4 times

Which one of the following is true for a table with the `Allow configuration` Application Access option selected?

- A. Only the in scope application's scripts can create Business Rules for the table
- B. Any user with the application's user role can modify the application's scripts
- C. Out of scope applications can create Business Rules for the table
- D. Out of scope applications can add new tables to the scoped application

Suggested Answer: C

Community vote distribution

C (100%)

🗨️ **beto_guitar** 12 months ago

Selected Answer: C

C is correct

upvoted 1 times

🗨️ **evoken** 1 year, 5 months ago

A. Incorrect. "Catalog Type" is not a standard Link type for modules in ServiceNow.

B. Incorrect. "Assessment" and "Timeline Page" are not standard Link types for modules in ServiceNow.

C. Correct. This option includes standard Link types for modules in ServiceNow:

List of Records: Displays a list of records from a specified table.

Content Page: Links to a ServiceNow content page.

Order: Represents an ordering of items (a separator that organizes other modules).

URL (from arguments): Allows you to link to an external URL.

D. Incorrect. "Assessment" is not a standard Link type for modules in ServiceNow.

upvoted 1 times

🗨️ **f27ad55** 9 months, 1 week ago

This is for question 14. Please remove your answers from questions as it applies to question 14.

upvoted 3 times

🗨️ **apballard** 1 year, 12 months ago

Selected Answer: C

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_allow_configuration)

[plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_allow_configuration](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_allow_configuration)

upvoted 3 times

🗨️ **JackLopez** 2 years, 7 months ago

Option C is correct.

upvoted 3 times

When working in the Form Designer, configuring the label of a field in a child table changes the label on which table(s)?

- A. base table
- B. child table
- C. parent table
- D. all tables

Suggested Answer: B

Community vote distribution

B (100%)

🗳️ 👤 **sahithi2004** 11 months, 3 weeks ago

Selected Answer: B

When working in the Form Designer in ServiceNow, configuring the label of a field in a child table changes the label on:

B. child table

This means that the label change will only apply to the child table where you made the modification, not affecting the base table, parent table, or all tables.

upvoted 1 times

🗳️ 👤 **jck777** 1 year ago

c. Parent table

from servicenow support documentation: If a child table, such as pm_project, is saved using the form designer, the parent field labels (sys_documentation) are changed to those of the child. For example, changing and saving the pm_project form causes the short_description field label on task to change from "Short Description" to "Project Name."

upvoted 1 times

🗳️ 👤 **D_Ogi** 1 year, 5 months ago

A is correct:

<https://www.servicenow.com/community/developer-forum/when-working-in-form-designer-configuring-the-label-of-a-field/mp/1436339/highlight/true#M93265>

System would not create a dictionary override automatically.

upvoted 1 times

🗳️ 👤 **Kontopro** 1 year, 4 months ago

It creates Label not dict. override. It is B

upvoted 2 times

🗳️ 👤 **Dekoreh** 1 year, 9 months ago

Selected Answer: B

B is correct

upvoted 1 times

🗳️ 👤 **Anu_K** 1 year, 11 months ago

Selected Answer: B

Child table

upvoted 2 times

🗳️ 👤 **YMijoe** 2 years, 3 months ago

Selected Answer: B

I agree that the "child table" is correct.


upvoted 1 times

Which one of the following is true?

- A. A UI Policy's Actions execute before the UI Policy's Scripts
- B. The execution order for a UI Policy's Scripts and Actions is determined at runtime
- C. A UI Policy's Scripts execute before the UI Policy's Actions
- D. A UI Policy's Actions and Scripts execute at the same time

Suggested Answer: A

Community vote distribution



nsmcan Highly Voted 3 years, 8 months ago

Correct answer is A. I didn't find any definite statements about order in the docs. However in the link, quoted for this question, there are two opposite responses. One, which takes UI Policy Actions first and UI Policy Scripts second, was marked helpful by ServiceNow and Expert(s)
upvoted 13 times

Haikz Highly Voted 3 years, 1 month ago

Selected Answer: A

A is correct, verified.

Created UI policy on incident form, action set's cmdb_ci field as mandatory and script as not. result, field was not mandatory.
upvoted 9 times

Doug99 Most Recent 5 months ago

Selected Answer: A

In ServiceNow, UI policy actions execute before UI policy scripts. Here's the sequence of execution:

1. UI Policy Conditions: The condition is evaluated first to determine whether the UI policy should apply.
2. UI Policy Actions: If the condition is met, the UI policy actions (e.g., making fields visible, read-only, or mandatory) are executed first.
3. UI Policy Script: After the actions are applied, the script associated with the UI policy runs.

This order ensures that the predefined actions are applied before any custom logic in the script is executed. If you need to modify the behavior after actions, the script is where you can do that.
upvoted 1 times

RoadtoCad 10 months, 2 weeks ago

The answer is A

Actions execute first: When a UI Policy is triggered, the Actions are applied first. This ensures that the form is updated (fields are shown, hidden, made mandatory, etc.) before any custom scripts are run.

Scripts execute after Actions: Once the Actions have been applied, the UI Policy Scripts are then executed. This allows the script to work with the form in its updated state.
upvoted 1 times

DKey 11 months, 1 week ago

A. tested in PDI
upvoted 1 times

sahithi2004 11 months, 3 weeks ago

Selected Answer: A

In ServiceNow, when a UI Policy is triggered, its actions (such as setting fields to mandatory, visible, or read-only) are executed before any scripts associated with the UI Policy are run.
upvoted 1 times

CodingAmo 1 year ago

Selected Answer: A

The Scripting in ServiceNow Fundamentals course section called Catalog Client Scripts and Catalog UI Policies which is found in the student instance has a KBA #KB8675309 that states "UI Policy Actions execute before UI Policy Scripts".

upvoted 1 times

🗨️ 👤 **jutorri** 1 year ago

Correct is A:

General Order:

-UI Scripts

-Client Scripts

-UI Policy Action

-UI Policy Scripts

upvoted 1 times

🗨️ 👤 **51f8ce8** 1 year ago

Correct answer is A. UI Policy action executes before scripts.

upvoted 1 times

🗨️ 👤 **chrisRY** 1 year, 1 month ago

This video goes over Answer A - [https://www.google.com/search?](https://www.google.com/search?client=opera&q=UI+Policy%27s+Actions+execute+before+the+UI+Policy%27s+Scripts&sourceid=opera&ie=UTF-8&oe=UTF-8#fpstate=ive&vld=cid:63e72bd4,vid:TptpAXILT10,st:0)

[client=opera&q=UI+Policy%27s+Actions+execute+before+the+UI+Policy%27s+Scripts&sourceid=opera&ie=UTF-8&oe=UTF-8#fpstate=ive&vld=cid:63e72bd4,vid:TptpAXILT10,st:0](https://www.google.com/search?client=opera&q=UI+Policy%27s+Actions+execute+before+the+UI+Policy%27s+Scripts&sourceid=opera&ie=UTF-8&oe=UTF-8#fpstate=ive&vld=cid:63e72bd4,vid:TptpAXILT10,st:0)

upvoted 1 times

🗨️ 👤 **georgeg4** 1 year, 1 month ago

Selected Answer: C

The correct is C

upvoted 1 times

🗨️ 👤 **georgeg4** 1 year, 1 month ago

https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_store

upvoted 1 times

🗨️ 👤 **Chanti1243** 1 year, 2 months ago

C

UI Policy's Scripts execute before the UI Policy's Actions (Option C): This statement is accurate. When a UI Policy is triggered, its script runs first. The script evaluates conditions and performs any necessary modifications. If the conditions are met, the associated actions (such as hiding fields or setting field values) are then executed.

upvoted 1 times

🗨️ 👤 **Checwes** 1 year, 3 months ago

Selected Answer: A

Just tested in my PDI.

Sample example:

1) on incident form write UI policy when state changes to closed; make short description as mandatory from UI policy action

2) from UI policy script execute if true; use below script

```
g_form.setMandatory('short_description', false);
```

Answer is A.

upvoted 1 times

🗨️ 👤 **manikanta_gnbv** 1 year, 3 months ago

Selected Answer: C

I think the answer is C

upvoted 3 times

🗨️ 👤 **MacGyver4th** 1 year, 5 months ago

Selected Answer: C

I tested this on the incident form in a Vancouver PDI by modifying the "Fields set to mandatory for all states" UI policy.



I changed the "When to Apply" condition to when the state was "In Progress"

I enabled "Run scripts" and added code in the "Execute if true" section
I keep getting bad gateway errors when I try to submit with the code

When the form loads, the caller and short descriptions fields are not mandatory. When I select "In Progress" for the state, after about 5 seconds the caller and short description fields become mandatory.

This tells me that the script runs before the actions.

The answer is C
upvoted 3 times

  **evoken** 1 year, 5 months ago



In ServiceNow, UI Policies are used to dynamically change the behavior of form elements based on certain conditions. A UI Policy consists of both Scripts and Actions.

Scripts: These are JavaScript code snippets that execute when the conditions specified in the UI Policy are met. They are typically used for more complex logic and calculations.

Actions: These are predefined operations that can be applied to form elements when the conditions are met. Examples include showing or hiding a field, making a field mandatory, or setting a default value.

The correct order of execution is that the Scripts execute before the Actions. The JavaScript code in the Scripts section is evaluated first, and based on the results, the corresponding Actions are then executed.

So, option C is the correct statement.
upvoted 3 times

  **D_Ogi** 1 year, 5 months ago

A

<https://www.servicenow.com/community/developer-forum/which-executes-first-ui-policy-action-or-ui-policy-script/m-p/2666819/highlight/true#M1034196>
upvoted 1 times

Here is the Business Rule script template:

```
(function executeRule (current, previous */null when async*/) {

    }) (current, previous);
```

This type of JavaScript function is known as:

- A. Constructor
- B. Scoped
- C. Anonymous
- D. Self-invoking

Suggested Answer: D

Community vote distribution

D (100%)

 **nsmcan** Highly Voted 3 years, 8 months ago


Correct answer is D: Self-invoking. Learn JavaScript!
upvoted 14 times

 **Hmzpkts** 1 year, 8 months ago

True and.. easy man!
upvoted 1 times

 **Vinothkumar_Rangasamy** Highly Voted 3 years, 4 months ago

Correct Answer is "D"
upvoted 7 times

 **A7mad5aled** Most Recent 6 months, 3 weeks ago

Selected Answer: C
C and D are correct because
the function is called directly = self-invoking
it doesn't have name = anonymous
upvoted 1 times

 **arango** 2 months, 2 weeks ago

it has name, it's called executeRule
upvoted 1 times

 **chuks100** 1 year, 1 month ago


D is correct
upvoted 1 times

 **brutaltea** 1 year, 8 months ago

Selected Answer: D
D
https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_scripts
upvoted 1 times

 **ravidamarla** 1 year, 8 months ago

Notice the template syntax. The function syntax is known in JavaScript as a self-invoking function or an Immediately Invoked Function Expression (IIFE). The function is immediately invoked after it is defined. ServiceNow manages the function and when it is invoked; developers do not explicitly call Business Rule scripts.
Reference Link: https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_scripts
upvoted 1 times

 **Anu_K** 1 year, 11 months ago

Selected Answer: D

It is self invoking

upvoted 1 times

🗨️ 👤 **SarojPatel** 2 years, 5 months ago

in javascript it is called immediate invoked function /self invoking function

upvoted 2 times

🗨️ 👤 **X_Venkat** 2 years, 6 months ago

Notice the template syntax. The function syntax is known in JavaScript as a self-invoking function or an Immediately Invoked Function Expression (IIFE).

upvoted 2 times

🗨️ 👤 **Bob_Loblaw** 2 years, 6 months ago

"The template's process function, known as a self-invoking or immediately invoked function expression, is automatically invoked when a resource is accessed."

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/servicenow_application_developer/app_store_learnv2_rest_rome_resource_script

upvoted 2 times

🗨️ 👤 **amineHTB** 2 years, 8 months ago

Selected Answer: D

in javascript it's called self-invoking

upvoted 3 times

🗨️ 👤 **rpersonal2** 2 years, 8 months ago

Selected Answer: D

self Invoking

upvoted 2 times

🗨️ 👤 **rpersonal2** 2 years, 8 months ago

Correct answer is D - self-invoking. Its NOT a constructor.

upvoted 2 times

🗨️ 👤 **Farnous** 2 years, 10 months ago

Selected Answer: D

D is the correct one

upvoted 2 times

🗨️ 👤 **Gurubala** 2 years, 10 months ago

Selected Answer: D

D is correct

upvoted 2 times

🗨️ 👤 **parcerocar1** 3 years, 1 month ago

D, that's an IIFE which stands for immediately invoked Function Expression

upvoted 4 times

Which method call returns true only if the currently logged in user has the catalog_admin role and in no other case?

- A. g_user.hasRole('catalog_admin')
- B. g_user.hasRoleExactly('catalog_admin')
- C. g_user.hasRoleOnly('catalog_admin')
- D. g_user.hasRoleFromList('catalog_admin')

Suggested Answer: B

Community vote distribution

B (100%)

🗳️ 👤 **kundgir** Highly Voted 🏆 3 years, 9 months ago

Answer is incorrect , It should be B
upvoted 14 times

🗳️ 👤 **nsmcan** Highly Voted 🏆 3 years, 8 months ago

Correct answer is B. There is no g_user.hasRoleOnly function
upvoted 14 times

🗳️ 👤 **esllin** Most Recent 🕒 1 month, 1 week ago

Selected Answer: B

g_user.hasRole('client_script_admin');

The example script checks to see if the currently logged in user has the capability to create and edit Client Scripts (client_script_admin role). Note that the script returns true not only when the currently logged in user has the role assigned but also if the currently logged in user has the admin role. The admin user has all roles implicitly assigned. To test whether the currently logged in user has the role explicitly assigned, use the hasRoleExactly() method:

g_user.hasRoleExactly('client_script_admin');

upvoted 2 times

🗳️ 👤 **arango** 2 months, 2 weeks ago

Selected Answer: B

Take a look of this

<https://servicenow.read.inkling.com/a/b/969eb76959534a84af3d0c2c58ba13ff/p/7b1eee5b6af844d08eeea8ccbecb08d5>

upvoted 1 times

🗳️ 👤 **Nisha2706** 11 months ago

it's B

upvoted 1 times

🗳️ 👤 **chuks100** 1 year, 1 month ago

B is correct

upvoted 1 times

🗳️ 👤 **Klahr** 1 year, 1 month ago

B

(https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_store_le)

upvoted 1 times

🗳️ 👤 **manikanta_gnbv** 1 year, 3 months ago

Selected Answer: B

B is Correct

upvoted 1 times

🗳️ 👤 **evoken** 1 year, 5 months ago

Selected Answer: B

The `g_user.hasRoleExactly()` method in ServiceNow is used to check if the currently logged-in user has a specified role and no other roles. In this case, it checks if the user has the 'catalog_admin' role and no other roles.

So, the correct method call to return true only if the currently logged-in user has the 'catalog_admin' role and in no other case is `g_user.hasRoleExactly('catalog_admin')`

upvoted 3 times

🗨️ 👤 **BugPanda** 1 year, 7 months ago

Selected Answer: B

B is the correct one

upvoted 1 times

🗨️ 👤 **brutaltea** 1 year, 8 months ago

Selected Answer: B

Correct answer is B, there is no `hasRoleOnly` method in `g_user`

upvoted 3 times

🗨️ 👤 **Lord_Korvus** 1 year, 10 months ago

Selected Answer: B

Correct answer is B, `g_user.hasRoleExactly()`

Please find this `g_user.hasRoleOnly()` client side script that you speak of in the below ServiceNow documentation. I can wait. :D

Source: https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideUserAPI

upvoted 1 times

🗨️ 👤 **Mru9** 1 year, 10 months ago

Answer is B

upvoted 1 times

🗨️ 👤 **Anu_K** 1 year, 11 months ago

Selected Answer: B

Has role exactly.

upvoted 1 times

🗨️ 👤 **stophs** 2 years, 1 month ago

Selected Answer: B

B IS CORRECT

upvoted 3 times

🗨️ 👤 **KAAAAARIM** 2 years, 7 months ago

Can you guys update the correct answer? So far I've seen the "correct answer" be incorrect a little too many times and I'm not even a quarter of the way through these questions....the correct answer is B!!!

upvoted 3 times

🗨️ 👤 **g_user** 2 years, 7 months ago

let it b, let it b...

upvoted 2 times

There is a basic strategy when creating a Utils Script Include. Identify the step that does not belong.

- A. Identify the table
- B. Script the function(s)
- C. Create a class
- D. Create a prototype object from the new class

Suggested Answer: A

Community vote distribution

A (100%)

🗳️ 👤 **D_Ogi** 11 months, 3 weeks ago

A and D - You don't define the table for Script Include and also you don't create an instance of an object of the class. An object is created on a script invoking the class -level.

upvoted 1 times

🗳️ 👤 **cricosta** 1 year, 2 months ago

A is correct;

Application Development Fundamentals - San Diego book page 343

upvoted 2 times

🗳️ 👤 **Dekoreh** 1 year, 3 months ago

Selected Answer: A

A is correct

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include)

[plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include)

upvoted 1 times

🗳️ 👤 **MagdaGrs** 1 year, 5 months ago

Selected Answer: A

On a Script Include you don't need to Identify the table.

upvoted 1 times

🗳️ 👤 **luis_alonso_jonay** 1 year, 9 months ago

The correct is A

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include)

[plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include)

upvoted 1 times

Which roles grant access to source control repository operations such as importing applications from source control, or linking an application to source control?
(Choose two.)

- A. source_control
- B. source_control_admin
- C. admin
- D. git_admin

Suggested Answer: AC

Reference:

https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

Community vote distribution

AC (100%)

 **gdmail2** Highly Voted 1 year, 12 months ago

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html
Based on tokyo release, only the admin can do it. For previous releases, source_control role is needed.
upvoted 6 times

 **illini4392** Most Recent 7 months, 2 weeks ago

Selected Answer: AC

Still A and C as of Utah

https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_linking_an_application_to_source_control
upvoted 1 times

 **Nicknameonetwo** 1 year, 8 months ago

A and C are correct:

A.) https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_ImportAppFromSourceControl.html

C.) https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html
upvoted 1 times

 **Bob_Loblaw** 2 years ago

A and C. "Users with the admin or source_control role can use Studio to link a ServiceNow application to a repository."


https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_devenvironment_rome_linking_an_application_to_source_control
upvoted 2 times

When configuring the content of an Email Notification, which syntax should be used to reference the properties of an event triggering the Notification?

- A. \${event.<property name>}
- B. \${current.<property name>}
- C. \${<property name>.getDisplayValue()}
- D. \${gs.<property name>}

Suggested Answer: A

Community vote distribution



🗳️ 👤 **kundgir** Highly Voted 3 years, 9 months ago

`${event.<property name>}` should be answer
upvoted 17 times

🗳️ 👤 **Vinothkumar_Rangasamy** Highly Voted 3 years, 4 months ago

Answer :A
upvoted 9 times

🗳️ 👤 **Whitewalker_75** Most Recent 1 year ago

Selected Answer: A
correct ans a
upvoted 1 times

🗳️ 👤 **sstest2** 1 year, 6 months ago

Answers are messed up. Should be either event params or field value.
upvoted 1 times

🗳️ 👤 **Dekoreh** 1 year, 9 months ago

Selected Answer: A
A is correct
upvoted 2 times

🗳️ 👤 **AccentureKiloGuru** 2 years ago

Selected Answer: A
A: `${event.<property name>}` is the correct answer, refer:
<https://www.servicenow.com/community/itsm-forum/email-notification/m-p/695221>
upvoted 2 times

🗳️ 👤 **jesiegel** 2 years ago

Selected Answer: C
C is right
upvoted 1 times

🗳️ 👤 **jesiegel** 2 years ago

When you pass an event, you pass a record and two parameters, this does not ask if you want to access the parameters, which would need the `${event.parm1}` syntax, but it asks to access the properties of the event, which would be the record being passed with it. which can be accessed by using the field name directly. so `${property_name}` would work, and so should `${property_name.getDisplayValue}` to get its display value instead of actual value. the trigger for an event is `gs.eventQueue(<EVENT NAME>, <RECORD OBJECT>, PARM1, PARM2)` you can access a field within the record object by simply using `${field_Name}`
upvoted 4 times

🗳️ 👤 **Ofuoma** 2 years, 2 months ago

Selected Answer: A
A is correct
upvoted 2 times

🗨️ 👤 **Bob_Loblaw** 2 years, 6 months ago

Answer: A.

<https://www.servicenow.com/community/it-service-management-forum/email-notification/m-p/695221>

upvoted 3 times

🗨️ 👤 **JackLopez** 2 years, 7 months ago

Selected Answer: A

Option A

upvoted 2 times

🗨️ 👤 **Gurubala** 2 years, 10 months ago

Selected Answer: A

A is correct

upvoted 2 times

🗨️ 👤 **Krundol** 2 years, 11 months ago

Selected Answer: A

Answer A is correct

upvoted 2 times

🗨️ 👤 **14006044** 2 years, 11 months ago

`${event.<property name>}`

upvoted 2 times

🗨️ 👤 **Dharma_tsa** 3 years, 7 months ago

Selected Answer: A

Answer: A

upvoted 8 times

Which one of the following is true for a Script Include with a Protection Policy value of Protected?

- A. Any user with the protected_edit role can see and edit the Script Include
- B. The Protection policy option can only be enabled by a user with the admin role
- C. The Protection Policy is applied only if the glide.app.apply_protection system property value is true
- D. The Protection Policy is applied only if the application is downloaded from the ServiceNow App Store

Suggested Answer: D

Community vote distribution

D (100%)

 **nsmcan** Highly Voted 3 years, 2 months ago

Valid answer is D:

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ScriptProtectionPolicy.html

Answer by Chuck Tomasi: https://community.servicenow.com/community?id=community_question&sys_id=530ff629db58dbc01dcdf3231f9619d7

This field is mainly intended for our TPP (technical partner program) - those people who create apps and publish them to the store.

upvoted 15 times

 **Vinothkumar_Rangasamy** Highly Voted 2 years, 10 months ago

Correct Answer :D

upvoted 6 times

 **manikanta_gnbv** Most Recent 9 months, 3 weeks ago

Selected Answer: D

its true

upvoted 1 times

 **AdamAdamAdam** 1 year, 2 months ago

Selected Answer: D

Active link - [https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_scripting_vancouver_script_includes)

[plans/vancouver/new_to_servicenow/app_store_learnv2_scripting_vancouver_script_includes](https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_scripting_vancouver_script_includes)

"Protection policy: If set to Read-only, instances on which the application is installed from the ServiceNow Store can read but not edit the Script Include. If set to Protected, the Script Include is encrypted on instances on which the application is installed from the ServiceNow Store. Protection policies are never applied to the instance on which an application is developed."

upvoted 2 times

 **bertis2311154** 1 year, 2 months ago

Selected Answer: D

Correct answer is D


upvoted 1 times

 **cricosta** 1 year, 4 months ago

Pag 379 from fundamentales scripting Book

Correct answer is D


upvoted 2 times

 **Mru9** 1 year, 4 months ago

Selected Answer: D

D IS THE ANSWER

upvoted 1 times

 **JackLopez** 2 years, 1 month ago

Selected Answer: D

Valid is D

upvoted 2 times

 **tashpasnow** 2 years, 2 months ago

Selected Answer: D

answer is D! Did a robot create the test? The official answer makes no sense at all.


upvoted 2 times

  **KondorZw** 2 years, 2 months ago

Selected Answer: D

D is right



upvoted 2 times

  **som_420** 2 years, 3 months ago

Selected Answer: D

Answer : D


upvoted 2 times

  **Farnous** 2 years, 4 months ago

Selected Answer: D

D is correct

upvoted 2 times

  **Gurubala** 2 years, 4 months ago

Selected Answer: D

Answer Is D

upvoted 2 times

  **14006044** 2 years, 5 months ago

CORRECT ANSWER IS D


upvoted 2 times

Which one of the following is true for GlideUser (g_user) methods?

- A. Can be used in Client Scripts and UI Policies only
- B. Can be used in Business Rules only
- C. Can be used in Client Scripts, UI Policies, and UI Actions
- D. Can be used in Business Rules, and Scripts Includes

Suggested Answer: C

Community vote distribution



🗳️ **brianwsoares** 6 months, 3 weeks ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/reference/api/vancouver/client/c_GlideUserAPI

C

upvoted 3 times

🗳️ **fe91db0** 6 months, 4 weeks ago

Selected Answer: C

UI actions is a server side artifact but it can also run on client. hence g_user can be used on any client side scripts

upvoted 2 times

🗳️ **Lord_Korvus** 10 months, 2 weeks ago

Selected Answer: C

- is typically used in client scripts and UI policies but is also found in UI actions that run on the client.

- cannot be used in business rules or UI actions that run on the server.

Source: https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideUserAPI

upvoted 1 times

🗳️ **MagdaGrs** 11 months ago

Selected Answer: C

g_user can be used on Client Side Scripts:

1. Client Script
2. UI Policy Script
3. UI Action (if client checkbox is true)

upvoted 1 times

🗳️ **hawful** 1 year ago

Selected Answer: C

The correct answer is C, although GlideUser is not COMMONLY used in UI Actions, you can make a UI Action run client side. Running a UI action client side is also how you integrate GlideModal and other client operations with a UI Action.

Tricky question, but the answer is C.

upvoted 2 times

🗳️ **luissevero** 1 year, 1 month ago

Search in the doc UTAH version: "is typically used in client scripts and UI policies but is also found in UI actions that run on the client."

So, the correct answer is C.

upvoted 1 times

🗳️ **schaparro** 1 year, 1 month ago

Selected Answer: A

The link being shared says that the GlideUser API cannot be used in UI actions that run on the server. This question doesn't specify if the UI Action runs on the client or on the server. For that reason, I believe the correct answer is A. The GlideUser is typically used in client scripts and UI policies. Unless it is specified where the UI Action is running I will not assume is on the client side. A very tricky question indeed.

upvoted 3 times

🗨️ 👤 **snguru** 1 year, 1 month ago

Selected Answer: C

"CAN" is a key word interpretation that needs to be understood for this question.

"Can be used in Client Scripts, UI Policies, and UI Actions" as is mentioned below. Read these details carefully.

https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI

upvoted 3 times

🗨️ 👤 **stophs** 1 year, 1 month ago

Selected Answer: A

A is correct

upvoted 1 times

🗨️ 👤 **Nicknameonetwo** 1 year, 2 months ago

C is correct - Can be used in Client Scripts, UI Policies, and UI Actions.

https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI

upvoted 2 times

🗨️ 👤 **REENA124** 1 year, 5 months ago

answer is client scripts and ui policies only, Please correct the answer in website

upvoted 1 times

🗨️ 👤 **veniwa8015** 1 year, 5 months ago

you can run the ui action in client side

upvoted 1 times

🗨️ 👤 **REENA124** 1 year, 5 months ago

GlideUser

The GlideUser API provides access to information about the current user and current user roles. Using the GlideUser API avoids the need to use the slower GlideRecord queries to get user information.

The GlideUser methods and properties are accessed through a global object (g_user) that is only available in client scripts. GlideUser contains name and role information about the current user.

is typically used in client scripts and UI policies but is also found in UI actions that run on the client.

cannot be used in business rules or UI actions that run on the server.

(Refer:https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI)

upvoted 2 times

🗨️ 👤 **raj9885** 1 year, 6 months ago

UI action works as both client and server side

So Answer C is correct

upvoted 1 times

🗨️ 👤 **ezsy** 1 year, 6 months ago

A

https://servicenowguru.com/scripting/user-object-cheat-sheet/#:~:text=The%20g_user%20object%20can%20be,accessible%20to%20client%2Dside%20JavaScript.

upvoted 1 times

When configuring a module, what does the Override application menu roles configuration option do?

- A. Users with the module role but without access to the application menu access the module
- B. Self-Service users can access the module even though they do not have roles
- C. Admin is given access to the module even if Access Controls would ordinarily prevent access
- D. Users with access to the application menu can see the module even if they don't have the module role

Suggested Answer: A

Community vote distribution

A (100%)

 **nsmcan** Highly Voted 3 years, 2 months ago

Correct answer is A.

The reference link, provided for the question, confirms that: Override application menu roles : Allows users to access this module even if they do not have permission to view the containing application menu. Users must still meet the role requirements for this module.

upvoted 14 times

 **Vinothkumar_Rangasamy** Highly Voted 2 years, 10 months ago

Correct Answer :A

upvoted 5 times

 **manikanta_gnbv** Most Recent 9 months, 3 weeks ago

Selected Answer: A

A is correct

upvoted 1 times

 **MagdaGrs** 1 year, 5 months ago

Selected Answer: A

Use the Override application menu roles option to give module-level access to a role that is not authorized to see the application.

For example, assume the Special Occasions application menu requires the admin role and the Occasions module for the Special Occasions application requires the x_snc_employee_spe.occasions_user role.

The application-level requirement supersedes the module-level requirement which means that users with the x_snc_employee_spe.occasions_user role cannot see either the application or the module.

If the Override application menu roles option is selected, users with the x_snc_employee_spe.occasions_user role can see both the application and the module even though the user is not authorized by role to see the application menu.

upvoted 1 times

 **REENA124** 1 year, 11 months ago

A is right answer

upvoted 3 times

 **Charan_sai_97** 1 year, 7 months ago

Is this questions is enough to pass the exam????


upvoted 1 times

 **JackLopez** 2 years, 1 month ago

Selected Answer: A

Answer A

upvoted 2 times

 **Krundol** 2 years, 5 months ago

Selected Answer: A

Answer A is correct:

Checkbox tooltip:

"Show this module when the user has the specified roles. Otherwise the user must have the roles specified by both the application menu and the module."


upvoted 2 times

☐  **VarunV007** 2 years, 10 months ago

Selected Answer: A

Option A

upvoted 4 times

☐  **Dharma_tsa** 3 years, 1 month ago

Selected Answer: A

Answer: A

upvoted 4 times

Which platform feature can be used to determine the relationships between field in an Import Set table to field in an existing ServiceNow table?

- A. Business Service Management Map
- B. Data Sources
- C. Transform Map
- D. CI Relationship Builder

Suggested Answer: C

A transform map determines the relationships between fields displaying in an Import Set table and fields in an existing ServiceNow table, such as the Incidents or Users table.

Reference:

https://community.servicenow.com/community?id=community_question&sys_id=69fc8369db9cdb01dcaf3231f961935

Community vote distribution

C (100%)

🗲️ 👤 **Zuned** 9 months ago

C, Transform MAP

upvoted 1 times

🗲️ 👤 **Dekoreh** 1 year, 3 months ago

Selected Answer: C

Transform map is correct

upvoted 2 times

🗲️ 👤 **Nicknameonetwo** 1 year, 8 months ago

C. Transform Map - correct

upvoted 2 times



When configuring a REST Message, the Endpoint is:

- A. The commands to the REST script to stop execution
- B. The URI of the data to be accessed, queried, or modified
- C. Information about the format of the returned data
- D. The response from the provider indicating there is no data to send back

Suggested Answer: B

Community vote distribution



B (100%)

  **Dekoreh** 9 months, 1 week ago

Selected Answer: B

B is correct base on Lab 9.2 number 5 (page 455 of SN CAD ebook)

upvoted 1 times

  **YMijoe** 1 year, 2 months ago

Selected Answer: B

The endpoint is the URL of the data to be retrieved, updated, or deleted.

https://docs.servicenow.com/bundle/utah-api-reference/page/integrate/outbound-rest/reference/r_RESTMessageElements.html

upvoted 2 times

When evaluating Access Controls, ServiceNow searches and evaluates:

- A. Only for matches on the current table
- B. Only for matches on the current field
- C. From the most specific match to the most generic match
- D. From the most generic match to the most specific match

Suggested Answer: C

Community vote distribution

C (100%)

 **nsmcan** Highly Voted 2 years, 8 months ago

Correct is C.

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/paris/new_to_servicenow/app_store_learnv2_securingapps_paris_access_controls_evaluation_order)

[plans/paris/new_to_servicenow/app_store_learnv2_securingapps_paris_access_controls_evaluation_order](https://developer.servicenow.com/dev.do#!/learn/learning-plans/paris/new_to_servicenow/app_store_learnv2_securingapps_paris_access_controls_evaluation_order)

upvoted 17 times

 **Vinothkumar_Rangasamy** Highly Voted 2 years, 4 months ago

Answer :C

upvoted 9 times

 **esllin** Most Recent 1 month, 1 week ago

Selected Answer: C

When deciding whether to grant or deny access, the ACL is searched from the most specific to the most generic match. For example, when determining whether to grant access to the NeedIt table Short description field, the search order is:

upvoted 1 times

 **MagdaGrS** 11 months ago

Selected Answer: C

Whenever a session requests data, the system searches for access control rules that match the requested object and operation. If there is a matching access control rule, then the system evaluates if the user has the permissions required to access the object and operation. If an access control rule specifies more than one permission, then the user must meet all permissions to gain access to the object and operation. Failing any one permission check prevents the user from accessing the matching object and operation.

If a user does not meet the permissions of the first matching rule, the system evaluates the permissions of the next matching access control rule as specified by the access control processing order. If the user fails to meet the permissions of any matching access control rule, the system denies access to the requested object and operation.

upvoted 2 times

 **Alice_Steele** 1 year, 3 months ago

Selected Answer: C

correct is C

upvoted 2 times

 **Mike49707** 1 year, 5 months ago

Selected Answer: C

Answer: C

upvoted 4 times


 **Bob_Loblaw** 1 year, 6 months ago

Selected Answer: C

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_access_controls_evaluation_order)

[plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_access_controls_evaluation_order](https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_access_controls_evaluation_order)

upvoted 3 times

 **Krundol** 1 year, 11 months ago

Selected Answer: C

It's C:

When deciding whether to grant or deny access, the ACL is searched from the most specific to the most generic match.

upvoted 3 times

🗲️ 👤 **14006044** 1 year, 11 months ago

Correct is C.

upvoted 3 times

🗲️ 👤 **parcerocar1** 2 years, 1 month ago

Correct answer is C

upvoted 3 times

🗲️ 👤 **VarunV007** 2 years, 4 months ago

Selected Answer: C

Option C

upvoted 7 times

In a Business Rule, which one of the following returns true if the currently logged in user has the admin role?

- A. `g_form.hasRoleExactly('admin')`
- B. `gs.hasRole('admin')`
- C. `g_form.hasRole('admin')`
- D. `gs.hasRoleExactly('admin')`

Suggested Answer: B

Community vote distribution

B (100%)

 **nsmcan** Highly Voted 3 years, 8 months ago

Correct answer is B. `gs.hasRole`

Business Rule is server-side, so it uses GlideSystem API. `gs.hasRoleExactly` doesn't exist
upvoted 16 times

 **Vinothkumar_Rangasamy** Highly Voted 3 years, 4 months ago

Correct ans :B

upvoted 6 times

 **RoadtoCad** Most Recent 10 months, 2 weeks ago

Selected Answer: B

Only `gs` is for server side, `g_form` is for client side
upvoted 1 times

 **adesogus** 1 year, 1 month ago

`hasRoleExactly` only exists in the Glide User (`g_user`) class
upvoted 2 times

 **MagdaGrs** 1 year, 11 months ago

Selected Answer: B

Only `gs` is for server side, `g_form` is for client side.
upvoted 1 times

 **Raz_Maz** 2 years ago

`gs.hasRole` is correct. `g_form.hasRole` and `g_form.hasRoleExactly` not exist
upvoted 3 times

 **Alice_Steele** 2 years, 3 months ago

Selected Answer: B

server side is `gs`
upvoted 3 times

 **SNangler** 2 years, 6 months ago

Selected Answer: B

server side api
upvoted 2 times

 **Krundo1** 2 years, 11 months ago

Selected Answer: B

Answer B is correct
upvoted 2 times

 **arunmech2001** 3 years, 3 months ago

Selected Answer: B

Correct Answer is B
upvoted 5 times

From the list below, identify one reason an application might NOT be a good fit with ServiceNow.

The application:

- A. Needs workflow to manage processes
- B. Requires extensive use of low-level programming libraries
- C. Requires reporting capabilities
- D. Uses forms extensively to interact with data

Suggested Answer: B

Community vote distribution

B (100%)

🗲️ 👤 **MagdaGrs** Highly Voted 1 year, 5 months ago

Selected Answer: B

ServiceNow doesn't support libraries with low-level programming, they support their own API with low-code functionalities.

upvoted 8 times

🗲️ 👤 **Shankar_Sughosh** Most Recent 11 months, 3 weeks ago

Selected Answer: B

B is correct

upvoted 1 times

🗲️ 👤 **stophs** 1 year, 8 months ago

Selected Answer: B

b is correct


upvoted 1 times

Identify the incorrect statement about Delegated Development in ServiceNow.

- A. Administrators can grant non-admin users the ability to develop global applications.
- B. Administrators can specify which application file types the developer can access.
- C. Administrators can grant the developer access to script fields.
- D. Administrators can grant the developer access to security records.

Suggested Answer: A

Community vote distribution



nsmcan Highly Voted 3 years, 8 months ago

Correct answer is: A. Administrators can grant non-admin users the ability to develop global applications.

Delegated Development is for the scoped applications only

upvoted 18 times

Vinothkumar_Rangasamy Highly Voted 3 years, 4 months ago

Correct Answer :A

upvoted 9 times

A7mad5aled Most Recent 6 months, 3 weeks ago

Selected Answer: B

Its for scoped apps only

upvoted 1 times

RoadtoCad 10 months, 2 weeks ago

Selected Answer: A

It is only for scoped applications

upvoted 1 times

macyou 10 months, 3 weeks ago

A is correct

Scope and delegated development module 1.2 of servicenow application developer fundamentals on demand

Application - specific permissions: specify which file types the developer can access

Instance - specific user roles: grants the developer access to security records and script fields.

upvoted 1 times

CosmicMonster1 11 months ago

Selected Answer: B

Delegated Development = Scoped Apps

upvoted 2 times

f37cbd9 1 year, 1 month ago

This is for scoped apps only. See the docs... "A" is not correct. B is correct

upvoted 1 times

Lily81 1 year, 3 months ago

Correct Reference is :

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_DelegatedDevelopment.html

upvoted 1 times

snawaza243 1 year, 6 months ago

Selected Answer: A

ADF EBOOK, PN = 48

upvoted 1 times

🗨️ 👤 **MagdaGrs** 1 year, 11 months ago

Selected Answer: A

A system administrator can assign a non-administrator user or group as a developer or deployment resource for a specific application.

upvoted 1 times

🗨️ 👤 **Raz_Maz** 2 years ago

A is correct. Delegated is only for Scoped apps not for Global. A says admin can grant for Global apps.

upvoted 3 times

🗨️ 👤 **Alice_Steele** 2 years, 3 months ago

Selected Answer: A

delegated development is for scoped apps only

upvoted 3 times

🗨️ 👤 **Dufus123** 2 years, 4 months ago

Selected Answer: A

Delegated Development is for the scoped applications only

upvoted 3 times

🗨️ 👤 **SarojPatel** 2 years, 5 months ago

B is the right answer

upvoted 1 times

🗨️ 👤 **sakshi_chitnis_** 2 years, 6 months ago

Selected Answer: A

A is correct

upvoted 4 times

🗨️ 👤 **cportugal** 2 years, 6 months ago

Selected Answer: A

Administrators can grant non-admin users the ability to develop global applications.

upvoted 2 times

🗨️ 👤 **trackstick** 2 years, 7 months ago

Selected Answer: A

Applies only to scoped apps

upvoted 3 times

One of the uses of the ServiceNow REST API Explorer is:

- A. Practice using REST to interact with public data providers
- B. Find resources on the web for learning about REST
- C. Convert SOAP Message functions to REST methods
- D. Create sample code for sending REST requests to ServiceNow

Suggested Answer: D

Community vote distribution

D (100%)

  **YMijoe** 7 months ago

Selected Answer: D

Create sample code for sending REST requests to ServiceNow is correct.

https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_rest_washingtondc_rest_integrations/app_store_learnv2_rest_w
upvoted 1 times

  **Dekoreh** 1 year, 3 months ago

Selected Answer: D

D is correct - SN CAD ebook pg 394
upvoted 4 times

Which one of the following is true regarding Application Scope?

- A. All applications are automatically part of the Global scope
- B. Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd
- C. Any developer can edit any application
- D. Developers can choose the prefix for a scope's namespace

Suggested Answer: B

Community vote distribution

B (78%)

D (22%)

 **nsmcan** Highly Voted 3 years, 8 months ago

Correct answer is B.


https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ApplicationScope.html

upvoted 15 times

 **4903776** Most Recent 1 year ago

you can't change the prefix. So B.

upvoted 2 times

 **MagdaGrs** 1 year, 11 months ago

Selected Answer: D

B and D are correct.

B: import App from Store or Source control must not be conflict with existing ones

D: for client-instance, it can be any. But for personal instance, it needs some prefix number before the app name

upvoted 2 times

 **sunilomrey** 1 year, 11 months ago

Selected Answer: B

correct ans is B

upvoted 1 times

 **Dufus123** 2 years, 4 months ago

Selected Answer: B

Correct answer is B.


upvoted 1 times

 **Andskie** 2 years, 5 months ago

Selected Answer: B

It's B

upvoted 1 times

 **Gurubala** 2 years, 10 months ago

B is correct Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd

upvoted 2 times

 **14006044** 2 years, 11 months ago

Correct answer is B.

Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd

upvoted 1 times

 **dza3** 3 years, 3 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ApplicationScope.html

upvoted 4 times

Which one of the following is the baseline behavior of a table in a privately-scoped application?

- A. The table and its data are not accessible using web services
- B. Any Business Rule can read, write, delete, and update from the table
- C. Only artifacts in the table's application can read from the table
- D. All application scopes can read from the table

Suggested Answer: D

Community vote distribution

D (60%)

C (40%)

 **nsmcan** Highly Voted 3 years, 8 months ago

Correct is indeed D:

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html
upvoted 9 times

 **MikMikMik** Most Recent 4 days, 23 hours ago

Selected Answer: D

Like many said before, reading is possible, editing is not
upvoted 1 times

 **arango** 2 months, 2 weeks ago

Selected Answer: D

By default (as of the Xanadu release), new tables in privately-scoped applications are configured with the following baseline design-time access:

Accessible from: All application scopes

Can read: Enabled

Can create, update, delete: Disabled

Allow configuration: Disabled

This means:

Read access is allowed from all scopes (i.e., cross-scope reads are enabled by default).

Other actions (create, update, delete) are blocked unless explicitly granted.

Web services access is also enabled by default.

Therefore, option D is the best representation of baseline behavior.

upvoted 1 times

 **siham2025** 3 months, 2 weeks ago

Selected Answer: C

the answer is c :

In a privately-scoped application in ServiceNow, the table and its data are restricted to the application's scope by default.

upvoted 1 times

 **mrcharli66** 5 months ago

Selected Answer: D

By default, new application tables prevent other application scopes from creating configuration records on application data tables. But reading the Data from the Table wont be a Problem, because for a table "Can Read=true" by default.

upvoted 1 times


 **Okt90** 6 months, 2 weeks ago

Selected Answer: C

In a privately-scoped application in ServiceNow, the default behavior is that the table and its data are accessible only to artifacts (scripts, business rules, etc.) within the same application scope. This ensures data security and encapsulation.

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html



upvoted 2 times

  **evoken** 9 months, 2 weeks ago

Selected Answer: D

Table is accessible by default.


upvoted 1 times

  **evoken** 11 months, 2 weeks ago

Selected Answer: C



The answer is C.

upvoted 2 times

  **georgeg4** 1 year, 1 month ago

are the comments for different question?

upvoted 1 times

  **Bob_Loblaw** 2 years, 6 months ago

Selected Answer: D

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html

upvoted 1 times

  **JackLopez** 2 years, 7 months ago

Selected Answer: D

The correct answer is D

upvoted 1 times

  **manunarik** 2 years, 8 months ago

Yes, the correct Answer is D

upvoted 1 times

Which one of the following is NOT a purpose of application scoping?

- A. Provide a relationship between application artifacts
- B. Provide a way of tracking the user who developed an application
- C. Provide a namespace (prefix and scope name) to prevent cross application name collisions
- D. Provide controls for how scripts from another scope can alter tables in a scoped application

Suggested Answer: B

Community vote distribution

B (100%)

🗳️ 👤 **VarunV007** Highly Voted 🏆 3 years, 4 months ago

Selected Answer: B

Option B

upvoted 10 times

🗳️ 👤 **Vinothkumar_Rangasamy** Highly Voted 🏆 3 years, 4 months ago

Correct Answer :A

upvoted 5 times

🗳️ 👤 **ediward1** Most Recent 🔍 10 months, 4 weeks ago

B is also my answer. Why is there several incorrect answers

upvoted 1 times

🗳️ 👤 **evoken** 11 months ago

Selected Answer: B

Option B

upvoted 1 times

🗳️ 👤 **donmas** 1 year, 3 months ago

Selected Answer: B

Answer B

upvoted 1 times

🗳️ 👤 **ShivaCharan23** 1 year, 6 months ago

Selected Answer: B

B is Correct

upvoted 1 times

🗳️ 👤 **brutaltea** 1 year, 8 months ago

Selected Answer: B

The purpose of application scoping is not to track the user who developed an application. However, application scoping does provide a way to manage access to applications based on roles and groups, which can be used to control who has access to create, modify, and delete application artifacts

upvoted 3 times

🗳️ 👤 **Charan_sai_97** 2 years, 1 month ago

Selected Answer: B

Option B

upvoted 1 times

🗳️ 👤 **Benojojo** 2 years, 5 months ago

Option B is correct

upvoted 2 times

🗳️ 👤 **Benojojo** 2 years, 5 months ago

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_buildneedit_rome_application_scope:

Scope protects an application, its files, and its data from conflicts with other applications.

Scope determines which parts of an application are available for use by other applications in ServiceNow.

Scope allows developers to configure which parts of their application can be acted on by other applications.

Scope prevents work done in the main ServiceNow browser window (not in Studio) from becoming part of an application's files.

upvoted 3 times

🗲️ 👤 **JackLopez** 2 years, 7 months ago

Selected Answer: B

Correct answer is B

upvoted 1 times

🗲️ 👤 **manunarik** 2 years, 8 months ago

Option B

upvoted 1 times

🗲️ 👤 **parcerocar!** 3 years, 1 month ago

The answer is B

upvoted 1 times

🗲️ 👤 **nsmcan** 3 years, 8 months ago

Correct answer is A. Provide a relationship between application artifacts

IMHO :)

upvoted 3 times

It is best practice to define the business requirements and the process(es) an application will manage as part of the application development plan. What are some of the considerations to document as part of the business process?

- A. Business problem, data input/output, users/stakeholders, and process steps
- B. Business problem, data input/output, project schedule, and process steps
- C. Business problem, data input/output, users/stakeholders, and database capacity
- D. Business problem, users/stakeholders, available licenses, and database capacity

Suggested Answer: A

Community vote distribution

A (100%)

🗳️ 👤 **Lord_Korvus** Highly Voted 10 months, 2 weeks ago

Selected Answer: A

Explanation:

Business problem - If you are not solving a business problem, you do not need an application.

Stakeholders - Requestor and Fulfiller, Application Administrator , Management.

Users - Personas largely equate to Roles in ServiceNow.

Inputs - can take many forms such as Users, spreadsheets, and web services.

Outputs: can also take many forms such as dashboards, reports, and email.

Process Steps - There are many strategies for defining a process, such as SIPOC(Six Sigma), ASME Standard for Process Charts, and others. Choose a strategy that works well for you.

<https://docs.servicenow.com/bundle/vancouver-governance-risk-compliance/page/product/grc-risk/concept/business-process-overview.html>
upvoted 5 times

🗳️ 👤 **Dekoreh** Most Recent 9 months, 1 week ago

Selected Answer: A

A is correct

upvoted 2 times

🗳️ 👤 **titojoseph070** 1 year ago

Yes A is correct

upvoted 1 times

🗳️ 👤 **YMijoe** 1 year, 1 month ago

Selected Answer: A

I agree that "Business problem, data input/output, users/stakeholders, and process steps" are correct.

upvoted 1 times

Which of the following statements does NOT apply when extending an existing table?

- A. The parent table's Access Controls are evaluated when determining access to the new table's records and fields
- B. The new table inherits the functionality built into the parent table
- C. The new table inherits all of the fields from the parent table
- D. You must script and configure all required behaviors

Suggested Answer: D

Community vote distribution

D (89%)

11%

  **nsmcan** Highly Voted 2 years, 8 months ago

Correct answer is D. You must script and configure all required behaviors

Provided link has this statement: Extending an existing ServiceNow table means the new table inherits the parent table's columns as well as its business logic.

upvoted 16 times

  **64fb170** Highly Voted 6 months, 3 weeks ago

I need my money back. So many questions are absolutely wrong. Absolute garbage!!

upvoted 7 times

  **Tengy28** Most Recent 10 months, 1 week ago

Do you must script and configure all required behavior when table extending an existing table ? NO ! so answer D does not apply... stop doubt

The correct answer D

upvoted 2 times

  **MagdaGrs** 11 months ago

Selected Answer: D

does NOT apply!


upvoted 1 times

  **Pranesh_RP** 11 months, 4 weeks ago

Selected Answer: C

We have a flexibility to choose which fields from the parent table to include in the extended table. Its not always "ALL"

upvoted 1 times

  **YMijoe** 1 year, 2 months ago

Selected Answer: D

I agree "You must script and configure all required behaviors" is the correct answer.

upvoted 1 times

  **Charan_sai_97** 1 year, 1 month ago

Hello,

Please let me know. Is this questions is enough to clear the CAD exam????

upvoted 3 times

  **trackstick** 1 year, 7 months ago

Selected Answer: D

D is correct

upvoted 1 times

  **JackLopez** 1 year, 7 months ago

Selected Answer: D

Correct is D. No doubt.

upvoted 2 times

  **manunarik** 1 year, 8 months ago

D is the correct answer

upvoted 3 times

🗨️ 👤 **Gurubala** 1 year, 10 months ago

Selected Answer: D

D is correct

upvoted 3 times

🗨️ 👤 **14006044** 1 year, 11 months ago

Correct Answer is D

upvoted 1 times

🗨️ 👤 **Reaperozuma** 2 years, 2 months ago

ANSWER: D

upvoted 3 times

🗨️ 👤 **arunmech2001** 2 years, 3 months ago

Correct Answer is D


upvoted 4 times

Which of the following CANNOT be debugged using the Field Watcher?

- A. Business Rules
- B. Script Includes
- C. Client Scripts
- D. Access Controls

Suggested Answer: B

Community vote distribution



evoken 7 months, 1 week ago

B. its about what interacts with fields, and no client vs server
upvoted 1 times

DKey 11 months, 1 week ago

B is correct ... looked up how field watcher works here (https://docs.servicenow.com/bundle/washingtondc-api-reference/page/script/debugging/concept/c_FieldWatcher.html#d1173192e71) and the only field not referenced is the Script Includes. So ... B it is.
upvoted 2 times

MacGyver4th 1 year, 5 months ago

Selected Answer: B

Just opened the field watcher in a Vancouver PDI and these are the options:

ACL
Business rule
Client Script
Data lookup
Data policy
UI Policy
UI action
Workflow activity
Reference qualifier
upvoted 3 times

ri12345 1 year, 6 months ago

Selected Answer: D

Access control can not be debugged by feed watcher
upvoted 1 times

D_Ogi 1 year, 5 months ago

Why do you think so?
upvoted 1 times

Dekoreh 1 year, 9 months ago

Selected Answer: B

B is correct
upvoted 1 times

Satanik123 1 year, 10 months ago

Selected Answer: B

Option B
upvoted 1 times

Bob_Loblaw 2 years, 6 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/debugging/concept/c_FieldWatcher.html

upvoted 1 times

Which objects can be used in Inbound Action scripts?

- A. current and previous
- B. current and email
- C. current and event
- D. current and producer

Suggested Answer: B

Community vote distribution

B (93%)

7%

 **kundgir** Highly Voted 3 years, 8 months ago

Should be B. There is no access to event in inbound action
upvoted 14 times

 **Jyoti18** Highly Voted 3 years, 1 month ago

Technically both B and C are correct:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger) {
```

```
// Implement email action here
```

```
})(current, event, email, logger);
```

upvoted 14 times

 **RoadtoCad** Most Recent 10 months ago

Selected Answer: C

Both B and C are correct:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger) {
```

```
// Implement email action here
```

```
})(current, event, email, logger);
```

upvoted 1 times

 **MacGyver4th** 1 year, 5 months ago

I agree that B and C are correct.

As Jyoti18 pointed out, the available objects are:

current, event, email, logger, classifier)


This the function that populates in my Vancouver PDI:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger, /*EmailClassifier*/ classifier) {
```

```
// Implement email action here
```

```
})(current, event, email, logger, classifier);
```


upvoted 1 times

 **fe91db0** 1 year, 6 months ago

Selected Answer: B

event is deprecated

upvoted 3 times

 **IT4life** 1 year, 8 months ago

You cannot use current and email in Inbound Action scripts. The current and email objects are only available in the context of an inbound email action. The current and previous objects are the only objects available in Inbound Action scripts for the following reasons:

- (1) The current and previous objects allow you to access the current and previous records in the context of an inbound email action.
- (2) The current and previous objects are the only objects that contain information about the email message that triggered the inbound email action.
- (3) The current and previous objects are the only objects that contain information about the records that are associated with the email message that triggered the inbound email action.
- (4) The current and previous objects are the only objects that contain information about the user who sent the email message that triggered the inbound email action.
- (5) The current and previous objects are the only objects that contain information about the inbound email action that was triggered by the email message.

Therefore, the current and previous objects are the only objects used in Inbound Action scripts for this reason. The correct answer is A
upvoted 1 times

🗲️ 👤 **Mru9** 1 year, 10 months ago

Selected Answer: B

event is deprecated in inbound email action
upvoted 3 times

🗲️ 👤 **_Susan_** 2 years, 3 months ago

B and C are correct: https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreatingAnInboundEmailAction.html
upvoted 2 times

🗲️ 👤 **fivani** 2 years, 3 months ago

Selected Answer: B

Definitely B - current and email
"event" really has no purpose as inbound email actions are always triggered by "email.read".
upvoted 3 times

🗲️ 👤 **Zolly** 2 years, 4 months ago

Utah PDI: When checking System Policy > Email > Inbound Actions and creating new Inbound action

The function runAction() Has parameters current,event,email

However event is striked and marked as deprecated, thats why B is correct.
upvoted 6 times

🗲️ 👤 **SergioVSJ** 2 years, 5 months ago

Selected Answer: B

Correct answer is B.
Event is a parameter of the function, that gives access one of the parameters of the originating event. For example, event.parm1 accesses the first parameter of the event or event.parm2 for the second parameter.
Inbound actions are not generated by an event.
https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreatingAnInboundEmailAction.html
upvoted 1 times

🗲️ 👤 **AR1970** 2 years, 6 months ago

B and C both are correct.
upvoted 2 times

🗲️ 👤 **trackstick** 2 years, 7 months ago

Selected Answer: B

Current, email
upvoted 1 times

🗲️ 👤 **JackLopez** 2 years, 7 months ago

Selected Answer: B



Correct is B

upvoted 1 times

  **manunarik** 2 years, 8 months ago



Answer B is correct

upvoted 1 times

  **MaxMa** 2 years, 8 months ago

Have you finished CAD? Is this dump still valid?

upvoted 3 times

  **Kristol** 2 years, 7 months ago

have you? I'm thinking about today :D

upvoted 1 times

  **Hmzpkts** 1 year, 8 months ago

what was your experience? was it valid?

upvoted 1 times

  **Krishireddy** 1 year, 5 months ago

fghnjm

upvoted 1 times

  **som_420** 2 years, 9 months ago

Selected Answer: B

B is correct

upvoted 1 times

  **14006044** 2 years, 11 months ago

correct answer is B

upvoted 1 times

Which one of the following is part of the client-side scripting API?

- A. workflow.scratchpad
- B. GlideUser object (g_user)
- C. current and previous objects
- D. GlideSystem object (gs)

Suggested Answer: B

Community vote distribution

B (100%)

  **nsmcan** Highly Voted 2 years, 8 months ago

Correct answer is B. GlideUser object (g_user)

<https://developer.servicenow.com/dev.do#!/reference/api/rome/client>

upvoted 19 times

  **brutaltea** Most Recent 8 months, 2 weeks ago

Selected Answer: B

B is the correct answer

upvoted 1 times

  **MagdaGr5** 11 months ago

Selected Answer: B

Open a client script record, you will see.

upvoted 1 times

  **Alice_Steele** 1 year, 3 months ago

Selected Answer: B

C is not correct

upvoted 1 times

  **Ghostrunner** 1 year, 6 months ago

Selected Answer: B

B is correct

upvoted 1 times

  **tashpasnow** 1 year, 8 months ago

Selected Answer: B

C is not correct, as previous is not available in some types of BRs and not available in all other client scripts (UI Action etc.)

upvoted 2 times

  **manunarik** 1 year, 8 months ago

B is the correct answer

upvoted 1 times

  **edehvide** 1 year, 9 months ago

Selected Answer: B

B is correct



upvoted 1 times

  **Thiagofemeira** 1 year, 10 months ago

Selected Answer: B

B is correct

upvoted 1 times

  **Krundol** 1 year, 11 months ago

Selected Answer: B

Correct answer is B

upvoted 1 times

  **14006044** 1 year, 11 months ago

Correct answer is B

GLIDEUSER IS CLIENT SIDE

upvoted 1 times



Application developers configure ServiceNow using industry standard JavaScript to

- A. Enable the right-click to edit the context menus on applications in the navigator
- B. Extend and add functionality
- C. Customize the organization's company logo and banner text
- D. Configure the outgoing email display name

Suggested Answer: B

Community vote distribution

B (100%)

  **Dekoreh** 9 months, 1 week ago

Selected Answer: B

Base on SN CAD ebook pg 10

upvoted 2 times

  **Lord_Korvus** 10 months, 2 weeks ago

Selected Answer: B

Correct answer is B

upvoted 1 times

How many applications menus can an application have?

- A. 3, one for an application's user modules, one for an application's administrator modules, and one for the ServiceNow administrator's modules
- B. As many as the application design requires
- C. 2, one for an application's user modules and one for an application's administrator modules
- D. 1, which is used for all application modules

Suggested Answer: B

Community vote distribution

B (100%)

🗳️ 👤 **Krundo1** Highly Voted 👍 1 year, 11 months ago

Selected Answer: B

B is correct

upvoted 7 times

🗳️ 👤 **Dekoreh** Most Recent ⌚ 9 months, 1 week ago

Selected Answer: B

B for certain

upvoted 1 times

🗳️ 👤 **AccentureKiloGuru** 1 year ago

Selected Answer: B

Of course b, I mean look at the global application. It has by default 119 application menus

upvoted 1 times

🗳️ 👤 **Ripsy** 1 year ago

final answer guys?

upvoted 2 times

🗳️ 👤 **SergioVSJ** 1 year, 5 months ago

Selected Answer: B

Correct answer is B.

D answer is a best practice, but technically you can create as many applications menus as needed.

upvoted 2 times

🗳️ 👤 **sakshi_chitnis_** 1 year, 6 months ago

D is the correct answer

upvoted 1 times

🗳️ 👤 **the7kmaster** 1 year, 1 month ago

No B is correct

upvoted 1 times

🗳️ 👤 **manunarik** 1 year, 8 months ago

B is the correct answer

upvoted 1 times

🗳️ 👤 **14006044** 1 year, 11 months ago

Correct Answer is D.

1, which is used for all application modules

upvoted 1 times

🗳️ 👤 **IhorSNdev** 1 year, 11 months ago

I just created 2 and it works, so I think as many as needed

upvoted 6 times

The source control operation used to store local changes on an instance for later application is called a(n) <blank>.

- A. Branch
- B. Tag
- C. Stash
- D. Update set

Suggested Answer: C

Community vote distribution

C (83%)

D (17%)

🗳️ 👤 **Benojojo** 9 months, 3 weeks ago

C is correct. git stash - temporarily shelves (or stashes) changes you've made to your working copy so you can work on something else, and then come back and re-apply them later on
upvoted 2 times

🗳️ 👤 **snawaza243** 1 year ago

Selected Answer: C

Stash is correct
upvoted 1 times

🗳️ 👤 **Dekoreh** 1 year, 3 months ago

Selected Answer: C

Stash is correct SN CAD ebook pg102
upvoted 2 times

🗳️ 👤 **Hmzpkts** 1 year, 2 months ago

Correction: Ebook pg 94
upvoted 1 times

🗳️ 👤 **PetterRE** 1 year, 4 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_stashing_changes
upvoted 2 times

🗳️ 👤 **Pranesh_RP** 1 year, 5 months ago

Selected Answer: D

Update Set is the source control operation used to store local changes on an instance for later application.
Branch is actually used to isolate new features, bugs, or experiment. To work on your independent changes without directly affecting the actual codebase
upvoted 1 times

🗳️ 👤 **YMijoe** 1 year, 8 months ago

I am leaning more towards stashing.
"Stashing in source control saves local changes for an application to apply later. The local changes do not need to be committed to the remote repository. Stashing the change for a developer to later apply or delete." https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_stashing_changes#:~:text=To%20stash%20something%20is%20to%20store%20the
upvoted 4 times

🗳️ 👤 **blackjack987** 1 year, 8 months ago

i think the answer should be A
upvoted 2 times

🗳️ 👤 **blackjack987** 1 year, 8 months ago

i think the answer should be A
upvoted 1 times

  **Charan_sai_97** 1 year, 7 months ago

is this questions is enough to clear the CAD exam????

upvoted 1 times

What syntax is used in a Record Producer script to access values from Record Producer form fields?

- A. producer.field_name
- B. producer.variable_name
- C. current.variable_name
- D. current.field_name

Suggested Answer: A

Community vote distribution

B (50%)

A (50%)

 **Benojojo**  1 year, 3 months ago

B is correct - Use producer.*VARIABLE_NAME* to reference values entered by the end user.
upvoted 7 times

 **theadminek**  5 months, 3 weeks ago


Selected Answer: D

Use current.*FIELD_NAME* to reference fields on the record being created.
Use producer.*VARIABLE_NAME* to reference values entered by the end user
upvoted 1 times

 **Sid97** 6 months, 2 weeks ago

Selected Answer: C

producer.variable_name - javascript code
upvoted 1 times

 **tenkawa10** 8 months, 1 week ago

Selected Answer: B


From the docs that everyone else linked:

Define a script that uses any variable or server-side objects and functions to assign values.

Use current.*FIELD_NAME* to reference fields on the record being created.

Use producer.*VARIABLE_NAME* to reference values entered by the end user.

upvoted 1 times


 **AltiaTek** 11 months, 3 weeks ago

Selected Answer: B

Right answer is B.


/** Use `producer.var1` to access variables*/

upvoted 1 times

 **51f8ce8** 11 months, 3 weeks ago

B is correct

upvoted 1 times

 **georgeg4** 1 year, 1 month ago

Selected Answer: B

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html


upvoted 2 times

 **EforExtra** 1 year, 1 month ago

Selected Answer: B

B is correct

upvoted 1 times

 **pazorische** 1 year, 4 months ago

Selected Answer: B

upvoted 2 times

B is the correct answer

management/concept/c_PopulatingRecordData.html#:~:text=Use%20producer.*VARIABLE_NAME*%20to%20reference%20values%20entered%20by%20the%20

upvoted 2 times

Both A and B are literally the same depending on the input field name.

upvoted 1 times

Selected Answer: A

A is correct per SDF book

upvoted 1 times

it should be B according to the SN community as well.

upvoted 1 times

Selected Answer: B

B is correct

[management/concept/c_PopulatingRecordData.html](#)

upvoted 1 times

B is correct

check the SN docs

[management/concept/c_PopulatingRecordData.html](#)

upvoted 2 times

B is correct

upvoted 2 times

B is correct

Use `current.*FIELD_NAME*` to reference fields on the record being created.

Use producer.*VARIABLE_NAME* to reference values entered by the end

[management/concept/c_PopulatingRecordData.html](#)

upvoted 3 times

Which of the following methods prints a message on a blue background to the top of the current form by default?

- A. g_form.addInfoMsg()
- B. g_form.addInfoMessage()
- C. g_form.showFieldMessage()
- D. g_form.showFieldMsg()

Suggested Answer: B

Community vote distribution

B (100%)

🗳️ **Erdi** Highly Voted 2 years, 7 months ago

Answer should be B
upvoted 15 times

🗳️ **kundgir** Highly Voted 2 years, 8 months ago

Answer should be B.
upvoted 15 times

🗳️ **Dekoreh** Most Recent 9 months, 1 week ago

Selected Answer: B
B is correct
upvoted 1 times

🗳️ **Alice_Steele** 1 year, 3 months ago

Selected Answer: B
it's B
upvoted 2 times

🗳️ **Stardust85** 1 year, 6 months ago

Selected Answer: B
https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideFormAPI#r_GlideFormAddInfoMessage_String
upvoted 4 times

🗳️ **agarwans** 2 years ago

Answer is AddinfoMessage
upvoted 2 times

🗳️ **parcerocar1** 2 years, 1 month ago

showFieldMessage is used for displaying messages under a specific field, this is another question in the CAD exam
upvoted 3 times

🗳️ **arunmech2001** 2 years, 3 months ago

Selected Answer: B
Answer is B
upvoted 6 times

🗳️ **bigmikeyvegas** 2 years, 3 months ago

From: https://docs.servicenow.com/bundle/paris-application-development/page/script/general-scripting/reference/r_ScriptingAlertInfoAndErrorMsgs.html

g_form.showFieldMsg("field_name", "Hello World", "error"); Puts "Hello World" in an error message **below the specified field**.

g_form.addInfoMessage() or g_form.addErrorMessage() place a blue box message at the top of the screen. Pg 126 of the CAD handbook
upvoted 5 times

A scoped application containing Flow Designer content dedicated to a particular application is called a(n):

- A. Spoke
- B. Bundle
- C. Action
- D. Flow

Suggested Answer: A

Community vote distribution

A (85%)

D (15%)

🗳️ 👤 **Remo878** Highly Voted 👍 2 years, 8 months ago

Selected Answer: A

<https://docs.servicenow.com/bundle/paris-servicenow-platform/page/administer/flow-designer/concept/spokes.html>

upvoted 7 times

🗳️ 👤 **Benojojo** Most Recent 🕒 9 months, 3 weeks ago

A is correct. A spoke is a scoped application that includes Flow Designer custom actions or subflows. A spoke is a logical grouping of related custom actions, subflows, and supporting application files. Developers can reuse spoke logic in their own applications. Flow Designer includes baseline spokes

upvoted 2 times

🗳️ 👤 **Dekoreh** 1 year, 3 months ago

Selected Answer: A

Spoke is correct

SN CAD ebook pg284

upvoted 1 times

🗳️ 👤 **TwelveKay** 1 year, 9 months ago

Selected Answer: A

A: Spoke

https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_flowdesigner_sandiego_flow_designer/app_store_learnv2_flowdesig

upvoted 1 times

🗳️ 👤 **TwelveKay** 1 year, 9 months ago

A: Spoke

https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_flowdesigner_sandiego_flow_designer/app_store_learnv2_flowdesig

upvoted 1 times

🗳️ 👤 **Ghostrunner** 2 years ago

Selected Answer: A

A is correct

upvoted 2 times

🗳️ 👤 **rahulvtag** 2 years, 8 months ago

Answer is A, Spoke

upvoted 4 times

🗳️ 👤 **arunmech2001** 2 years, 9 months ago

Selected Answer: D

Answer is Flow

upvoted 2 times

What is a Module?

- A. The functionality within an application menu such as opening a page in the content frame or a separate tab or window
- B. A group of menus, or pages, providing related information and functionality to end-users
- C. A way of helping users quickly access information and services by filtering the items in the Application Navigator
- D. A web-based way of providing software to end-users

Suggested Answer: A

Community vote distribution

A (100%)

  **nsmcan** Highly Voted 3 years, 8 months ago

Correct answer is B. A group of menus, or pages, providing related information and functionality to end-users

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/use/navigation/concept/c_ApplicationNavigation.html

An application is a group of modules, or pages, that provide related information and functionality in an instance



upvoted 15 times

  **NiDoSa** Highly Voted 3 years, 5 months ago

Selected Answer: A

Answer A is correct IMHO

upvoted 6 times

  **NiDoSa** 3 years, 5 months ago

Here is the reference from documentation:

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/task/t_CreateAModule.html

upvoted 5 times

  **evoken** Most Recent 11 months, 1 week ago


Selected Answer: A

A describes a module

B describes an application

C describes the navigator

upvoted 1 times

  **MagdaGrS** 1 year, 11 months ago

Selected Answer: A

Modules are the children, or the second tier navigation options to the applications in the application navigator. Modules often link to other pages or records in the platform. You can configure which modules appear in the application navigator using Application Menus module.

upvoted 2 times

  **Vishalvr** 2 years, 2 months ago

Selected Answer: A

A, check the video in NiDoSa comment.

upvoted 1 times

  **SergioVSJ** 2 years, 5 months ago

Selected Answer: A

Correct answer is A.

See "Content Page" and "Documentation Link" types.

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/reference/r_ModuleLinkTypes.html



upvoted 1 times

  **Ghostrunner** 2 years, 6 months ago

Selected Answer: A

A is correct

upvoted 1 times

  **parcerocar1** 3 years, 1 month ago

Answer is A already taken the exam

upvoted 5 times

  **Pranesh_RP** 1 year, 11 months ago

Hi Parcerocar, Hey is this dumps enough to clear CAD. Did you have any other recommendations ? Please Help me on this.

upvoted 2 times

  **TrevorGF** 3 years, 1 month ago

It is A. The documentation provided by NiDoSa says it perfectly

upvoted 2 times

Which source control operation is available from BOTH Studio and the Git Repository?

- A. Create Branch
- B. Apply Remote Changes
- C. Stash Local Changes
- D. Edit Repository Configurations

Suggested Answer: A

Community vote distribution

A (100%)

BillBaits Highly Voted 2 years, 6 months ago

Correct answer is A - check SNOW documentation
upvoted 13 times

examtp1 Highly Voted 1 year, 5 months ago

Selected Answer: A

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html#:~:text=The%20source%20control%20integration%20primarily,dir
upvoted 5 times

examtp1 1 year, 5 months ago

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html

Updated link also showing A is right.

upvoted 2 times

Dekoreh Most Recent 9 months ago

Selected Answer: A

Create branch is correct
upvoted 1 times

aando00 10 months, 1 week ago

Selected Answer: A

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html
upvoted 1 times

YMijoe 1 year, 2 months ago

Selected Answer: A

I agree that "Create Branch" is correct
upvoted 1 times

Ghostrunner 1 year, 6 months ago

Selected Answer: A

A is correct
upvoted 2 times

arunmech2001 2 years, 3 months ago

Selected Answer: A

Create a Branch
upvoted 3 times

Which one of the following is NOT required to link a ServiceNow application to a Git repository?

- A. Password
- B. URL
- C. User name
- D. Application name

Suggested Answer: D

Reference:

https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

Community vote distribution

D (100%)

🗨️ 👤 **manikanta_gnbv** 9 months, 3 weeks ago

Selected Answer: D

D is correct answer

upvoted 1 times

🗨️ 👤 **D_Ogi** 11 months, 3 weeks ago

Correct link:

https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

upvoted 1 times

Which Report Type(s) can be created by right-clicking on a column header in a table's list?

- A. Bar Chart, Pie Chart, Histogram, and Line
- B. Bar Chart
- C. Bar Chart, Pie Chart, and Histogram
- D. Bar Chart and Pie Chart

Suggested Answer: D

Community vote distribution

D (100%)

🗳️ 👤 **Dharma_tsa** Highly Voted 👍 3 years, 1 month ago

Selected Answer: D

Answer: D

upvoted 16 times

🗳️ 👤 **Benojojo** Most Recent 🕒 9 months, 3 weeks ago

D. Bar Chart and Pie Chart is correct

upvoted 2 times

🗳️ 👤 **elanocek** 1 year, 4 months ago

Selected Answer: D

D is right

upvoted 3 times

🗳️ 👤 **Surendar24** 1 year, 4 months ago

Selected Answer: D

Bar Chart , Pie Chart

upvoted 2 times

🗳️ 👤 **MagdaGrs** 1 year, 5 months ago

Selected Answer: D

Right click on a list of records, we can create Bar Chart , Pie Chart.

upvoted 2 times

🗳️ 👤 **KaBurAdNus** 1 year, 7 months ago

D is correct

upvoted 1 times

🗳️ 👤 **YMijoe** 1 year, 8 months ago

Selected Answer: D

I agree that "Bar Chart and Pie Chart" is correct.

upvoted 1 times

🗳️ 👤 **Alice_Steele** 1 year, 9 months ago

Selected Answer: D

it's D

upvoted 1 times

🗳️ 👤 **Dufus123** 1 year, 10 months ago

Selected Answer: D

Bar and Pie

upvoted 1 times


🗳️ 👤 **Benojojo** 1 year, 11 months ago

Option D is the correct answer, please

upvoted 1 times

🗳️ 👤 **Benojojo** 1 year, 11 months ago

Option B is the correct answer: Pie Chart and Bar Chart
upvoted 1 times

  **schaparro** 1 year, 7 months ago

Option B is not correct. It only mentions Bar Chart.
upvoted 1 times

  **Ghostrunner** 2 years ago

Selected Answer: D

D is correct
upvoted 2 times

  **SNAngler** 2 years ago

Selected Answer: D

default behavior
upvoted 2 times

  **arunmech2001** 2 years, 9 months ago

Selected Answer: D

Pie Chart and Bar Chart
upvoted 3 times

Which one of the following is NOT a method used for logging messages in a server-side script for a privately-scoped application?

- A. gs.log()
- B. gs.error()
- C. gs.warn()
- D. gs.debug()

Suggested Answer: A

Reference:

https://community.servicenow.com/community?id=community_question&sys_id=bd71cb29db98dbc01dcaf3231f9619c6

Community vote distribution

A (100%)

🗳️ 👤 **VirtualLee** Highly Voted 🍌 2 years, 9 months ago

Scoped Application Script Logging

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore are more versatile going forward in future versions.

upvoted 5 times

🗳️ 👤 **arango** Most Recent 🔍 2 months, 1 week ago

Selected Answer: A

Keep in mind that, info, error, warn and debug logging methods are not only intended for Scoped Applications but can also be used in the Global Scope. However, these logging methods provide verbosity levels to a log message. Another consideration is that gs.log() cannot be used if you are developing in a scoped application.

upvoted 1 times

🗳️ 👤 **manikanta_gnbv** 9 months, 3 weeks ago

Selected Answer: A

gs.log is not used in scoped applications

upvoted 2 times

🗳️ 👤 **xxshinichan** 1 year, 7 months ago

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore are more versatile going forward in future versions.

Reference: https://developer.servicenow.com/dev.do#!/guides/utah/now-platform/tpb-guide/debugging_best_practices

upvoted 3 times



If the Create module field is selected when creating a table, what is the new module's default behavior?

- A. Open an empty form so new records can be created
- B. Open a link to a wiki article with instructions on how to customize the behavior of the new module
- C. Display an empty homepage for the application
- D. Display a list of all records from the table

Suggested Answer: D

Community vote distribution

D (100%)

  **esllin** 1 month, 1 week ago

Selected Answer: D

Select the check box and then complete the Add module to menu field to create a list module in the application menu.

This option is available only when creating a table.

upvoted 1 times

  **gcf** 10 months ago

Selected Answer: D

List of records is the default



upvoted 4 times

  **Lord_Korvus** 10 months, 2 weeks ago

Selected Answer: D

https://docs.servicenow.com/en-US/bundle/utah-platform-administration/page/administer/table-administration/task/t_CreateATable.html

upvoted 1 times

  **ezsy** 1 year, 6 months ago

Link type is default to list of records


upvoted 2 times

How must Application Access be configured to prevent all other private application scopes from creating configuration records on an application's data tables?

- A. You must create Access Controls to prevent all other application scopes from creating configuration records on an application's data tables rather than using Application Access
- B. Set the Accessible from field value to All application scopes and de-select the Can create option
- C. Set the Accessible from field value to This application scope only and de-select the Allow access to this table via web services option
- D. Set the Accessible from field value to This application scope only

Suggested Answer: D

Community vote distribution



Ashtan1985 Highly Voted 2 years, 8 months ago

Correct answer is D. When Accessible from is set to "This app scope only", then "Allow configuration" is unchecked and read-only
upvoted 10 times

Drinksbreak88 Most Recent 2 months, 1 week ago

Selected Answer: B

The question specifically talks about creating, not completely blocking.
upvoted 1 times

BFExam 2 months, 3 weeks ago

Selected Answer: B

Correct is B. We only want to disable create
upvoted 1 times

theadminek 5 months, 3 weeks ago

Selected Answer: B

The question is about preventing file creation so other activities should be allowed. Hence B is correct.
Answer D disallows all other activities.
The most correct answer is B.
upvoted 3 times

manikanta_gnbv 9 months, 3 weeks ago

Selected Answer: B

B is the correct answer.
upvoted 1 times

MacGyver4th 11 months ago

Selected Answer: D

Just tested this in a Vancouver PDI.
When selecting "This application scope only", all the check boxes are cleared and become read-only.
upvoted 3 times

ravidamarla 1 year, 2 months ago

B is correct answer
upvoted 1 times

Dekoreh 1 year, 3 months ago

Selected Answer: D

D is correct.
upvoted 1 times

MagdaGrs 1 year, 5 months ago

Selected Answer: D

To prevent all other app scopes, simply select "This application scope only".
upvoted 1 times

🗨️ 👤 **Vishalvr** 1 year, 8 months ago

Selected Answer: D

D is the best option. B is also correct in a way but since one option only, can select D
upvoted 2 times

🗨️ 👤 **SergioVSJ** 1 year, 11 months ago

Selected Answer: D

Correct answer is D.

Check the following 2 examples of denying and granting access.

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ExampleDenyingAllRuntimeAccess.html

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ExampleGrantingAllRuntimeAccess.html

upvoted 2 times

🗨️ 👤 **Ghostrunner** 2 years ago

I would say both B and D could be correct, however, D would also disable the read/update/delete, not just the create function. The question isn't clear whether the table should still be readable by others or not.

upvoted 4 times

🗨️ 👤 **som_420** 2 years, 3 months ago

Selected Answer: D

answer is D

upvoted 3 times

🗨️ 👤 **Bajel** 2 years, 4 months ago

I agree with D refer to

[https://developer.servicenow.com/dev.do#!/learn/learning-](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access)

[plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access](https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access)

upvoted 2 times

🗨️ 👤 **StandardSanders** 2 years, 9 months ago

D - Reference

Note: If you set Accessible From to This Application Scope Only, it automatically unchecks and greys out Web Services so it can't be C

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ExampleDenyingAllDesignAccess.html

upvoted 3 times

🗨️ 👤 **ParagSanyashiv** 2 years, 11 months ago

Selected Answer: B

B is the correct answer

upvoted 3 times

What are some of the benefits of extending an existing table such as the Task table when creating a new application? a) You can repurpose existing fields by simply changing the label. b) Use existing fields with no modifications. c) Existing logic from the parent table will be automatically applied to the new table. d) All of the parent table records are copied to the new table.

- A. a, b, c, and d
- B. a and b
- C. b and c
- D. a, b, and c

Suggested Answer: D

Community vote distribution

D (100%)

🗳️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 5 months ago

Selected Answer: D

D is the correct answer
upvoted 7 times

🗳️ 👤 **64fb170** Most Recent ⌚ 6 months, 3 weeks ago

Selected Answer: D

D is the correct answer. This study guide is honestly the most innacurate guide Ive come accross. I definitely will get my money back for this garbage.
upvoted 4 times

🗳️ 👤 **Shisol13** 1 year, 2 months ago

D, records do not come with table
upvoted 1 times

🗳️ 👤 **Alice_Steele** 1 year, 3 months ago

Selected Answer: D

it's D
upvoted 1 times

🗳️ 👤 **Ghostrunner** 1 year, 6 months ago

Selected Answer: D

D is correct
upvoted 2 times

🗳️ 👤 **sephereth** 1 year, 10 months ago

Selected Answer: D

D is the right answer, "you can repurpose existing fields by simply change the label" is mentioned in the ADF course.....
upvoted 4 times

When configuring an Access Control which has no condition or script, which one of the following statements is NOT true?

- A. table.*will grant access to every field in a record
- B. table.None will grant access to every record on the table
- C. table.field will grant access to a specific field in a record
- D. table.id will grant access to a specific record on the table

Suggested Answer: D

Community vote distribution

D (100%)

🗳️ 👤 **ParagSanyashiv** Highly Voted 2 years, 11 months ago

Selected Answer: D

D is the correct answer

upvoted 11 times

🗳️ 👤 **RogerW** Most Recent 1 year ago

B. table.None grants access to all fields and since there is no condition or script, every record is accessible.

upvoted 1 times

🗳️ 👤 **RogerW** 1 year ago

Never mind, the answer is D. I misread the question.

upvoted 1 times

🗳️ 👤 **brutaltea** 1 year, 2 months ago

you all saying D and table.id isnt a thing but D is about table.id *confusing*

upvoted 1 times

🗳️ 👤 **Sheydeko** 1 year, 3 months ago

Selected Answer: D

D is correct.

upvoted 1 times

🗳️ 👤 **doctorF** 1 year, 5 months ago

People saying D but table.* will not give access to every field - it restricts access and doesn't grant

upvoted 1 times

🗳️ 👤 **hawful** 1 year, 6 months ago

Selected Answer: D

table.id isn't a thing, the correct answer is D

upvoted 1 times

🗳️ 👤 **Ghostrunner** 2 years ago

Selected Answer: D

D is correct

upvoted 1 times

🗳️ 👤 **Bob_Loblaw** 2 years ago

Selected Answer: D

No such thing as "table.id" for ACL. Go on - do a Google search - nothing relevant comes up.

upvoted 2 times

Which of the following methods are useful in Access Control scripts?

- A. g_user.hasRole() and current.isNewRecord()
- B. gs.hasRole() and current.isNewRecord()
- C. g_user.hasRole() and current.isNew()
- D. gs.hasRole() and current.isNew()

Suggested Answer: B



Community vote distribution

B (100%)

  **manikanta_gnbv** 9 months, 3 weeks ago

Selected Answer: B

its B beacuse the current.isnewrecord is used and second thing is its serverside so gs.hashole() will be used
upvoted 4 times

  **Flanky** 1 year, 1 month ago

Selected Answer: B

glideSystem options: getUser(), getUserID(), getUserName(), hasRole(Object role), isLoggedIn(), isInteractive(), getSession()
upvoted 1 times

  **Mishu123** 1 year, 2 months ago

https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_securingapps_vancouver_creating_and_editing_access_controls
upvoted 2 times

Which one of the following client-side scripts apply to Record Producers?

- A. Catalog Client Scripts and Catalog UI Policies
- B. UI Scripts and UI Actions
- C. UI Scripts and Record Producer Scripts
- D. Client Scripts and UI Policies

Suggested Answer: A

Reference:

https://docs.servicenow.com/bundle/orlando-application-development/page/script/client-scripts/concept/c_CatalogClientScriptCreation.html

Community vote distribution

A (100%)

🗳️ 👤 **DKey** 11 months, 1 week ago

A. UI Policies / client scripts written on incident/change tables for example will not reflect in Service Catalog record producer. one needs to go to catalog UI Policies / Catalog client script and rewrite the script for respective record producer catalog items.

upvoted 1 times

🗳️ 👤 **sstest2** 1 year, 6 months ago

Selected Answer: A

A is correct

upvoted 1 times

🗳️ 👤 **MR126** 2 years ago

A is correct

upvoted 1 times

🗳️ 👤 **moa21** 2 years, 2 months ago

D ?? there are no catalog UIs but category UI can be

upvoted 1 times

🗳️ 👤 **MR126** 2 years ago

There is.

https://docs.servicenow.com/bundle/utah-api-reference/page/script/client-scripts/concept/c_CatalogClientScriptCreation.html

https://docs.servicenow.com/bundle/utah-servicenow-platform/page/product/service-catalog-management/task/t_CreatUIPolicyForSvcCalglt.html

upvoted 1 times

When a ServiceNow instance requests information from a web service, ServiceNow is the web service:

- A. Publisher
- B. Specialist
- C. Provider
- D. Consumer

Suggested Answer: D

Community vote distribution

D (100%)

 **Flanky** Highly Voted 7 months, 3 weeks ago

Selected Answer: D

"A web service consumer (client) requests information from a web service provider (server). A web service provider processes the request and returns a status code and a response body."

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/technology_partner_program_1/app_store_learnv2_rest_tokyo_servicenow_as_a_web_service_consumer
upvoted 5 times

 **stophs** Most Recent 1 year, 1 month ago

Selected Answer: D

d is ok

upvoted 1 times

Which one of the following is the fastest way to create and configure a Record Producer?

- A. Create a Catalog Category, open the category, and select the Add New Record Producer button
- B. Use the Record Producer module then add and configure all variables manually
- C. Open the table in the Table records and select the Add to Service Catalog Related Link
- D. Open the table's form, right-click on the form header, and select the Create Record Producer menu item

Suggested Answer: C

Community vote distribution

C (100%)

🗲️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 5 months ago

Selected Answer: C

C is the correct as the simplest way is to click the related link which say "Publish to Service catalog"
upvoted 14 times

🗲️ 👤 **fe91db0** Most Recent ⌚ 6 months, 4 weeks ago

Selected Answer: C

is told in course
upvoted 1 times

🗲️ 👤 **Zcam** 9 months ago

C is correct
upvoted 1 times

🗲️ 👤 **Shisol13** 1 year, 2 months ago

C, Link at the bottom of the table
upvoted 1 times

🗲️ 👤 **Mike49707** 1 year, 3 months ago

Selected Answer: C

C is correct
upvoted 1 times

🗲️ 👤 **Ghostrunner** 1 year, 6 months ago

Selected Answer: C

C is correct
upvoted 3 times

🗲️ 👤 **trackstick** 1 year, 7 months ago


This also how it is done in the ADF course lab.
upvoted 2 times

Which objects can you use in a Scheduled Script Execution (Scheduled Job) script?

- A. GlideRecord and current
- B. GlideUser and GlideRecord
- C. GlideSystem and GlideRecord
- D. GlideSystem and current

Suggested Answer: C

Community vote distribution



Ashtan1985 **Highly Voted** 2 years, 2 months ago

Correct answer is C. You can only use server side scripting in Scheduled Jobs.
upvoted 7 times

aandooo **Most Recent** 10 months, 1 week ago

Selected Answer: C

there is no user nor current in scheduled job
upvoted 3 times

Alice_Steele 1 year, 3 months ago

Selected Answer: C

it has no access to current: https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/servicenow_administrator/app_store_learnv2_automatingapps_tokyo_scheduled_script_execution_scripts
upvoted 3 times

Mike49707 1 year, 5 months ago

Selected Answer: C

C is correct - you don't have a user or current in a scheduled job
upvoted 2 times

kapshawn 1 year, 6 months ago

Selected Answer: C

C is correct
upvoted 2 times

Ghostrunner 1 year, 6 months ago

Selected Answer: C

C is correct
upvoted 2 times

SNangler 1 year, 6 months ago

Selected Answer: C

C is correct
upvoted 2 times

Bajel 1 year, 10 months ago

Correct answer is C refer to https://developer.servicenow.com/dev.do#!/learn/learning-plans/quebec/servicenow_administrator/app_store_learnv2_automatingapps_quebec_scheduled_script_execution_scripts
upvoted 2 times

Bayoubot 1 year, 11 months ago



Selected Answer: C

Correct answer is C the code examples in the book use the GlideRecord and GlideSystem
upvoted 3 times

ParagSanyashiv 2 years, 5 months ago

Selected Answer: D

Correct answer is D, as the gs object and current object can be directly used, for rest other you need to initialize the class into the object.
upvoted 2 times

  **sstest2** 6 months, 3 weeks ago

D is incorrect. "Scheduled Script Executions are not associated with records and have no access to the previous or current objects used by many other server-side script types."
upvoted 1 times

Can inherited fields be deleted from a table?

- A. Yes, select the red X in the left-most column in the table definition
- B. Yes, but only if they are text fields
- C. Yes, but only if there has never been any saved field data
- D. No, inherited fields cannot be deleted from a child table

Suggested Answer: D

Community vote distribution

D (100%)

🗳️ 👤 **ParagSanyashiv** Highly Voted 👍 2 years, 5 months ago

Selected Answer: D

Cannot be deleted from child table directly, you need to open the record and then delete it.

upvoted 7 times

🗳️ 👤 **JuanGalindo** Most Recent 🕒 9 months, 3 weeks ago

Selected Answer: D

D is correct

upvoted 1 times

🗳️ 👤 **Shisol13** 1 year, 2 months ago

D, Per CAD class slide from SNOW

upvoted 1 times

🗳️ 👤 **Ghostrunner** 1 year, 6 months ago

Selected Answer: D

D is correct

upvoted 2 times

🗳️ 👤 **Bayoubeot** 1 year, 11 months ago

Selected Answer: D

Cannot delete

upvoted 2 times

What is the purpose of the Application Picker?

- A. Select an application to run
- B. Select an application as a favorite in the Application Navigator
- C. Choose an application to edit and set the Application Scope
- D. Choose an application to download and install

Suggested Answer: C

Community vote distribution

C (100%)

🗳️ 👤 **ParagSanyashiv** Highly Voted 2 years, 5 months ago

Selected Answer: C

C is the correct answer in this case
upvoted 15 times

🗳️ 👤 **Flanky** Most Recent 7 months, 3 weeks ago

Selected Answer: C

"The application picker allows application developers to view and select the application where their changes apply"

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html

upvoted 2 times

🗳️ 👤 **sg_100** 1 year, 5 months ago

Selected Answer: C

It is C. All other make no sense!
upvoted 3 times

🗳️ 👤 **Ghostrunner** 1 year, 6 months ago

Selected Answer: C

C is correct
upvoted 2 times

🗳️ 👤 **AR1970** 1 year, 6 months ago

A is correct option.
upvoted 1 times

🗳️ 👤 **Bob_Loblaw** 1 year, 6 months ago

Selected Answer: C

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html

upvoted 3 times