

EXAMTOPICS


- Expert Verified, Online, **Free**.



CERTIFICATION TEST

- [CertificationTest.net](https://www.CertificationTest.net) - Cheap & Quality Resources With Best Support

Click the Exhibit button.



Referring to the exhibit, which Roaming Classifier is responsible for the sub-threshold SLEs?

- A. Capacity
- B. Signal Quality
- C. Ethernet
- D. WiFi interference

Suggested Answer: B

Currently there are no comments in this discussion, be the first to comment!

You are asked to display your network devices using the Juniper Mist GUI as a single solution. Your network is made up of a wireless infrastructure of only Juniper APs and the wired infrastructure has a mix of Juniper and non-Juniper switches. Your solution must ensure that all devices are displayed in the Juniper Mist GUI.

Given this scenario, how would you accomplish this task?

- A. Use Wired Assurance with the Monitoring option.
- B. Use WiFi Management and Assurance with LLDP enabled on all switches.
- C. Use Juniper Mist Marvis Actions.
- D. Use Juniper Mist Asset Visibility.

Suggested Answer: *D*

 **Zerg** 3 weeks, 6 days ago

Selected Answer: A

A. Use Wired Assurance with the Monitoring option.

Juniper Mist Wired Assurance in Monitoring mode enables visibility of all network devices—Juniper APs (wireless) and mixed switches (Juniper/non-Juniper)—in a single GUI dashboard.

How It Works

Wired Assurance Monitoring discovers non-Juniper switches via LLDP from connected Juniper APs, displaying them alongside managed Juniper gear in the Switches page (list, topology, metrics like uptime, PoE, connected APs).

No full management needed for third-party switches; just AP connectivity and LLDP suffice for GUI display.

APs appear natively in WiFi Assurance, unified under Mist org/site views.

Why Not Others

Option Issue

B. WiFi + LLDP Partial visibility; lacks dedicated wired metrics/dashboard

C. Marvis Actions AI insights/actions, not device display

D. Asset Visibility IoT/asset tracking (BLE tags), ignores switches

upvoted 1 times

 **Mcdeedee** 1 month, 3 weeks ago

Selected Answer: B

LLDP ?

upvoted 1 times

Which two statements about webhooks and APIs are correct? (Choose two.)

- A. 100% of all Juniper Mist objects are configurable using webhooks.
- B. Webhooks are a push from Juniper Mist, and APIs are a pull by the client.
- C. There is an hourly limit to the number of webhooks that an organization can have.
- D. There is an hourly limit to the number of API calls that an organization can have.

Suggested Answer: *BD*

Currently there are no comments in this discussion, be the first to comment!

With which two external directory services does Juniper Mist Access Assurance integrate? (Choose two.)

- A. Microsoft Azure Active Directory
- B. Okta Workforce Identity
- C. Meta Social Verify
- D. RESTful API Fingerprinting

Suggested Answer: *AB*

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.

Subscription Type	Status	Usage	Sites with Usage	Next Renewal	Last Renewal
Access Assurance Standard	Active	7 of 25	0 of 18	7 units on Nov 26, 2025	7 units on Nov 26, 2025
Asset Visibility	Active	18 of 27	1 of 18	9 units on Apr 9, 2025	18 units on Aug 4, 2025
Marvis for WAN	Active	1 of 107	1 of 18	1 units on Aug 30, 2026	1 units on Aug 30, 2026
Marvis for Wired Network	Active	9 of 119	1 of 18	9 units on Aug 30, 2026	9 units on Aug 30, 2026
Marvis for Wireless	Active	21 of 82	3 of 18	21 units on Aug 30, 2026	21 units on Aug 30, 2026

Referring to the exhibit, how many sites have unused Marvis for Wireless subscriptions?

- A. 15
- B. 21
- C. 82
- D. 18

Suggested Answer: A

Currently there are no comments in this discussion, be the first to comment!

Which Juniper Mist feature tracks the location of important devices and objects within a building?

- A. Wireless Assurance
- B. IoT Assurance
- C. Asset Visibility
- D. User Engagement

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which two configuration elements are available in a WLAN template? (Choose two.)

- A. organizations
- B. template policies
- C. radio management
- D. WLANs

Suggested Answer: CD

Community vote distribution

BD (100%)

 **adhass** 1 month ago

Selected Answer: BD

templete policies and WLANs

upvoted 1 times

 **aa4a63c** 2 months, 3 weeks ago

Selected Answer: BD

Radio Management int RF template

upvoted 1 times

Which two statements describe port profiles? (Choose two.)

- A. They include a set of interface configurations.
- B. They can be assigned to multiple ports.
- C. They include a set of routing configurations.
- D. They must be assigned to only one port.

Suggested Answer: AB

Community vote distribution

AB (100%)

  **aa4a63c** 2 months, 3 weeks ago

Selected Answer: AB

correct

upvoted 1 times

Which statement about microservices is correct?

- A. Microservices are developed as a suite of applications and rely on developers to deliver updates to the entire suite at once.
- B. Microservices must share a common database to ensure data integrity.
- C. Microservices are designed to be dependent on each other to ensure that if one process fails, the remaining processes will not continue to operate.
- D. Microservices communicate with each other using APIs.

Suggested Answer: D

Community vote distribution

D (100%)

aa4a63c 2 months, 3 weeks ago

Selected Answer: D

Microservices communicate with each other through APIs,
upvoted 1 times

aa4a63c 2 months, 3 weeks ago

Selected Answer: D

correct
upvoted 1 times

Which two statements are true about switch configurations at the site level? (Choose two.)

- A. Switch configurations at the site level are an additional way to apply a switch template to a specific site.
- B. Switch configurations at the site level are required to manually configure individual switches.
- C. Site-level switch configurations override org-level templates.
- D. Organizational-level templates override site-level switch configurations.

Suggested Answer: AC

Community vote distribution

AC (100%)

 **aa4a63c** 2 months, 3 weeks ago

Selected Answer: AC

correct

upvoted 1 times

Which statement about microservices is correct?

- A. Microservices must share a common database to ensure data integrity.
- B. Microservices communicate with each other using Network Configuration Protocol (NETCONF).
- C. Microservices are developed as a complete application set, and updates require the modification of the entire application.
- D. Microservices are designed to be independent to ensure that if one process fails, the remaining processes will continue to operate.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

In the Mist UI, what should you do to support mobile device engagement?

- A. Enable Local Status Page.
- B. Use Wi-Fi 6.
- C. Enable vBLE.
- D. Use ESL.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which statement is correct about the relationship between Juniper Mist organizations and sites?

- A. You must have one Juniper Mist superuser login for each site.
- B. One Juniper Mist organization can contain multiple sites.
- C. A Juniper Mist superuser login grants access to all organizations.
- D. One Juniper Mist site can contain multiple organizations.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

You want to change the default language for your Juniper Mist portal.

What will accomplish this task?

- A. Define your language using Organization templates.
- B. Use the Change Language drop-down list of the Juniper Mist portal.
- C. Input your primary language in the My Accounts page.
- D. Select your ranked language choice from the Alerts page.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which two statements are correct when considering Juniper Mist clouds? (Choose two.)

- A. Creating a new user enables the user only for the cloud in which it was created.
- B. Users created in a specific regional cloud can manage organizations in other clouds.
- C. Creating a new user enables the user across all clouds.
- D. Users created in a specific regional cloud can only manage organizations in that cloud.

Suggested Answer: *AD*

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.



Referring to the exhibit, which SLE would an administrator investigate to troubleshoot weak signal issues?

- A. Successful Connects
- B. Throughput
- C. Coverage
- D. Roaming

Suggested Answer: C

Currently there are no comments in this discussion, be the first to comment!

Which statement about Marvis Minis is correct?

- A. Marvis Minis is Juniper's onsite technical support team that troubleshoots enterprise access points.
- B. Marvis provides Marvis Actions to simulate user connections.
- C. Marvis Minis works with Juniper Mist AI to validate network configuration to optimize user experiences.
- D. Marvis is an LLMsc that designs network infrastructure.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which statement is true about Radio Resource Management (RRM)?

- A. The RRM event-driven system automatically runs once a day.
- B. The RRM event-driven system automatically runs every hour.
- C. The RRM global optimization system automatically runs every hour.
- D. The RRM global optimization system automatically runs once a day.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.



Referring to the exhibit, which two statements are correct about this client event? (Choose two.)

- A. It is a wireless client.
- B. It is a wired client.
- C. A dynamic packet capture file is included.
- D. A traceroute file is included.

Suggested Answer: AC

Currently there are no comments in this discussion, be the first to comment!

Which two statements are correct about the switch configuration hierarchy in Juniper Mist? (Choose two.)

- A. The switch configuration cannot be managed at the organization level.
- B. The switch templates exist at the site level.
- C. The switch templates exist at the organization level.
- D. The switch-specific configuration cannot override switch templates.

Suggested Answer: *BC*

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.



Referring to the exhibit, which sub-classifier contributed the most to capacity issues?

- A. Network Issues
- B. Excessive Client Load
- C. Capacity
- D. WiFi Interference

Suggested Answer: D

Currently there are no comments in this discussion, be the first to comment!

Where do reminders about subscription expiration appear in the Juniper Mist portal?

- A. in Marvis actions
- B. in the device's insights section
- C. in the dashboard alerts
- D. in a banner message at the top of the Juniper Mist portal

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

What are two guest portal authentication options in the UI? (Choose two.)

- A. SAML
- B. Sponsored Guest
- C. MAC Authentication
- D. Authentication Code

Suggested Answer: *BD*

Currently there are no comments in this discussion, be the first to comment!

How does Marvis detect a bad cable problem?

- A. Marvis randomly performs cable tests on every cable in your network.
- B. Marvis randomly performs packet captures on various APs to find bad cables in your network.
- C. Marvis analyzes metrics, such as interface errors, that match a bad cable pattern.
- D. Marvis constantly sends ping packets to remote end hosts to determine whether there is a failure in the path.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

What is responsible for Mist AI data collection and analysis across the wireless, wired, and WAN domains?

- A. Predictive Analytics and Correlation Engine (PACE)
- B. Marvis VNA
- C. data science
- D. Juniper Mist full stack

Suggested Answer: A

Currently there are no comments in this discussion, be the first to comment!

Which two protocols does Marvis Minis automatically validate? (Choose two.)

- A. Simple Network Management Protocol (SNMP)
- B. Address Resolution Protocol (ARP)
- C. Dynamic Host Configuration Protocol (DHCP)
- D. Network Time Protocol (NTP)

Suggested Answer: CD

Community vote distribution

BC (100%)

 **JulioNassif** 3 months, 1 week ago

Selected Answer: BC

The two protocols that Marvis Minis automatically validates are:

B. Address Resolution Protocol (ARP)

ARP is one of the core network services that Marvis Minis validates for all active VLANs on enabled wireless LANs.

C. Dynamic Host Configuration Protocol (DHCP)

DHCP is another fundamental network service that Marvis Minis automatically validates as part of its continuous network validation.

Statements A and D are incorrect because:

A is false since SNMP (Simple Network Management Protocol) is not listed among the network services that Marvis Minis validates.

D is false since NTP (Network Time Protocol) is not part of Marvis Minis's automatic validation scope.

Marvis Minis also validates DNS and application connectivity in addition to ARP and DHCP.

upvoted 1 times

Your organization currently uses Access Assurance for 802.1X authentication of wireless users using user certificates. All users are currently placed in the same VLAN after authentication. There are multiple VLANs at your sites.

In this scenario, how would you configure Access Assurance to make the network more secure?

- A. Configure host (machine) authentication using EAP-TLS and assign WxLAN roles based on AD user group.
- B. Configure MAC Authentication Bypass (MAB) and assign WxLAN roles based on groups of MAC addresses.
- C. Configure user authentication using EAP-TLS and assign WxLAN roles based on AD user group.
- D. Configure user authentication using EAP-TTLS and assign WxLAN roles based on AD user group.

Suggested Answer: C

Currently there are no comments in this discussion, be the first to comment!

Which data format is transmitted during a Juniper Mist API request?

- A. JSON
- B. XML
- C. YAML
- D. CSV

Suggested Answer: A

Currently there are no comments in this discussion, be the first to comment!

Which three categories of alert types are available in Juniper Mist? (Choose three.)

- A. Marvis
- B. Users
- C. Site
- D. Infrastructure
- E. Security

Suggested Answer: *ACD*

Currently there are no comments in this discussion, be the first to comment!

What does the Predictive Analytics and Correlation Engine (PACE) of Mist AI use to understand the end-user experience?

- A. machine learning
- B. manual analysis
- C. user feedback
- D. network monitoring tools

Suggested Answer: A

Currently there are no comments in this discussion, be the first to comment!

What is required for Marvis Minis to operate?

- A. Premium Analytics subscription
- B. WAN Assurance subscription
- C. WLAN template
- D. minimum AP firmware

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Which two statements are correct about the Juniper Mist vBLE Asset Visibility mode? (Choose two.)

- A. The vBLE antenna is in the transmit mode.
- B. The vBLE antenna communicates with mobile devices running the Juniper Mist location SDK.
- C. The vBLE antenna tracks chirps from BLE tags.
- D. The vBLE antenna is in the receive mode.

Suggested Answer: *CD*

Currently there are no comments in this discussion, be the first to comment!

In Juniper Mist, which three devices send data to the Juniper Mist cloud? (Choose three.)

- A. syslog server
- B. Juniper Mist Edge
- C. RADIUS server
- D. session smart router
- E. access point

Suggested Answer: *BDE*

Currently there are no comments in this discussion, be the first to comment!

You are asked to configure WPA3/Enterprise (802.1X) security on the corporate employee SSID on every access point in your multi-site organization.

Which Juniper Mist template would you use for this task?

- A. WLAN template
- B. WAN Edge template
- C. RF template
- D. Switch template

Suggested Answer: A

Currently there are no comments in this discussion, be the first to comment!

Mist AI collects and integrates data from multiple sources, including the data science and customer success teams and the domain experts. This process improves ML/AI accuracy.

What is this process is called?

- A. anomaly detection
- B. Bayesian inference
- C. Mist AI efficacy loop
- D. Marvis Actions

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which type of machine learning does radio resource management (RRM) use?

- A. cognitive learning
- B. supervised learning
- C. reinforcement learning
- D. unsupervised learning

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Your company hosts its own enterprise-wide monitoring solution. You want to receive events from Juniper Mist. How would you accomplish this task?

- A. using a WebSocket
- B. using a webhook
- C. sending an e-mail
- D. using the API

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

What is the purpose of assigning roles to switches?

- A. to monitor network traffic
- B. to configure WLANs
- C. to assign configurations at scale
- D. to manage user accounts

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

How often does Marvis Minis execute automatic validations?

- A. every hour
- B. every day
- C. every 30 minutes
- D. every week

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which Juniper device is used in Routing Assurance?

- A. SRX Series firewalls
- B. EX Series switches
- C. Session Smart Routers
- D. MX Series

Suggested Answer: C

Community vote distribution

D (100%)



 **aa4a63c** 2 months, 3 weeks ago

Selected Answer: D

MX and ACX series

upvoted 1 times


You are asked to create a real time visualization dashboard which displays clients on a map.
Which two Juniper Mist functions would you use in this scenario? (Choose two.)

- A. WebSocket
- B. RESTful API
- C. Live View
- D. webhooks

Suggested Answer: AC

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.



Referring to this exhibit, which classifier was the largest contributor to 17% of the capacity issues?

- A. network issues
- B. authorization
- C. Wi-Fi interference
- D. Ethernet

Suggested Answer: C

Currently there are no comments in this discussion, be the first to comment!

What does the AI-driven RRM in Juniper Mist Wireless Assurance optimize?

- A. user interfaces
- B. band steering
- C. SSID naming conventions
- D. radio resource settings

Suggested Answer: D

Community vote distribution

B (100%)



 **aa4a63c** 2 months, 3 weeks ago

Selected Answer: B

<https://www.juniper.net/documentation/us/en/software/mist/mist-wireless/topics/concept/mist-radio-resource-management.html>

upvoted 1 times

Your manager asks you to configure all your remote Juniper EX Series switches to use Dynamic Port Configuration.

In this scenario, what are two criteria used for matching connected devices and assigning them their correct port and VLAN? (Choose two.)

- A. MAC
- B. serial number
- C. LLDP chassis ID
- D. IP address

Suggested Answer: AC

Currently there are no comments in this discussion, be the first to comment!

What are two ways that Juniper Mist Access Assurance enforces network access control? (Choose two.)

- A. It creates a VPN using an IPsec tunnel.
- B. It groups users into network segments.
- C. It assigns specific roles to users.
- D. It monitors network traffic.

Suggested Answer: *BC*

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.

Subscription Type	Status	Usage
Access Assurance Standard	Active	8 of 25
Asset Visibility	Active	18 of 27
Marvis for WAN	Active	1 of 107
Marvis for Wired Network	Active	9 of 119
Marvis for Wireless	Active	21 of 82

Referring to the exhibit, how many Marvis for Wireless subscriptions have been purchased and onboarded?

- A. 82
- B. 103
- C. 21
- D. 61

Suggested Answer: A

 **Keerberus** 1 month, 2 weeks ago

Selected Answer: C

Na linha Marvis for Wireless, a coluna Usage mostra:

21 of 82

No Mist, esse formato é sempre:

primeiro número → onboarded / em uso

segundo número → purchased / total comprado

A pergunta é traiçoeira de propósito:

How many Marvis for Wireless subscriptions have been purchased and onboarded?

Ou seja, quer o total comprado, não apenas os usados agora.

Interpretação correta

Purchased: 82

Onboarded (em uso): 21

 Resposta correta

C. 21

upvoted 1 times

Which statement correctly describes Juniper Mist organization IDs?

- A. They are in CSV format.
- B. They can be edited.
- C. They are read-only.
- D. They are created manually.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!


Which Juniper Mist location-based service improves accuracy?

- A. Wi-Fi location
- B. asset visibility
- C. User Engagement
- D. proximity detection

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Click the Exhibit button.



Referring to the exhibit, which percentage of Coverage was unsuccessful?

- A. 79%
- B. 15%
- C. 9%
- D. 21%

Suggested Answer: D

Community vote distribution

D (100%)

aa4a63c 2 months, 3 weeks ago

Selected Answer: D

correct

upvoted 1 times