



- Expert Verified, Online, **Free**.

Which two of the following must you configure on FortiAnalyzer to email a FortiAnalyzer report externally? (Choose two.)

- A. Mail server
- B. Output profile
- C. SFTP server
- D. Report scheduling

Suggested Answer: (119)BC

Reference:

<https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/6d9f8fb5-6cf4-11e9-81a4-00505692583a/FortiAnalyzer-6.0.5-Administration-Guide.pdf>

Community vote distribution

AB (100%)

asdhjkwert34 1 year, 8 months ago

Selected Answer: AB

A, B correct

upvoted 2 times

Kimaru 2 years ago

somebody have the new version of this exams. now this exam is NSE_FAZ-6.4 please share

upvoted 4 times

jarz 2 years, 5 months ago

Selected Answer: AB

To be able to email, you need a mail server duh!

upvoted 4 times

EstavoB 2 years, 6 months ago

A,B you need a mail server configured and a output profile. SFTP is for dumping config and report files.

upvoted 1 times

alexa1079 2 years, 6 months ago

somebody have the new version of this exams. now this exam is NSE_FAZ-6.4 or 7. so please share in this page.

upvoted 2 times

pawelpodb 2 years, 7 months ago

AB correct

upvoted 1 times

LordRouter 2 years, 7 months ago

6.4 Study Guide page 226, it should be A&B

upvoted 3 times

adolfus 2 years, 9 months ago

A and B, FortiAnalyzer 6.2 Study guide page 211

upvoted 1 times

coredpt 2 years, 9 months ago

A and B, sftp is not for send emails, lol

upvoted 1 times

AVINDIA 2 years, 10 months ago

A and B

upvoted 1 times

driguilim 2 years, 10 months ago

A and B are correct

upvoted 1 times

Refer to the exhibit.

```

Total Quota Summary:
  Total Quota   Allocated   Available   Allocate%
    63.7GB      12.7GB      51.0GB      19.9%

System Storage Summary:
  Total   Used   Available   Use%
  78.7GB   2.9GB   75.9GB     3.6%

Reserved space: 15.0GB (19.0% of total space).
  
```

Why is the total quota less than the total system storage?

- A. Some space is reserved for system use
- B. 3.6% of the system storage is already being used
- C. The logfiled process is just estimating the total quota
- D. The oftpd process has not archived the logs yet

Suggested Answer: B

Community vote distribution

A (100%)

 **coredpt** Highly Voted 2 years, 9 months ago

Total quota = total system - reserved space

A is correct


upvoted 6 times

 **asdhjkwert34** Most Recent 1 year, 8 months ago

Selected Answer: A

A is correct

upvoted 2 times

 **jarz** 2 years, 5 months ago

Selected Answer: A


Some of the allocated disk spaced is reserved for the system

upvoted 3 times

 **pawelpodb** 2 years, 7 months ago

A 100%

upvoted 1 times

 **adolfus** 2 years, 9 months ago


A is correct page 101 FortiAnalyzer_6.2_Study_Guide

upvoted 2 times

 **CrisNarv** 2 years, 9 months ago

A is correct page 108 FortiAnalyzer_6.4_Study_Guide

upvoted 3 times

 **geremia7** 2 years, 10 months ago

A is correct

upvoted 2 times

For which two purposes would you use the command set log checksum? (Choose two.)

- A. To help protect against man-in-the-middle attacks during log upload from FortiAnalyzer to an SFTP server
- B. To prevent log modification or tampering
- C. To encrypt log communications
- D. To send an identical set of logs to a second logging server

Suggested Answer: AB

To prevent the log in the store from being modified, you can add a log checksum by using the config system global command. When the log is split, archived, and the log is uploaded (if the feature is enabled), you can configure the FortiAnalyzer to log the log file hash value, timestamp, and authentication code. This can help defend against man-in-the-middle attacks when uploading log transmission data from the FortiAnalyzer to the SFTP server.

Community vote distribution

AB (100%)

🗳️ 👤 **asdhjkwert34** 1 year, 8 months ago

Selected Answer: AB

A & B are correct
upvoted 2 times

🗳️ 👤 **yaboi01** 2 years, 2 months ago

A & B study guide 6.4 page 139
upvoted 1 times

🗳️ 👤 **pawelpodb** 2 years, 7 months ago

AB - FAZ 6.4 exam question
upvoted 1 times

🗳️ 👤 **bcr_trg** 2 years, 8 months ago

Selected Answer: AB

A & B are correct from study guide 6.4
upvoted 3 times

🗳️ 👤 **adolfus** 2 years, 9 months ago

A and B A are correct, page 132 FortiAnalyzer_6.2_Study_Guide
upvoted 1 times

🗳️ 👤 **coredpt** 2 years, 9 months ago


A and b are correct
upvoted 1 times

🗳️ 👤 **deepakkalri** 2 years, 10 months ago

A & B are correct
upvoted 1 times

Refer to the exhibit.

What does the data point at 14:55 tell you?



- A. The received rate is almost at its maximum for this device
- B. The sqlplugind daemon is behind in log indexing by two logs
- C. Logs are being dropped
- D. Raw logs are reaching FortiAnalyzer faster than they can be indexed

Suggested Answer: C

Community vote distribution

D (100%)

asdhjkwert34 1 year, 8 months ago

Selected Answer: D

D is correct

upvoted 2 times

pawelpodb 2 years, 7 months ago

D - FAZ 6.4 exam question

upvoted 2 times

adolfus 2 years, 9 months ago

D is correct, page 154 FortiAnalyzer_6.2_Study_Guide

upvoted 2 times

coredpt 2 years, 9 months ago

Selected Answer: D

Receive rate is higher than Insert rate, which produces LAG, but does NOT drop logs

upvoted 4 times

geremia7 2 years, 10 months ago

D is correct

upvoted 2 times

You are using RAID with a FortiAnalyzer that supports software RAID, and one of the hard disks on FortiAnalyzer has failed. What is the recommended method to replace the disk?

- A. Shut down FortiAnalyzer and then replace the disk
- B. Downgrade your RAID level, replace the disk, and then upgrade your RAID level
- C. Clear all RAID alarms and replace the disk while FortiAnalyzer is still running
- D. Perform a hot swap

Suggested Answer: D

Reference:

<https://www.fortinetguru.com/2016/04/system-settings/6/>

Community vote distribution

A (100%)

🗳️ **asdhjkwert34** 1 year, 8 months ago

Selected Answer: A

A is correct

upvoted 1 times

🗳️ **ZakySama** 1 year, 9 months ago

Selected Answer: A

A is correct

upvoted 1 times

🗳️ **Nappel** 2 years, 2 months ago

Selected Answer: A

Software Raid does NOT suport hotswap, so the right answer is A.

upvoted 2 times

🗳️ **EstavoB** 2 years, 6 months ago

A is correct

upvoted 1 times

🗳️ **lalum** 2 years, 6 months ago

A - https://help.fortinet.com/fa/faz50hlp/56/5-6-2/FMG-FAZ/0700_RAID/0800_Swapping%20Disks.htm

upvoted 1 times

🗳️ **pawelpodb** 2 years, 7 months ago

Selected Answer: A

A FAZ 6.4 exam question

upvoted 1 times

🗳️ **bcr_trg** 2 years, 8 months ago

Selected Answer: A

On FortiAnalyzer units with software RAID, the device must be shutdown prior to exchanging the hard disk.

upvoted 1 times

🗳️ **mau_80** 2 years, 8 months ago

Selected Answer: A

A because it's a SW RAID

upvoted 1 times

🗳️ **coredpt** 2 years, 9 months ago

Selected Answer: A



Software Raid does NOT suport hotswap

upvoted 2 times

🗳️ **coredpt** 2 years, 9 months ago

A is correct... Software raid does not support hotswap

upvoted 1 times

  **funirka** 2 years, 10 months ago

FAZ 6.4 Study Guide, page 79, Knowledge check , The same question - A, because of software RAID.

upvoted 3 times

  **deepakkalri** 2 years, 10 months ago


correction A is correct as its software raid.

upvoted 1 times

  **deepakkalri** 2 years, 10 months ago



D is correct hot swapping is used.

upvoted 1 times

  **pratap105** 2 years, 9 months ago

For hardware we will use hot swapping, for software a is correct

upvoted 1 times

  **geremia7** 2 years, 10 months ago

A is correct

upvoted 1 times

On the RAID management page, the disk status is listed as Initializing.













What does the status Initializing indicate about what the FortiAnalyzer is currently doing?

- A. FortiAnalyzer is ensuring that the parity data of a redundant drive is valid
- B. FortiAnalyzer is writing data to a newly added hard drive to restore it to an optimal state
- C. FortiAnalyzer is writing to all of its hard drives to make the array fault tolerant
- D. FortiAnalyzer is functioning normally

Suggested Answer: (40)C

Reference:

<https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/4cb0dce6-dbef-11e9-8977-00505692583a/FortiAnalyzer-5.6.10-Administration-Guide.pdf>

-   **pawelpodb** 2 years, 7 months ago
C FAZ 6.4 exam question
upvoted 2 times
-   **mau_80** 2 years, 8 months ago
C is correct
upvoted 1 times
-   **adolfus** 2 years, 9 months ago
C is correct, page 69 FortiAnalyzer_6.2_Study_Guide
upvoted 2 times
-   **coredpt** 2 years, 9 months ago
C is correct
upvoted 1 times
-   **funirka** 2 years, 10 months ago
FAZ 6.4 Study Guide, page 76
upvoted 2 times
-   **zsl** 2 years, 10 months ago
C is correct
upvoted 1 times

In the FortiAnalyzer FortiView, source and destination IP addresses from FortiGate devices are not resolving to a hostname.
How can you resolve the source and destination IP addresses, without introducing any additional performance impact to FortiAnalyzer?

- A. Resolve IP addresses on a per-ADOM basis to reduce delay on FortiView while IPs resolve
- B. Configure # set resolve-ip enable in the system FortiView settings
- C. Configure local DNS servers on FortiAnalyzer
- D. Resolve IP addresses on FortiGate

Suggested Answer: B

Reference:

<https://forum.fortinet.com/tm.aspx?m=156950>

Community vote distribution

D (100%)

🗲️ 👤 **asdhjkwert34** 1 year, 8 months ago

Selected Answer: D

D is correct

upvoted 1 times

🗲️ 👤 **EstavoB** 2 years, 6 months ago

D is correct

upvoted 1 times

🗲️ 👤 **melek18** 2 years, 7 months ago

D is a good answer

upvoted 1 times

🗲️ 👤 **adolfus** 2 years, 9 months ago

D is correct, page 145 FortiAnalyzer_6.2_Study_Guide

upvoted 1 times

🗲️ 👤 **coredpt** 2 years, 9 months ago

Selected Answer: D

WithOUT peromance impact on FAZ, config dns in FGT, also, FAZ does not resolve source ip addresses

upvoted 4 times

🗲️ 👤 **jm31** 2 years, 7 months ago

I agree, on you. But if need to resolved in FAZ, B is correct answer.

To answer this question is D!

upvoted 2 times

🗲️ 👤 **Deco123** 2 years, 10 months ago

D - FAZ 6.4 Study Guide, page 157

upvoted 2 times

🗲️ 👤 **geremia7** 2 years, 10 months ago

D is correct

upvoted 2 times

You have recently grouped multiple FortiGate devices into a single ADOM. System Settings > Storage Info shows the quota used. What does the disk quota refer to?

- A. The maximum disk utilization for each device in the ADOM
- B. The maximum disk utilization for the FortiAnalyzer model
- C. The maximum disk utilization for the ADOM type
- D. The maximum disk utilization for all devices in the ADOM

Suggested Answer: B

Community vote distribution

D (91%)

9%

🗳️ 👤 **Bob_Oso** Highly Voted 2 years, 3 months ago

Selected Answer: D

D is correct - page 66 FortiAnalyzer_6.4_Study_Guide
upvoted 5 times

🗳️ 👤 **DHNSE** Most Recent 2 years, 6 months ago

D is the correct answer
upvoted 1 times

🗳️ 👤 **melek18** 2 years, 7 months ago

D is a good answer
upvoted 1 times

🗳️ 👤 **pawelpodb** 2 years, 7 months ago

D FAZ 6.4 exam question
upvoted 2 times

🗳️ 👤 **bcr_trg** 2 years, 8 months ago

Selected Answer: D

FortiAnalyzer study guide
upvoted 3 times

🗳️ 👤 **mcs21** 2 years, 8 months ago

D is correct - page 66 FortiAnalyzer_6.4_Study_Guide
upvoted 3 times

🗳️ 👤 **coredpt** 2 years, 9 months ago

Selected Answer: D

Sorry, D is the correct one...
upvoted 2 times

🗳️ 👤 **coredpt** 2 years, 9 months ago

Selected Answer: C

Quotas are set per ADOM
upvoted 1 times

🗳️ 👤 **geremia7** 2 years, 10 months ago

D is correct
upvoted 1 times

Why should you use an NTP server on FortiAnalyzer and all registered devices that log into FortiAnalyzer?

- A. To properly correlate logs
- B. To use real-time forwarding
- C. To resolve host names
- D. To improve DNS response times

Suggested Answer: A

Community vote distribution

A (100%)

🗳️ 👤 **jddc10006** 2 years ago

A is correct

upvoted 1 times

🗳️ 👤 **Nappel** 2 years, 1 month ago

Selected Answer: A

Study Guide 7.0 page 30: Synchronize the time on FortiAnalyzer and all Registered devices with an NTP server for correct log correlation.

upvoted 1 times

🗳️ 👤 **melek18** 2 years, 7 months ago

A is a good answer

upvoted 1 times

🗳️ 👤 **jm31** 2 years, 7 months ago

Selected Answer: A

Study Guide 6.2 page.27

upvoted 2 times

🗳️ 👤 **pawelpodb** 2 years, 7 months ago

Selected Answer: A

A FAZ 6.4 exam question

upvoted 4 times

🗳️ 👤 **bcr_trg** 2 years, 8 months ago

Selected Answer: A

FortiAnalyzer study guide for FortiAnalyzer 6.4, P. 27

upvoted 2 times

🗳️ 👤 **Kimaru** 2 years ago

Kindly share the FortiAnalyzer_6.4_Study_Guide

upvoted 1 times

🗳️ 👤 **coredpt** 2 years, 9 months ago

A is correct

upvoted 1 times

🗳️ 👤 **Deco123** 2 years, 10 months ago

A - FAZ 6.4 Study Guide, page 27

upvoted 2 times

🗳️ 👤 **vagedis** 2 years, 10 months ago

A for sure

upvoted 1 times

You need to upgrade your FortiAnalyzer firmware.

What happens to the logs being sent to FortiAnalyzer from FortiGate during the time FortiAnalyzer is temporarily unavailable?

- A. FortiAnalyzer uses log fetching to retrieve the logs when back online
- B. FortiGate uses the miglogd process to cache the logs
- C. The logfiled process stores logs in offline mode
- D. Logs are dropped

Suggested Answer: B

Community vote distribution

B (100%)

🗳️ 👤 **Nappel** 2 years, 1 month ago

Selected Answer: B

Study Guide 7.0 page 112.

upvoted 2 times

🗳️ 👤 **melek18** 2 years, 7 months ago

B is a good answer

upvoted 2 times

🗳️ 👤 **jm31** 2 years, 7 months ago

B! Study Guide 6.2 page.95

upvoted 2 times

🗳️ 👤 **bcr_trg** 2 years, 8 months ago

Selected Answer: B

B is correct

upvoted 2 times

🗳️ 👤 **mau_80** 2 years, 8 months ago

B is correct

upvoted 1 times

🗳️ 👤 **coredpt** 2 years, 9 months ago

B is correct

upvoted 1 times

🗳️ 👤 **Deco123** 2 years, 10 months ago

B - FAZ 6.4 Study Guide, page 102

upvoted 2 times

🗳️ 👤 **AVINDIA** 2 years, 10 months ago

B is correct

upvoted 1 times

After you have moved a registered logging device out of one ADOM and into a new ADOM, what is the purpose of running the following CLI command? `execute sql-local rebuild-adom <new-ADOM-name>`

- A. To reset the disk quota enforcement to default
- B. To remove the analytics logs of the device from the old database
- C. To migrate the archive logs to the new ADOM
- D. To populate the new ADOM with analytical logs for the moved device, so you can run reports

Suggested Answer: B

Reference:

<https://docs.fortinet.com/document/fortianalyzer/6.0.2/cli-reference/551596/sql-local>

Community vote distribution

D (100%)

🗳️ 👤 **asdhjkwert34** 1 year, 8 months ago

Selected Answer: D

D is correct

upvoted 1 times

🗳️ 👤 **jddc10006** 2 years ago

D is correct

upvoted 1 times

🗳️ 👤 **melek18** 2 years, 7 months ago

D is a good answer

upvoted 2 times

🗳️ 👤 **jm31** 2 years, 7 months ago

Of course D!

upvoted 1 times

🗳️ 👤 **bcr_trg** 2 years, 8 months ago

Selected Answer: D

D is correct : From FortiAnalyzer study guide

upvoted 2 times

🗳️ 👤 **mau_80** 2 years, 8 months ago

Selected Answer: D

D is correct

upvoted 2 times

🗳️ 👤 **Deco123** 2 years, 10 months ago

D - FAZ 6.4 Study Guide, page 118

upvoted 2 times

🗳️ 👤 **geremia7** 2 years, 10 months ago

D is correct

upvoted 1 times

If a hard disk fails on a FortiAnalyzer that supports software RAID, what should you do to bring the FortiAnalyzer back to functioning normally, without losing data?

- A. Hot swap the disk
- B. Replace the disk and rebuild the RAID manually
- C. Take no action if the RAID level supports a failed disk
- D. Shut down FortiAnalyzer and replace the disk

Suggested Answer: B

Reference:

<https://www.fortinetguru.com/2020/06/raid-management-fortianalyzer-fortios-6-2-3-2/>

Community vote distribution

D (100%)

  **coredpt**  2 years, 9 months ago

Selected Answer: D

Software raid, you need to shut down faz
upvoted 5 times

  **asdhjkwert34**  1 year, 8 months ago

Selected Answer: D



D is correct
upvoted 1 times

  **driguilim** 2 years, 6 months ago



B is correct. You can see it on pag 77, Study Guide.
upvoted 1 times

  **melek18** 2 years, 7 months ago

D is a good answer
upvoted 3 times

  **Deco123** 2 years, 10 months ago

D - FAZ 6.4 Study Guide, page 77
upvoted 2 times

  **geremia7** 2 years, 10 months ago

D is correct
upvoted 2 times

Which FortiAnalyzer feature allows you to retrieve the archived logs matching a specific timeframe, from another FortiAnalyzer device?

- A. Log fetching
- B. Indicators of compromise
- C. Log forwarding in aggregation mode
- D. Log upload

Suggested Answer: A

Community vote distribution

A (100%)

🗲️ 👤 **Thomas_2020** 8 months, 3 weeks ago

Selected Answer: A

A is Correct
upvoted 1 times

🗲️ 👤 **jddc10006** 2 years ago

A is correct
upvoted 1 times

🗲️ 👤 **bamosk** 2 years, 1 month ago

A is correct
upvoted 1 times

🗲️ 👤 **Hamoly** 2 years, 4 months ago

A is correct
upvoted 2 times

🗲️ 👤 **melek18** 2 years, 7 months ago

A is a good answer
upvoted 1 times

🗲️ 👤 **adolfus** 2 years, 9 months ago

A , FAZ 6.2 Study guide page 146
upvoted 2 times

🗲️ 👤 **coredpt** 2 years, 9 months ago

A is correct
upvoted 1 times

🗲️ 👤 **Deco123** 2 years, 10 months ago

A - FAZ 6.4 Study Guide, page 158
upvoted 2 times

🗲️ 👤 **ralonso** 2 years, 10 months ago

A is correct
upvoted 1 times

If you upgrade the FortiAnalyzer firmware, which report element can be affected?

- A. Custom datasets
- B. Report scheduling
- C. Report settings
- D. Output profiles

Suggested Answer: A

Community vote distribution

A (100%)

🗨️ **melek18** 2 years, 7 months ago

Selected Answer: A

A is a good answer
upvoted 4 times

🗨️ **coredpt** 2 years, 9 months ago

A is correct
upvoted 2 times

🗨️ **Deco123** 2 years, 10 months ago

A - FAZ 6.4 Study Guide, page 220
upvoted 3 times

🗨️ **ralonso** 2 years, 10 months ago

A is correct
upvoted 3 times

FortiAnalyzer reports are dropping analytical data from 15 days ago, even though the data policy setting for analytics logs is 60 days. What is the most likely problem?

- A. Quota enforcement is acting on analytical data before a report is complete
- B. Logs are rolling before the report is run
- C. CPU resources are too high
- D. Disk utilization for archive logs is set for 15 days

Suggested Answer: A

Reference:

<https://forum.fortinet.com/tm.aspx?m=138806>

Community vote distribution

A (100%)

🗨️ **amlansys** 1 year, 5 months ago

A -good

FortiAnalyzer 7.0 Study Guide - p 177

- Adversely affect reporting if the quota enforcement acts on analytical data before a report is complete

upvoted 1 times

🗨️ **melek18** 2 years, 7 months ago

Selected Answer: A

A is a good answer

upvoted 3 times

🗨️ **coredpt** 2 years, 9 months ago

A is correct

upvoted 2 times

🗨️ **CrisNarv** 2 years, 9 months ago

A is correct page 170 FortiAnalyzer_6.4_Study_Guide

upvoted 3 times

🗨️ **Kimaru** 2 years ago

Please share FortiAnalyzer_6.4_Study_Guide

upvoted 1 times

🗨️ **EXAndres** 1 year, 11 months ago

Please share me

upvoted 1 times

🗨️ **pratap105** 2 years, 10 months ago

A is correct

upvoted 2 times

Which log type does the FortiAnalyzer indicators of compromise feature use to identify infected hosts?

- A. Antivirus logs
- B. Web filter logs
- C. IPS logs
- D. Application control logs

Suggested Answer: B

Reference:

https://help.fortinet.com/fa/faz50hlp/60/6-0-2/Content/FortiAnalyzer_Admin_Guide/3600_FortiView/0200_Using_FortiView/1200_Compromised_hosts_page.htm?TocPath=FortiView%7CUsing%20FortiView%7C___6

Community vote distribution

B (100%)

🗲️ 👤 **Thomas_2020** 8 months, 3 weeks ago

Selected Answer: B

B is correct

upvoted 1 times

🗲️ 👤 **VJ_11** 1 year, 11 months ago

B is the correct Answer

upvoted 1 times

🗲️ 👤 **coredpt** 2 years, 9 months ago

B is correct

upvoted 3 times

🗲️ 👤 **pratap105** 2 years, 10 months ago

correct web filter logs

upvoted 2 times

🗲️ 👤 **Deco123** 2 years, 10 months ago

B - FAZ 6.4 Study Guide, page 154

upvoted 3 times

Which two purposes does the auto-cache setting on reports serve? (Choose two.)

- A. It automatically updates the hcache when new logs arrive
- B. It reduces report generation time
- C. It provides diagnostics on report generation time
- D. It reduces the log insert lag rate

Suggested Answer: AB

Reference:

<https://docs.fortinet.com/document/fortianalyzer/6.0.0/administration-guide/282280/enabling-auto-cache>

Community vote distribution

AB (100%)

🗲️ 👤 **melek18** 2 years, 7 months ago

Selected Answer: AB

AB are good answers

upvoted 3 times

🗲️ 👤 **coredpt** 2 years, 9 months ago

A and B are correct

upvoted 2 times

🗲️ 👤 **Deco123** 2 years, 10 months ago

AB - FAZ 6.4 Study Guide, page 227

upvoted 2 times

In order for FortiAnalyzer to collect logs from a FortiGate device, which two configurations are required? (Choose two.)

- A. FortiGate must be registered with FortiAnalyzer
- B. Remote logging must be enabled on FortiGate
- C. ADOMs must be enabled
- D. Log encryption must be enabled

Suggested Answer: AC

Reference:

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD41272>

Community vote distribution

AB (100%)

🗳️ 👤 **asdhjkwert34** 1 year, 8 months ago

Selected Answer: AB

AB is correct

upvoted 2 times

🗳️ 👤 **saray_2020** 2 years, 3 months ago

A an B

upvoted 2 times

🗳️ 👤 **Hamoly** 2 years, 4 months ago

Selected Answer: AB

AB is correct

upvoted 1 times

🗳️ 👤 **mau_80** 2 years, 8 months ago

Selected Answer: AB

A B are correct. Adom is not mandatory

upvoted 2 times

🗳️ 👤 **coredpt** 2 years, 9 months ago

Selected Answer: AB

A and B are correct

upvoted 2 times

🗳️ 👤 **Deco123** 2 years, 10 months ago

AB - FAZ 6.4 Study Guide, page 86,87

upvoted 2 times

🗳️ 👤 **geremia7** 2 years, 10 months ago

AB is correct

upvoted 2 times