



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 1

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Which two statements regarding device management on FortiManager are true? (Choose two.)

- A. FortiGate devices in HA cluster devices are counted as a single device.
- B. FortiGate in transparent mode configurations are not counted toward the device count on FortiManager.
- C. FortiGate devices in an HA cluster that has five VDOMs are counted as five separate devices.
- D. The maximum number of managed devices for each ADOM is 500.

Show Suggested Answer





Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 2

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

An administrator wants to delete an address object that is currently referenced in a firewall policy.

What can the administrator expect to happen?

- A. FortiManager will replace the deleted address object with the none address object in the referenced firewall policy.
- B. FortiManager will not allow the administrator to delete a referenced address object.
- C. FortiManager will replace the deleted address object with the all address object in the referenced firewall policy.
- D. FortiManager will disable the status of the referenced firewall policy.

Show Suggested Answer




Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 3

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.



Import Device - Local-FortiGate [root]

Create a new policy package for import.

Policy Package Name: Local-FortiGate

Folder: root

Policy Selection: Import All (3) Select Policies and Profile Groups to Import

Object Selection: Import only policy dependent objects Import all objects

An administrator is importing a new device to FortiManager and has selected the options shown in the exhibit.

What will happen if the administrator makes the changes and installs the modified policy package on this managed FortiGate?

- A. The unused objects that are not tied to the firewall policies locally on FortiGate will be deleted.
- B. The unused objects that are not tied to the firewall policies in the policy package will be deleted from the FortiManager database.
- C. The unused objects that are not tied to the firewall policies will remain as read-only locally on FortiGate.
- D. The unused objects that are not tied to the firewall policies will be installed on FortiGate.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 4

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Which of the purpose of the Policy Check feature on FortiManager?

- A. It compares the policy packages with the revision history, and updates policy packages in the ADOM database.
- B. It merges and creates dynamic mappings for duplicate objects used in a policy package.
- C. It provides recommendation to combine similar policy packages within an ADOM into one single policy package.
- D. It provides recommendation for optimizing policies in a policy package.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 5

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Which two statements about Security Fabric integration with FortiManager are true? (Choose two.)

- A. The Security Fabric license, group name and password are required for the FortiManager Security Fabric integration
- B. The Fabric View module enables you to generate the Security Fabric ratings for Security Fabric devices
- C. The Security Fabric settings are part of the device level settings
- D. The Fabric View module enables you to view the Security Fabric ratings for Security Fabric devices

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 6

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

Create New CLI Script

Script Name

[\[View Sample Script\]](#)

Comments

0/255

Type

Run script on

Script details

```
config router prefix-list
edit public
config rule
edit 1
set prefix 0.0.0.0/0
set action permit
next
edit 2
set prefix 8.8.8.8/32
set action deny
end
```

[Advanced Device Filters >](#)

OK

Cancel

Which two statements are true if the script is executed using the Device Database option? (Choose two.)

- A. You must install these changes using the Install Wizard to a managed device
- B. The successful execution of a script on the Device Database will create a new revision history
- C. The script history will show successful installation of the script on the remote FortiGate
- D. The Device Settings Status will be tagged as Modified

Show Suggested Answer

Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 7

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.



An administrator logs into the FortiManager GUI and sees the panes shown in the exhibit.

Which two reasons can explain why the FortiAnalyzer feature panes do not appear? (Choose two.)

- A. The administrator logged in using the unsecure protocol HTTP, so the view is restricted.
- B. The administrator profile does not have full access privileges like the Super_User profile.
- C. The administrator IP address is not a part of the trusted hosts configured on FortiManager interfaces.
- D. FortiAnalyzer features are not enabled on FortiManager.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 8

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Which two items are included in the FortiManager backup? (Choose two.)

- A. FortiGuard database
- B. Global database
- C. Logs
- D. All devices

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 9

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

```
# diagnose fmupdate view-serverlist fds
Fortiguard Server Comm : Enabled
Server Override Mode   : Loose
FDS server list        :
Index Address          Port      TimeZone  Distance  Source
-----
*0    10.0.1.50            8890     -5        0         CLI
1     96.45.33.89          443      -5        0         FDNI
2     96.45.32.81          443      -5        0         FDNI
...
38    fds1.fortinet.com    443      -5        0         DEFAULT
```

How will FortiManager try to get updates for antivirus and IPS?

- A. From the list of configured override servers that have the ability to fall back to public FDN servers
- B. From the configured override server list only.
- C. From public FDNI servers with highest index number only.
- D. From the default server fds1.fortinet.com.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 10

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

An administrator's PC crashes before the administrator can submit a workflow session for approval. After the PC is restarted, the administrator notices that the ADOM was locked from the session before the crash.

How can the administrator unlock the ADOM?

- A. Restore the configuration from a previous backup.
- B. Log in as Super_User in order to unlock the ADOM.
- C. Log in using the same administrator account to unlock the ADOM.
- D. Delete the previous admin session manually through the FortiManager GUI or CLI.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 11

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

```
config system global
set workspace-mode normal
end
```

Given the configuration shown in the exhibit, which two statements are true? (Choose two.)

- A. It allows two or more administrators to make configuration changes at the same time, in the same ADOM.
- B. It disables concurrent read-write access to an ADOM.
- C. It allows the same administrator to lock more than one ADOM at the same time.
- D. It is used to validate administrator login attempts through external servers.

Show Suggested Answer

Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 12

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

Start to import config from device(Local-FortiGate) vdom(root) to adom(My_ADOM), package(Local-FortiGate_root)

```
"firewall service category",SKIPPED,"(name=General, oid=697, DUPLICATE)"
```

```
"firewall address",SUCCESS,"(name=LOCAL_SUBNET, oid=684, new object)"
```

```
"firewall service custom",SUCCESS,"(name=ALL, oid=863, update previous object)"
```

```
"firewall policy",SUCCESS,"(name=1, oid = 1090, new object)"
```

Which statement about the object named ALL is true?

- A. FortiManager updated the object ALL using the FortiGate value in its database.
- B. FortiManager installed the object ALL with the updated value.
- C. FortiManager created the object ALL as a unique entity in its database, which can be only used by this managed FortiGate.
- D. FortiManager updated the object ALL using the FortiManager value in its database.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 13

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

Create New ADOM

Name

Type

Comments

Devices

Name	IP Address	Platform
Click to select devices for this ADOM.		

Mode Normal Backup

Which two statements about an ADOM set in Normal mode on FortiManager are true? (Choose two.)

- A. It supports the FortiManager script feature
- B. It allows making configuration changes for managed devices on FortiManager panes
- C. FortiManager automatically installs the configuration difference in revisions on the managed FortiGate
- D. You cannot assign the same ADOM to multiple administrators

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 14

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

An administrator is replacing a device on FortiManager by running the following command: `execute device replace sn <devname> <serialnum>`.

What device name and serial number must the administrator use?

- A. Device name and serial number of the original device.
- B. Device name and serial number of the replacement device.
- C. Device name of the replacement device and serial number of the original device.
- D. Device name of the original device and serial number of the replacement device.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 15

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

```
FortiManager # diagnose dvm device list
--- There are currently 1 devices/vdoms managed ---

TYPE          OID    SN      HA    IP          NAME          ADOM    IPS          FIRMWARE
fmg/faz enabled 157    FGVM01.. -    10.200.1.1   Local-FortiGate  My_ADOM  14.00641 (regular) 6.0 MR2 (866)
|- STATUS: dev-db: modified; conf: in sync; cond: pending; dm: retrieved; conn: up

|- vdom:[3]root flags:0 adom:My_ADOM pkg:[imported]Local-FortiGate
```

Which two statements about the output are true? (Choose two.)

- A. The latest revision history for the managed FortiGate does not match with the device-level database.
- B. Configuration changes directly made on FortiGate have been automatically updated to the device-level database.
- C. The latest revision history for the managed FortiGate does match with the FortiGate running configuration.
- D. Configuration changes have been installed on FortiGate, which means the FortiGate configuration has been changed.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 16

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

An administrator would like to review, approve, or reject all the firewall policy changes made by the junior administrators.

How should the Workspace mode be configured on FortiManager?

- A. Set to workflow and use the ADOM locking feature
- B. Set to read/write and use the policy locking feature
- C. Set to normal and use the policy locking feature
- D. Set to disable and use the policy locking feature

Show Suggested Answer





Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 17

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

You are moving managed FortiGate devices from one ADOM to a new ADOM.

Which statement correctly describes the expected result?

- A. Any pending device settings will be installed automatically
- B. Any unused objects from a previous ADOM are moved to the new ADOM automatically
- C. The shared policy package will not be moved to the new ADOM
- D. Policy packages will be imported into the new ADOM automatically

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 18

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

```
config system dm
set rollback-allow-reboot enable
end
```

An administrator has configured the command shown in the exhibit on FortiManager. A configuration change has been installed from FortiManager to the managed FortiGate that causes the FGFM tunnel to go down for more than 15 minutes.

What is the purpose of this command?

- A. It allows FortiGate to unset central management settings.
- B. It allows FortiGate to reboot and recover the previous configuration from its configuration file.
- C. It allows the FortiManager to revert and install a previous configuration revision on the managed FortiGate.
- D. It allows FortiGate to reboot and restore a previously working firmware image.

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 19

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Which two items does an FGFM keepalive message include? (Choose two.)

- A. FortiGate configuration checksum
- B. FortiGate IPS version
- C. FortiGate license information
- D. FortiGate uptime

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 20

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

An administrator would like to create an SD-WAN using central management in the Training ADOM.

To create an SD-WAN using central management, which two steps must be completed? (Choose two.)

- A. Specify a gateway address when you create a default SD-WAN static route
- B. Enable SD-WAN central management in the Training ADOM
- C. Configure and install the SD-WAN firewall policy and SD-WAN static route before installing the SD-WAN template settings
- D. Remove all the interface references such as routes or policies that will be a part of SD-WAN member interfaces

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 21

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

What is the purpose of ADOM revisions?

- A. To create System Checkpoints for the FortiManager configuration.
- B. To save the current state of the whole ADOM.
- C. To save the current state of all policy packages and objects for an ADOM.
- D. To revert individual policy packages and device-level settings for a managed FortiGate by reverting to a specific ADOM revision

Show Suggested Answer



Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 22

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

Refer to the exhibit.

Starting log (Run on device)

Start installing

```
Local-FortiGate $ config user device
Local-FortiGate (device) $ edit "mydevice"
new entry 'mydevice' added
Local-FortiGate (mydevice) $ next
MAC address can not be 0
node_check_object fail! for mac 00:00:00:00:00:00
Attribute 'mac' value '00:00:00:00:00:00' checking fail -33
Command fail. Return code 1
Local-FortiGate (device) $ end
...
Local-FortiGate $ config firewall policy
Local-FortiGate (policy) $ edit 2
new entry '2' added
Local-FortiGate (2) $ set name "Device_policy"
Local-FortiGate (2) $ set uuid 64...
Local-FortiGate (2) $ set srcintf "port3"
Local-FortiGate (2) $ set dstintf "port1"
Local-FortiGate (2) $ set srcaddr "all"
Local-FortiGate (2) $ set dstaddr "all"
Local-FortiGate (2) $ set action accept
Local-FortiGate (2) $ set schedule "always"
Local-FortiGate (2) $ set service "ALL"
Local-FortiGate (2) $ set devices "mydevice"
entry not found in datasource
value parse error before 'mydevice'
Command fail. Return code -3
```

What can you conclude from the failed installation log shown in the exhibit?

- A. Policy ID 2 will not be installed.
- B. Policy ID 2 is installed without a source device.
- C. Policy ID 2 is installed without a source address.
- D. Policy ID 2 is installed in the disabled state.

Show Suggested Answer





Actual exam question from Fortinet's NSE5_FMG-6.2

Question #: 23

Topic #: 1

[\[All NSE5_FMG-6.2 Questions\]](#)

An administrator has assigned a global policy package to custom ADOM1. Then the administrator creates a new policy package, Fortinet, in the custom ADOM1. Which statement about the global policy package assignment to the newly-created policy package Fortinet is true?

- A. When a new policy package is created, it automatically assigns the global policies to the new package.
- B. When a new policy package is created, you need to assign the global policy package from the global ADOM.
- C. When a new policy package is created, you need to reapply the global policy package to the ADOM.
- D. When a new policy package is created, you can select the option to assign the global policies to the new package.

Show Suggested Answer

