How can the value be configured for each of the three arguments (one "In", one "Out", and one "In/Out") in the Arguments window of the Invoked Workflow?

A. In: Variable or Hard-coded value
Out: Variable or Hard-coded value
In/Out: Hard-coded value only

B. In: Variable or Hard-coded value

Out: Variable only -
In/Out: Variable only

C. In: Variable or Hard-coded value

Out: Hard-coded value only -
In/Out: Variable only

D. In: Variable only -

Out: Variable only -
In/Out: Variable only

Suggested Answer: *B*

Community vote distribution

B (83%)	D (17%)

☐ 👤 **bot_march** 5 months, 4 weeks ago

<mark>Selected Answer: B</mark>

For out and in/out variables

upvoted 1 times

☐ 👤 **bot_march** 5 months, 4 weeks ago

<mark>Selected Answer: D</mark>

not hardcoded values

upvoted 1 times

☐ 👤 **vgbandaru** 5 months, 4 weeks ago

<mark>Selected Answer: B</mark>

Option B is the correct choice because it properly defines the argument configuration

In can be a variable or Hard coded value.

Out can be a variable

in/out should be a variable

upvoted 1 times

☐ 👤 **0f1461a** 8 months, 3 weeks ago

<mark>Selected Answer: B</mark>

For Out and In/Out default value not supported

upvoted 3 times

DRAG DROP -

A developer has opened a pre-existing workflow that utilizes UI Automation within Google Chrome, but the Google Chrome extension has not been installed on their computer.

What steps should the developer take to install the Google Chrome extension from UiPath Studio?

Instructions: Drag the Description found on the left and drop it on the correct Step Sequence found on the right.

Description

Click, "UiPath Extensions".

Navigate to "Home" and click, "Tools"

Open Google Chrome and click the "Enable extension" pop-up

Click the "Install" button for Google Chrome.

Step Sequence

Step 1

Step 2

Step 3

Step 4

Suggested Answer:

Step 1	Navigate to "Home" and click, "Tools".
Step 2	Click, "UiPath Extensions".
Step 3	Click the "Install" button for Google Chrome.
Step 4	Open Google Chrome and click the "Enable extension" pop-up.

☐ 👤 **vgbandaru** 5 months, 4 weeks ago

Navigate to Home and click tools

click Uipath extensions

Click the Install button for google chrome

Open Google chrome and click the enable extension popup.

upvoted 1 times

☐ 👤 **0f1461a** 8 months, 3 weeks ago

Solution is correct

upvoted 3 times

What are the three source control plug ins found in the backstage view of UiPath Studio in Home - Tools - Plugins?

A. GIT, SVN, Mercurial.

B. GIT, SVN, TFS.

C. GIT, CVS, TFS

D. GIT, CVS, Bitbucket.

Suggested Answer: *B*

Community vote distribution

B (100%)

◻ 👤 **bot_march** 5 months, 4 weeks ago

Selected Answer: B

B correct answer

upvoted 1 times

◻ 👤 **vgbandaru** 5 months, 4 weeks ago

Selected Answer: B

Git is widely used version

SVN is cernteralised version

TFS is a version control system.

upvoted 1 times

◻ 👤 **0f1461a** 8 months, 3 weeks ago

Selected Answer: B

B is correct answer

upvoted 3 times

A developer utilized the Add Data Row activity to insert a row into a data table called "dt_Reports". However, during runtime, UiPath Studio encounters an exception, "Add Data Row: Object reference not set to an instance of an object." because the data table has not been initialized. To rectify this issue, what should the developer include in an Assign before the Add Data Row activity?

A. Assign New System.Data.DataTable = dt_Reports.

B. Assign dt_Reports = New System.Data.DataRow.

C. Assign dt_Reports = New System.Data.DataTable.

D. Assign dt_Reports = New List(Of DataRow).

Suggested Answer: *C*

Community vote distribution

C (100%)

☐ 👤 **bot_march** 5 months, 4 weeks ago
Selected Answer: C
Correct answer is C
upvoted 1 times

☐ 👤 **vgbandaru** 5 months, 4 weeks ago
Selected Answer: C
Data table need to be initialized before use. If dt_reports is not initialized attempting to add a row will cause a null reference exception. Only option C is correctly initializing.
upvoted 1 times

☐ 👤 **prit24** 1 year, 1 month ago
To rectify the issue of the data table not being initialized, the developer should initialize the data table before using the Add Data Row activity. The correct assignment would be:

Assign dt_Reports = New System.Data.DataTable

This initializes the data table, ensuring it is ready to have rows added to it.
Therefore, C (Assign dt_Reports = New System.Data.DataTable) is the correct answer.
upvoted 1 times

What is the best method for passing data across activities within workflows?

A. Arguments

B. Namespaces

C. Properties

D. Variables

Suggested Answer: *D*

☐ 👤 **prit24** 1 year, 1 month ago

D. Variables

Variables are used to store and pass data within the same workflow or scope. They are accessible throughout the activities within that workflow.

Arguments, on the other hand, are used to pass data between different workflows.

Given the context of passing data within a single workflow, D (Variables) is the correct answer.

upvoted 1 times

What is a correct description of a dictionary?

A. Dictionaries are collections of key, value pairs, in which the keys are unique.

B. Dictionaries are collections of item, values, in which no constraints are present over the values of the items.

C. Dictionaries are collections of unique values.

D. Dictionaries are collections of item, values, in which the items and values are unique.

Suggested Answer: *A*

Community vote distribution

A (100%)

👤 **bot_march** 5 months, 4 weeks ago

Selected Answer: A

A - Correct answer

upvoted 1 times

👤 **prit24** 1 year, 1 month ago

The correct description of a dictionary is:

A. Dictionaries are collections of key, value pairs, in which the keys are unique.

In dictionaries, each key must be unique, and each key is associated with a value. This allows for efficient retrieval of values based on their corresponding keys.

upvoted 1 times

Review the following graphic:

Based on the graphic, what is the output at runtime?

A. <blank>

0

0

B. <blank>

0

3

C. 20

23

D. 2023

Suggested Answer: *B*

Community vote distribution

B (100%)

☐ 👤 **bot_march** 5 months, 4 weeks ago

Selected Answer: B

tested in uipath, correct answer is B

upvoted 1 times

☐ 👤 **hexman123** 1 year, 2 months ago

in uipath for me after testing is B.

upvoted 1 times

☐ 👤 **Yash04** 1 year, 6 months ago

Selected Answer: B

Tested in Uipath answer is B

upvoted 4 times

👤 **arif_313786** 1 year, 4 months ago

its c right?

upvoted 2 times

👤 **Calebrn30** 1 year, 6 months ago

**Selected Answer: B**

Answer is B

upvoted 4 times

How can Folder roles be assigned in an Orchestrator instance where Activate Classic Folders is unchecked under Tenant > Settings > General?

A. From the Roles tab of the Tenant > Manage Access page.

B. From the Tenant > Settings > General page.

C. From the Assign roles tab of the Tenant > Manage Access page

D. From the Folders page or from the folder's Settings page

Suggested Answer: *D*

Community vote distribution

D (67%)	C (33%)

 ☐   👤 **eeca2b5** 7 months ago

Selected Answer: D

When Classic Folders are deactivated in UiPath Orchestrator, only Modern Folders are used. In Modern Folders, roles are assigned at the folder level, either from the Folders page or from the specific folder's Settings page

  upvoted 1 times

 ☐   👤 **0d45205** 8 months, 3 weeks ago

Selected Answer: D

C is incorrect, Tenant > Manage Access page is designed to manage tenant-level roles, not folder-level roles

  upvoted 1 times

 ☐   👤 **Yash04** 1 year, 6 months ago

Selected Answer: C

Right Answer is C.

  upvoted 1 times

Considering the following sequence of activities, where should the delay activity be added in order to display the message box every 25 seconds?

A. In the While activity

B. In the If activity

C. Below the While activity

D. In the If activity inside the Else section

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements correctly describes the primary purpose of the Use Excel File activity?

A. To create a new Microsoft Excel file with a specified name and location.

B. To convert an existing Microsoft Excel file to a different file format, such as CSV or PDF.

C. To establish the scope for Excel automation and specify the target Excel file for subsequent activities.

D. To establish a connection to a Microsoft Excel file and perform complex calculations and data manipulation directly using Studio.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which is the valid syntax for checking if the StrVar variable of type String includes the word "robot"?

- A. StrVar. Equalsf("robot")
- B. "robot".Substring(StrVar)
- C. StrVar.Contains("robot")
- D. StrVar.Substring("robot")

Suggested Answer: *C*

Community vote distribution

C (100%)

👤 **DishaTanuja** 6 months, 1 week ago

Selected Answer: C

The correct answer is C

upvoted 1 times

DRAG DROP -

A developer wants to capture a screenshot of the machine's state during robot execution and send the screenshot in an email. What are the appropriate steps to accomplish this task in the correct order?

Instructions: Drag the Description found on the left and drop it on the correct Step Sequence found on the right.

Description

Utilize a Send Outlook Mail Message activity.

Use a Take Screenshot activity.

Configure the Attachments property in the mail message activity.

Use a Save Image activity.

Step Sequence

Step 1

Step 2

Step 3

Step 4

Suggested Answer:

Step 1 — Use a Take Screenshot activity.

Step 2 — Use a Save Image activity.

Step 3 — Configure the Attachments property in the mail message activity.

Step 4 — Utilize a Send Outlook Mail Message activity.

☐ 👤 **MadhuraTendulkar** `Highly Voted 👍` 1 year, 1 month ago

1. Take Screenshot
2. Save Image
3. Utilize Send Outlook Mail Message
4. Configure Attachment

upvoted 6 times

☐ 👤 **DishaTanuja** `Most Recent ⊙` 6 months, 1 week ago

1. Take Screenshot 2. Save Image 3Configure Attachment 4. Utilize send outlook Mail Message

upvoted 1 times

Which of the following statements is true about Global Variables?

    A. Global Variables store data in a location which can be accessed by all parts of the automation project.

    B. Global Variables can be created from the Variables panel.

    C. Global Variables can be created from the Data Manager panel and from the Variables panel.

    D. Global Variables can only have two types: Text and Number.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following best describes the primary role of UiPath Orchestrator in the ecosystem?

A. Creating, designing, and testing automation workflows.

B. Providing a user-friendly interface for executing automation projects.

C. Centralized deployment, management, and monitoring of UiPath Robots and processes.

D. Running and managing attended automation processes on the user's machine.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

What is the expected behavior when the execution of a process is started from UiPath Studio in Debug mode and the developer has enabled a breakpoint on a Type Into activity?

A. The execution will pause for 5 seconds when it encounters the breakpoint.

B. The execution will not take the breakpoint into consideration when it encounters the Type activity.

C. The execution will pause when it encounters the breakpoint until the user clicks the Continue button.

D. The execution will throw an exception when it encounters the breakpoint.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

What component of the UiPath Ecosystem allows a user to post questions or answers on RPA topics?

    A. UiPath Marketplace

    B. UiPath Studio

    C. UiPath Community

    D. UiPath Forum

Suggested Answer: *D*

Community vote distribution

D (100%)

👤 **sala786** 4 months, 3 weeks ago

Selected Answer: D

it is UiPath Forum

upvoted 1 times

👤 **ravib4441** 10 months, 2 weeks ago

UIPath Marketplace

upvoted 1 times

    👤 **234234** 9 months, 1 week ago

    nope, it's clearly the forum

    upvoted 1 times

Which property of the Check App State activity in UiPath is used to define the maximum wait time for the application state to change?

A. RetryInterval

B. Delay

C. Timeout

D. WaitTime

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which property of the Check App State activity in UiPath is used to define the maximum wait time for the application state to change?

A. RetryInterval

B. Delay

C. Timeout

D. WaitTime

What is true about the behavior of the Read Range Workbook activity?

A. It works with .xlm and .xlsx files, and Excel must be installed on the system.

B. It works only with .xlsm files and Excel must be installed on the system.

C. It works only with .xls files and Excel does not need to be installed on the system.

D. It works with .xls and .xlsx files and Excel does not need to be installed on the system.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Which activity or activities should be used to add a suffix to all the file names from a specific folder, considering that the files are present on the local machine?

A. Rename All Files in Folder.

B. For Each File in Folder and Rename Folder.

C. For Each File in Folder and Rename File.

D. Rename All Files.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Which of the following actions can be performed from the Tenant context in UiPath Orchestrator?

A. Manage Assets and Storage Buckets for a specific folder.

B. Manage tenant-level entities, licenses, and settings.

C. Assign Folder roles and Mixed roles from the Folders page or from the folder's Settings page.

D. Access Test Sets, Test Cases, and Test Executions tabs for specific folders.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which activity in UiPath Studio's Properties panel does not require the user to input email credentials?

A. Get IMAP Mail Messages

B. Get Outlook Mail Messages

C. Get Exchange Mail Messages

D. Get POP3 Mail Messages

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

In a UiPath Studio project, what is the broadest scope a variable can have?

A. Within the activity in which it is defined.

B. Within the surrounding "Do" or "Body" sequence

C. Global, available in the entire project.

D. Outermost container in the current xaml project file.

Suggested Answer: *C*

Community vote distribution

C (100%)

☐ 👤 **ykw** 1 year, 1 month ago

Selected Answer: C

should be C

upvoted 1 times

☐ 👤 **EVOmage** 1 year, 4 months ago

Selected Answer: C

Believe this should be C

upvoted 2 times

☐ 👤 **sg_sri** 1 year, 6 months ago

Selected Answer: C

Believe this should be Global vairable,

upvoted 2 times

☐ 👤 **sg_sri** 1 year, 6 months ago

Believe this should be Global vairable, C

upvoted 2 times

What happens when there is a breakpoint on an activity and the project is started in Run mode?

A. The project pauses for 5 seconds when it reaches the activity.

B. The project pauses at the activity until the Continue button is clicked.

C. The project is executed without pausing at the activity.

D. The project throws an error when it reaches the activity.

Suggested Answer: *C*

Community vote distribution

C (100%)

□ 👤 **ykw** 1 year, 1 month ago

Selected Answer: C

C is the correct answer

upvoted 1 times

□ 👤 **MadhuraTendulkar** 1 year, 1 month ago

Selected Answer: C

correct answer

upvoted 1 times

Given the following sequence:

The Write Cell activity has the following properties:

What is the behavior of the sequence once executed?

A. It writes the values in the same row in the "Active Users.xlsx" Excel file.

B. It writes the values in the same row in the UserName data table

C. It writes the values in subsequent rows in the UserName data table.

D. It writes the values in subsequent rows in the "Active Users.xlsx" Excel file.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

A developer is troubleshooting a workflow that enters a Suspended mode when encountering a breakpoint. To inspect the subsequent activities individually by pausing after each one, which operation must be employed from the Debug section of the UiPath Studio's toolbar?

A. Slow Step

B. Step Out

C. Break

D. Step Into

Suggested Answer: *D*

Community vote distribution

D (100%)

⊟ 👤 **ykw** 1 year, 1 month ago

Selected Answer: D

Answer should be D

upvoted 1 times

⊟ 👤 **TomaszWol** 1 year, 3 months ago

by "pausing" after each one, not suspending. I think that may be the key.

upvoted 2 times

⊟ 👤 **codeonly05** 1 year, 3 months ago

Selected Answer: D

Slow step does not pause after each activity. Should be 'D. Step Into'.

upvoted 2 times

⊟ 👤 **EVOmage** 1 year, 4 months ago

Selected Answer: D

Slow step does not pause after each activity. Should be 'D. Step Into'.

upvoted 1 times

⊟ 👤 **sg_sri** 1 year, 5 months ago

Selected Answer: D

Believe this should be step into activity

upvoted 2 times

Which Studio workflow type is best-suited for a simple and linear process?

    A. State Machine

    B. Global Exception Handler

    C. Flowchart

    D. Sequence

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements is true about Global Variables?

    A. Global Variables values can be modified during the automation execution.

    B. Global Variables can be created from the Data Manager panel and from the Variables panel.

    C. Global Variables can be accessed only from the Main workflow.

    D. Global Variables have a Direction properly (In/Out).

Suggested Answer: *A*

👤 **ykw** 1 year, 1 month ago

There is no correct answer for this question.

Poorly made question!

upvoted 1 times

    👤 **234234** 9 months, 1 week ago

    of course there is one. A is correct.

    values can be modified.

    you might be thinking of constants.

    upvoted 1 times

What is one of the main purposes of connecting Robots to Orchestrator?

A. To provide an alternative development environment to Studio.

B. To prevent Robots from operating on unsupported applications.

C. To enable Robots to communicate with other third-party systems.

D. To manage and monitor Robot deployments and executions centrally.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

A developer executes the following workflow in Debug mode with "Continue on Exception" enabled.

How many times will the workflow pause the execution?

A. 0

B. 1

C. 2

D. 3

Suggested Answer: *C*

Community vote distribution

C (100%)

⊟ 👤 **ykw** 1 year, 1 month ago

Selected Answer: C

Answer should be C

upvoted 2 times

⊟ 👤 **MadhuraTendulkar** 1 year, 1 month ago

Selected Answer: C

Correct answer c

upvoted 1 times

⊟ 👤 **EVOmage** 1 year, 4 months ago

Selected Answer: C

Correct Answer is C. It stops on all (solid red) breakpoints.

upvoted 1 times

⊟ 👤 **iboshow** 1 year, 5 months ago

Selected Answer: C

Testing in UIPath Studio, Answer should be C. It will stop on all solid Red breakpoints.

upvoted 3 times

Which output method should be used to extract hidden text from a PDF file?

A. FullTexl only.

B. Native only.

C. OCR.

D. FullText and Native

Suggested Answer: *A*

Community vote distribution

A (100%)

 Cindy_Lee Highly Voted 1 year, 6 months ago

Selected Answer: A

https://docs.uipath.com/studio/standalone/2023.4/user-guide/output-or-screen-scraping-methods

Extract hidden text -> Full text yes, others no

upvoted 5 times

---

 ykw Most Recent 1 year, 1 month ago

Selected Answer: A

Answer should be A

upvoted 1 times

---

 coderrx 1 year, 5 months ago

Full Text

upvoted 2 times

Which option best describes a process that is considered ZERO-TOUCH AUTOMATION?

A. Processes that are rather digital and can be automated, but use some technologies that are complex (such as OCR) or require advanced programming skills.

B. Processes that are digital and involve a highly static system and process environment, so that they can be easily broken into instructions and simple triggers can be defined.

C. Processes where change is frequent, the system environment is volatile, and multiple manual (even non-digital) actions are required.

D. Processes that can be broken down into steps that can be clearly automated, and steps that need to stay manual (such as validations or usage of physical security tokens).

Suggested Answer: *B*

Community vote distribution

C (50%)	B (50%)

👤 **234234** 9 months, 1 week ago

Selected Answer: B

NiGer's comment below is overthinking it.

Zero touch means that the automation enables you to no longer touch the process manually.

upvoted 1 times

> 👤 **sambotpower** 8 months, 1 week ago
>
> I agree B is correct
>
> upvoted 1 times

👤 **NiGer** 10 months, 3 weeks ago

Selected Answer: C

I'm assuming that zero touch automation means you cannot automate it, hence the answer would be C. Processes where change is frequent, the system environment is volatile, and multiple manual (even non-digital) actions are required.

upvoted 1 times

A developer extracts data from "Sheet1" of the "Test.xlsx" file that contains 10,000 rows of data using the activity shown below:

In addition, the developer configured the following properties of the Workbook Read Range activity:

Based on the exhibits, what is the output of the expression, OutputDataTable.Rows.Count and what values will be contained in the OutputDataTable?

A. OutputDataTable Rows Count = 1 Contains the values of cells "A2 " and "B2"

B. OutputDataTable Rows Count = 1 Contains the values of cells "AT and " B1"

C. OutputDataTable Rows Count = 2 Contains the values of cells "A2" and " B2"

D. OutputDataTable Rows Count = 10.000 Contains the values of cells "A2" and "B2"

Suggested Answer: *A*

Community vote distribution

A (100%)

🔲 👤 **ykw** 1 year, 1 month ago

Selected Answer: A

Answer should be A

upvoted 1 times

During which stage does an automation developer have the greatest contribution and responsibility?

A. In the Solution Design, Development and Unit Testing, and Deployment and Hypercare stages.

B. In the Process Analysis, Solution Design, and Development and Unit Testing stages.

C. In the Development and Unit Testing, Integration and UAT, and Deployment and Hypercare stages.

D. In the Discovery and Kickoff, Development and Unit Testing, and Deployment and Hypercare stages.

Suggested Answer: *C*

Community vote distribution

C (100%)

👤 **ykw** 1 year, 1 month ago

Selected Answer: C

Correct answer should be C

upvoted 1 times

👤 **MadhuraTendulkar** 1 year, 1 month ago

Selected Answer: C

Correct answer c

upvoted 1 times

👤 **EVOmage** 1 year, 4 months ago

Selected Answer: C

C should be right.

upvoted 1 times

👤 **Mhouten** 1 year, 5 months ago

Selected Answer: C

It should be: "In the Development and Unit Testing, Integration and UAT, and Deployment and Hypercare stages."

upvoted 2 times

Following best practices, which activity is recommended for a developer to generate separate sets of actions for each vendor when developing a process that performs background verification for documents from 10 distinct vendors, each with varying document formats and requiring unique processing?

- A. Flow Decision

- B. Flow Switch

- C. For Each

- D. Do While

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which panel in UiPath Studio can be used to update the scope of a variable?

A. Data Manager

B. Project

C. Locals

D. Variables

Suggested Answer: *A*

Community vote distribution

A (60%) | D (40%)

▢ 👤 **NiGer** 10 months, 3 weeks ago

Selected Answer: A

Both A and D are correct

upvoted 1 times

▢ 👤 **ykw** 1 year, 1 month ago

Selected Answer: D

Both A and D are correct in its own way.

upvoted 2 times

▢ 👤 **PatnalaTejasri5** 1 year, 3 months ago

Variables panel

upvoted 2 times

▢ 👤 **iboshow** 1 year, 5 months ago

Selected Answer: A

Scope can be changed in Variables but only inside the workflow while Data Manager can make the variable Global.

upvoted 2 times

What happens if a process is started from an on-premise UiPath Orchestrator?

A. The process starts running on all machines that are provisioned in Orchestrator and were selected for the job.

B. The process starts running on a different machine as the Orchestrator.

C. The process starts running on the same machine as the Orchestrator.

D. The process starts running on all machines that are provisioned in Orchestrator no matter if they are selected for the job or not.

Suggested Answer: *A*

Community vote distribution

A (100%)

☐ 👤 **jaxkx** 7 months ago

Selected Answer: A

A accurately describes the behavior.

upvoted 1 times

☐ 👤 **MadhuraTendulkar** 1 year, 1 month ago

Selected Answer: A

Correct Answer A

upvoted 2 times

Who is responsible for devising a strategy to prioritize processes during the Business Case and Technical Validation phase?

A. Project manager

B. Solution architect

C. Automation developer

D. Business analyst

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Who is responsible for devising a strategy to prioritize processes during the Business Case and Technical Validation phase?

A. Project manager

B. Solution architect

C. Automation developer

D. Business analyst

Given a variable of Object type that is assigned a Boolean value, what is the expected output when converting the variable to a string using the ToString method?

A. "T" or "F"

B. "t" or "f"

C. "True" or "False"

D. "1" or "0"

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

What are the steps to start building a custom connector using the Connector Builder for Integration Service?

A. Open Automation Cloud, go to Orchestrator, on the Connectors tab. select Add a new Connector, choose to start from an API definition or choose OAuth 2.0 authentication method.

B. Open Automation Cloud, go to Integration Service, on the Connectors tab, select Add a new Connector, choose to start from an API definition or from a blank connector.

C. Open UiPath Studio, create a new process, on the Connectors tab, select Add a new Connector, choose to start from an API definition or from a blank connector

D. Open Automation Cloud, go to Orchestrator, on the Connections tab, select Add a new Connection, choose to start from an API definition or from a blank connector

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

What is the default behavior when publishing files in UiPath Studio regarding the project folder?

A. By default, all files in the project folder, including lest cases, are published as separate packages.

B. By default, all files in the project folder are published except for test cases.

C. By default, only selected files in the project folder are published.

D. By default, all files in the project folder are published, including test cases.

Suggested Answer: *B*

Community vote distribution

B (100%)

👤 **sala786** 4 months, 3 weeks ago

Selected Answer: B

Correct answer is B.

By default, all the files in the project folder are published except for test cases. If you want to prevent a specific file from being included in the published package, right-click it in the Project panel, and then select Ignore from Publish (not available for workflow files in library projects).

upvoted 1 times

Which activity can the developer use to iterate through a list, process each element individually, and utilize the Break activity to stop the iteration if a certain condition is not met?

A. Switch

B. If

C. Assign

D. For Each

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Which activity can the developer use to iterate through a list, process each element individually, and utilize the Break activity to stop the iteration if a certain condition is not met?

A. Switch

B. If

C. Assign

D. For Each

In the UiPath Implementation Methodology, which phase involves building the SDD (Solution Design Document)?

A. Kick-off phase

B. User Acceptance Testing phase

C. Process Design phase

D. Solution Design phase

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

In the UiPath Implementation Methodology, which phase involves building the SDD (Solution Design Document)?

A. Kick-off phase

B. User Acceptance Testing phase

C. Process Design phase

D. Solution Design phase

What activity from the Microsoft 365 package should be used to share a Sharepoint file URL with specific permissions to a specific user?

A. Get File/Folder

B. Upload File

C. Share File/Folder

D. Move File/Folder

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

A developer is working on a project that uses GIT for source control. A fellow team member seeks to compare two versions of a specific workflow within the project.

Which option in UiPath Studio offers this functionality?

   A. Show History

   B. Checkout Branch

   C. Push

   D. Pull (rebase)

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements accurately describes the role of the For Each Excel Row activity?

A. It reads and stores the content of an entire worksheet in a DataTable variable.

B. It writes specified data to a range of cells in an Excel file.

C. It iterates through all the rows in a specified range, allowing to perform actions with each row.

D. It filters an Excel table based on specific criteria and creates a new table with the filtered data.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

While working on a project that utilizes Object Repository, you have one linked UI Element that is used across multiple activities. What needs to happen to edit a selector for only one activity without modifying it in Object Repository?

A. Edit target.

B. Show in Object Repository.

C. Indicate target on screen.

D. Unlink from Object Repository.

Suggested Answer: *A*

Community vote distribution

D (100%)

  🗑 **Reetp** 7 months, 2 weeks ago

Selected Answer: D

I believe it's D as you have to unlink it from the current repository.

upvoted 1 times

What is the purpose of using project templates in UiPath Studio?

A. To quickly start a new project with pre-built components and structure based on best practices.

B. To manage project dependencies and versioning.

C. To create a webpage layout with pre-built UI elements.

D. To group reusable custom components across different automation projects.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements is correct about arguments?

A. Argument names are automatically updated in the activities inside the current workflow when the name of the argument is changed in the Data Manager

B. Only String argument names are automatically updated in the activities inside the current workflow when the name of the argument is changed in the data manager.

C. Argument names cannot be changed after an argument was created, if you need to rename an argument you should re-create the argument.

D. Argument names are not automatically updated in the activities inside the current workflow, if you rename an argument you need to manually change the name inside the activities.

Suggested Answer: *A*

Community vote distribution

A (100%)

☐ 👤 **kapipi** 11 months, 1 week ago

Ideally when the name of the argument is changed through data manager the argument name in the activity will also change,too

upvoted 1 times

☐ 👤 **sg_sri** 1 year ago

Selected Answer: A

Ideally when the name of the argument is changed through data manager the argument name in the activity will also change

upvoted 3 times

Which of the following is a main feature of the Manage Packages feature in UiPath Studio?

A. Installing, uninstalling, and updating activity packages in a project.

B. Managing package dependencies exclusively for attended automation projects.

C. Automatically updating at packages in a project to their latest versions.

D. Disabling previously installed packages without uninstalling them.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements is true about Global Constants?

A. Global Constants store data in a location which can be accessed by all parts of the automation project

B. Global Constants properties car be modified Curing the automation execution

C. Global Constants can be created from the Data Manager panel and from the Variables panel

D. Global Constants have a Scope property

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

An attended automation user wants to run two background processes in UiPath Assistant: "UpdateTimecards Process" and "GetPTODays Process".
What is a characteristic of running these processes?

A. Update Timecards Process and GetPTODays Process can be run concurrently in the background.

B. UpdateTimecards Process and GetPTODays Process can be run concurrently only if started from Orchestrator.

C. An exception is thrown if the processes are executed concurrently.

D. UpdateTimecards Process and GetPTODays Process can only be run sequentially.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

In a project involving an Orchestrator queue, a developer needs to extract the two values from the ItemInformation fields of each QueueItem object.

How can those fields be extracted from the variable?

A. Use a Get Transaction Item activity for each ItemInformation field.

B. Use a Get Asset activity for each ItemInformation field.

C. Use the SpecificContent property and supply the name of the field as the Key.

D. Assign output variables for each field in the Add Queue Item activity.

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

A developer is designing a project where emails containing different employee IDs are sent to the process owner for each completed transaction.
The process owner changes only once per year.
Which values should be designated as Orchestrator Queues versus Assets?

    A. Process Owner Email as a field in the Queue Item and Employee ID as an Orchestrator Asset.

    B. Process Owner Email as an Orchestrator Asset and Employee ID as a field in the Queue Item.

    C. Process Owner Email as an Orchestrator Asset and Employee ID as an Orchestrator Asset.

    D. Process Owner Email as a field in the Queue Item and Employee ID as a field in the Queue Item.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

What is the main purpose of using the App/Web Recorder during automation development?

A. To test and optimize the execution speed of automation workflows across various environments.

B. To automatically generate workflow elements for UI interactions by recording actions in an application or web page.

C. To create custom reusable components within UiPath Studio for future use in different projects.

D. To design and debug complex workflows using dynamic components.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which option best describes a process that is considered HIGH-COST RPA?

A. Processes that can be broken down into steps that can be clearly automated, and steps that need to stay manual (such as validations or usage of physical security tokens)

B. Processes where change is frequent, the system environment is volatile, and multiple manual (even non-digital) actions are required.

C. Processes that are rather digital and can be automated, but use some technologies that are complex (such as OCR) or require advanced programming skills.

D. Processes that are digital and involve a highly static system and process environment, so that they can be easily broken into instructions and simple triggers can be defined.

Suggested Answer: *C*

Community vote distribution

C (100%)

☐ 👤 **0d45205** 8 months, 3 weeks ago

Selected Answer: C

C should be the answer, B is "No Rpa". It is on the practice test on the website

upvoted 1 times

☐ 👤 **Mhouten** 1 year, 5 months ago

Selected Answer: C

"High-Cost RPA" = Processes that are rather digital and can be automated, but use some technologies that are complex (such as OCR) or require advanced

programming skills.

"No RPA" = Processes where change is frequent, the system environment is volatile, and multiple manual (even non-digital) actions are required.

upvoted 2 times

What is the best way to store credential information used in a UiPath automation project?

A. Store the username and password in a Config.xlsx Excel file in the Studio project folder.

B. Store the username and password as hardcoded values with the Private option enabled on activities.

C. Store the username and password in a local file on the robot's local machine.

D. Store the username and password in a single Orchestrator asset.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Upon extracting data from a website, a developer saves it in three variables: "FirstName", "LastName", and "City". The developer intends to store these three String variables in a fixed-size data structure called "UserData", to be utilized later within another workflow in the process. Considering best practices, which data structure and assignment should be used?

A. UserData is of type List<Object>
UserData = New List(Of Object) ({ FirstName, LastName. City })

B. UserData is of type List<String>
UserData = New List(Of String) ({ FirstName, LastName. City })

C. UserData is of type String[]
UserData = {FirstName, LastName, City}

D. UserData is of type Object[]
UserData = {FirstName, LastName, City}

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

What is the purpose of the Connector Builder in the UiPath Integration Service?

    A. To modify existing connectors in the connector catalog.

    B. To build custom connectors for any system integration using third-party APIs.

    C. To build connectors for only the UiPath platform.

    D. To connect UiPath products without using third-party APIs.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

What filter should be applied if an Orchestrator user wants to filter the robot logs in order to see only the Warn, Error, and Fatal severities?

A. Error

B. Information

C. Warning

D. Trace

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

How many elements within an application need to match a selector at runtime for the Type Into activity to execute properly when identifying a text input field?

A. 1 element

B. 2 elements

C. 3 elements

D. 5 elements

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What are the expected tasks that should be performed by an automation business analyst?

     A. Analyze the needs and propose solutions.

     B. Define the overall solution of an automation project

     C. Test the final solution.

     D. Design the architecture of the automation solution

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What activity retrieves the Last accessed date of a specific file stored in a local folder?

A. Get File Info

B. Get Folder Children

C. Retrieve File Info

D. Get File Size

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What activity retrieves the Last accessed date of a specific file stored in a local folder?

Which of the following is a characteristic of the GIT Init feature?

A. Adds the current project to a local GIT repository.

B. Creates a new remote GIT repository.

C. Adds the current project to a remote GIT repository.

D. Commits the changes to a local GIT repository.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which type of projects in UiPath Studio enables the creation of automations that can be executed on Windows and Unix-like operating systems like Linux and macOS?

A. Cross-platform projects

B. Legacy projects

C. Web browser projects

D. Windows projects

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

A developer created a process that performs the following tasks:

1. Display an input dialog asking the user for the company name.

2. Opens a browser and searches for the company name.

3. Scrapes the search results.

4. Writes the results to a notepad file.

5. Terminate process.

What is the total number of activities that require manual intervention?

    A. Zero

    B. One

    C. Two

    D. Four

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

What user category is the UiPath StudioX profile best suited for, as opposed to the UiPath Studio profile?

A. Business users looking to automate tasks for themselves and their immediate teams.

B. Project managers looking to guide project teams through automations.

C. Business analysts looking to document the processes for automation.

D. Developers looking to build complex unattended or attended process automations.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

A developer wants to create a process which interacts with a minimized window. However, when the process is executed, the robot is not able to click on a button inside the application.

Which click activity property configuration would cause the automation to run only on foreground windows?

    A. Input Mode

    B. Input Element

    C. Click Type

    D. Key Modifiers

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements accurately describes the function of the If activity in a workflow?

A. It evaluates a boolean condition and runs the branch with the highest priority, regardless of the condition's truthiness.

B. It evaluates a boolean condition and creates a single branch that executes both true and false statements sequentially.

C. It evaluates a set of boolean conditions and branches the workflow execution to the first true condition encountered.

D. It evaluates a boolean condition and creates two separate branches for both true and false conditions, executing only one branch.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

A developer needs to create an unattended automation process that extracts the information from emails from a centralized mailbox. The developer needs to use the mail folder, port, server, username, and password values, with no email client accessible on the unattended machine. Which activity should the developer use to fetch unread emails with the subject "Email for Robot"?

    A. Get IMAP Mail Messages

    B. Save Mail Message

    C. Get Outlook Mail Messages

    D. Save Outlook Mail Message

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What are the available argument directions in UiPath Studio?

A. In, Out, and In/Out arguments.

B. In/Out arguments only.

C. Out arguments only.

D. In and Out arguments.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What are the available argument directions in UiPath Studio?

A. In, Out, and In/Out arguments.

B. In/Out arguments only.

C. Out arguments only.

D. In and Out arguments.

Which selector should be adjusted according to best practices to ensure reliable and stable automation?

    A. <html app='chrome.exe' title='Release History - UiPath Platform' />
    <webctrl parentid='confluence-ui' tag='SPAN' idx='94' />

    B. <html app='chrome.exe' title='Google' />
    <webctrl tag='INPUT' aaname='Search' />

    C. <html app='chrome.exe' title='ACME System 1 - Download monthly Report' />
    <webctrl aaname=' Year 200?' parentid='searchForm' class='text' />

    D. <html app='chrome.exe' title='World population - Wikipedia' />
    <webctrl aaname='Population by continent' tag='TABLE'/>
    <webctrl tableCol='3' tableRow='7' tag='TD'/>

Suggested Answer: *C*

Community vote distribution

C (100%)

  Mys71c 9 months, 1 week ago

Selected Answer: C

Question is regarding which of the selectors needs to be updated to ensure reliable automation, and since C is most unreliable, that is the correct answer.

  upvoted 2 times

Which option from the UiPath Studio backstage view prohibits sending projects with Workflow Analyzer errors to remote repositories?

A. Analyze RPA XAML Files Only.

B. Enforce Analyzer before Publish.

C. Enforce Analyzer before Run.

D. Enforce Analyzer before Push/Check-in.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

How can the profiling results be accessed after executing a workflow?

A. Go to the Profile Execution tab in the Debug ribbon.

B. Go to the Execution Details section in the Profiling tab.

C. Go to the Import profiling session section in the Debug ribbon.

D. Go to the Performance Analysis menu in the Debug ribbon.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What will be the behavior of the process if during the design time the property ValidateUnconnectedNodes is set to True on a flowchart and a Log Message activity from this flowchart is not connected to any other node?

A. The flowchart displays an error indicating that some activities are not connected to the others within the flowchart.

B. The flowchart undergoes successful validation with no errors displayed, but an exception will occur during the workflow's runtime.

C. The flowchart will display an error indicating the presence of unconnected activities, but only when validated using the Workflow Analyzer.

D. A warning message is displayed in the Output section of Studio, indicating the presence of unconnected activities.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

An automation process requires interaction with several reports. The reports have the same structure and the title format is always "Report X - PDF", where X is a number from 1 to 100. To ensure that the selector accurately identifies the correct PDF to be utilized in the automation, what is the recommended approach given the scenario where multiple PDF files may be open on the desktop but only one report will be open at a time?

- A. Replace "X" in the title attribute value with "*" wildcard character
- B. Replace the title attribute value with "*" wildcard character
- C. Replace "X" in the title attribute value with "?" wildcard character
- D. Replace the idx attribute value with "*" wildcard character

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements is true about unattended automations?

A. Unattended automations run under human supervision and require input at some points in the process.

B. Unattended automations are best suited for smaller, more fragmented tasks that run on the user's machine.

C. Unattended automations require a human to provide credentials for the used applications and log out when the process is finished

D. Unattended automations are suited to processes that perform privileged operations, requiring elevated permissions and credentials.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Where can the UiPath Robot logs be stored for centralized access and analysis?

A. Microsoft Excel files.

B. Directly into a database.

C. Local text files only.

D. UiPath Orchestrator.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Where can the UiPath Robot logs be stored for centralized access and analysis?

A. Microsoft Excel files.

B. Directly into a database.

C. Local text files only.

D. UiPath Orchestrator.

To determine the number of characters scraped from a website in an "ExtractedText" String variable, excluding leading and trailing white-space characters, what should a developer use?

    A. ExtractedText.Length

    B. ExtractedText.Trim.Length

    C. ExtractedText.Chars

    D. ExtractedText.Trim.Chars

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

What activity can be used to get all rows in a Data Table variable with a Quantity value greater than 500?

A. Output Data Table

B. Filter Data Table

C. Sort Data Table

D. Lookup Data Table

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

When using UiPath Studio's publishing options, which location(s) can automation projects be published to?

    A. Orchestrator, Locally, and Sharepoint.

    B. Orchestrator, Locally, and Custom NuGet feed.

    C. Only Orchestrator and Locally.

    D. Custom NuGet feed, Cloud-based storage, and Sharepoint.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

When using UiPath Studio's publishing options, which location(s) can automation projects be published to?

    A. Orchestrator, Locally, and Sharepoint.

    B. Orchestrator, Locally, and Custom NuGet feed.

    C. Only Orchestrator and Locally.

    D. Custom NuGet feed, Cloud-based storage, and Sharepoint.

A developer uses a Type Into activity to interact with a UI element. If the Timeout property is not changed in activity properties or Activity Project Settings, how long will a robot attempt to find a UI element?

A. 30 seconds

B. 10 seconds

C. 60 seconds

D. Indefinitely

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

What should be done if an anchor is not automatically added when indicating an element and duplicates are found?

A. Click a nearby element that helps identify the target to add it as an anchor.

B. Only unique elements will be found.

C. Select all the target methods.

D. Rely on the fuzzy selector to identify the desired element on the screen.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

While creating a process automation pipeline, what process attribute should be avoided to ensure there are minimal or no automation maintenance requirements?

A. The process is prone to human error

B. High process run time

C. The process requires exception handling

D. Frequent business logic change

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

What is the name of the UiPath Studio panel where you build automation by inserting and managing activities?

A. Project

B. Snippets

C. Properties

D. Designer

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

A. Project

B. Snippets

C. Properties

D. Designer

Which are the most common challenges in an automation project implementation?

A. Budget constraints and resource limitations.

B. User Acceptance Testing delays and customer availability.

C. Expectation setting, scope creep, and access delays.

D. Unorganized implementation teams and lack of automation maturity.

Suggested Answer: C

Currently there are no comments in this discussion, be the first to comment!

A. Budget constraints and resource limitations.

B. User Acceptance Testing delays and customer availability.

C. Expectation setting, scope creep, and access delays.

D. Unorganized implementation teams and lack of automation maturity.

A developer wants to retrieve the value of a column from a DataRow object. Which activity can be used?

A. Get Row Item

B. Filter Data Table

C. Get Value by Column Name

D. Remove Data Row

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

From a governance perspective, what is the most suitable way to share a library with your teammates within an organization using UiPath?

A. Upload the library to the cloud and provide access credentials to your teammates.

B. Share the library project folder manually with your teammates.

C. Save the library in a shared network folder and ask your teammates to import it.

D. Publish the library to Orchestrator or a local/remote feed.

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

A project contains a Try Catch activity in the "Main.xami" workflow. In the Catches block, there is a Rethrow activity. The process is started from Orchestrator and an exception is caught in the Try section. What is the expected result?

A. Job is completed with a "Successful" state.

B. Exception Pop-up is displayed on the robot machine.

C. Job is completed with a "Stopped" state.

D. Job is completed with a "Faulted" state

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

What happens when attempting to publish a process with a validation error from UiPath Studio to Orchestrator?

A. The process will not be successfully published to Orchestrator

B. The robot will automatically set the "ContinueOnError" property to "True" for all the activities having validation errors, and the process will be successfully published to Orchestrator.

C. The process will be successfully published to Orchestrator. and the robot will throw a runtime error whenever the process is executed.

D. The process will be successfully published to Orchestrator. it will appear in UiPatn Assistant, but it cannot be run.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following statements is true?

A. UiPath Orchestrator consumes the Queue Items uploaded to the UiPath Robot

B. Unattended robots can be connected to UiPath Orchestrator without the Windows username.

C. Attended robots can be connected to UiPath Orchestrator without Windows Credentials

D. UiPath Robots can be deleted if they have pending or active jobs in UiPath Orchestrator

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

For a process that inputs data from a Microsoft Excel file with varying rows and columns into a web application, which activity should be used to store the data in a variable?

    A. Get Table Range

    B. Append Range

    C. Read Cell

    D. Read Range

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

What tool or method should be utilized, inside UiPath Studio, to assess the similarities between two files within the same automation project?

A. Global Exception Handler

B. Compare Files

C. Manage Packages

D. Workflow Analyzer

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which of the following scenarios is most suitable for attended automation?

A. Managing high-volume transaction processing with the ability to scale dynamically based on workload.

B. Executing data extraction tasks involving sensitive information that necessitates human review and validation before proceeding.

C. Running a complex process automation that requires no human intervention and works on multiple virtual environments simultaneously.

D. Automating long-duration processes that can efficiently run during nights and weekends, without any user input.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Which one of the following UI activities is an Output activity?

A. Get Attribute

B. Click

C. Type Into

D. Check/Uncheck

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

How should arguments be named according to best practices?

    A. The name should conclude with the direction and be comparable to the variable name provided in the Value.

    B. The name must exactly match the variable name given in the Value field.

    C. The name should have a prefix stating the argument type

    D. The name should contain the name of the workflow to which they are defined.

Suggested Answer: *C*

Community vote distribution

A (100%)

Currently there are no comments in this discussion, be the first to comment!

Which of the following argument names follows best practices?

    A. io_RetryNumber

    B. out_datatableOutput

    C. in_argument1

    D. inout_IsValidboolean

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Which of the following properties is optional when creating a new argument?

A. Direction

B. Argument type

C. IsRequired

D. Default value

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Which of the following properties is optional when creating a new argument?

A. Direction

B. Argument type

C. IsRequired

D. Default value